

ASSIGNMENT 3

1. Create a Bucket in IBM object storage.



2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.




HTML code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Smart Fashion Recommender</title>
<style>
body{
background-color: darkeyan;
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
}
img{
height: 240px;
border-radius: 10px;
margin: 10px;
}
</style>
</head>
<body>
<h1>Welcome to Smart Fashion Recommender</h1>
<div>
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
1.jpg"alt="Shop" srcset="">
```

```
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
2.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
3.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
4.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
5.jpg"alt="Shop" srcset="">
</div>
</body>
```



3. Upload a css page to the object storage and use the same page in your HTML code.



HTML code:


```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Smart Fashion Recommender</title>
link rel="stylesheet" href="https://ibm-bkt.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css">
</head>
<body>
  <h1>Welcome to Smart Fashion Recommender</h1>
  <div> <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-1.jpg"</pre>
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-2.jpg"</p>
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-3.jpg"</p>
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-4.jpg"</p>
alt="Shop" srcset="">
```

<img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-5.jpg"</p>

```
alt="Shop" srcset="">
</div>
</body>
</html>
```




4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.



Web URL: https://web-

 $\frac{chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https\%3}{A\%2F\%2Fjp-tok.assistant.watson.cloud.ibm.com\%2Fpublic\%2Fimages\%2Fupx-abe25bb4-5c3c-4339-b39a-8017cda1616e\%3A\%3A44d8482b-df5f-4cdb-9dd6-a00a1bfba611&integrationID=495726b8-0c9c-498b-8744-2ba1dab43dc6®ion=jp-tok&serviceInstanceID=abe25bb4-5c3c-4339-b39a-8017cda1616e}$

5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.



HTML code:

```
<!DOCTYPE html>
 <html lang="en">
 <head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Smart Fashion Recommender</title>
 <style>
 body{
 background-color: darkeyan;
 display: flex;
 align-items: center;
 justify-content: center;
 flex-direction: column;
 }
 img{
 height: 240px;
 border-radius: 10px;
 margin: 10px;
 }
 </style>
 </head>
 <body>
 <h1>Welcome to Smart Fashion Recommender</h1>
<div> <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-1.jpg"</pre>
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-2.jpg"</pre>
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-3.jpg"</pre>
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-4.jpg"</pre>
```

```
alt="Shop" srcset="">
    <img src="https://ibm-bkt.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-5.jpg"</p>
alt="Shop" srcset="">
  </div>
 <script>
     window.watsonAssistantChatOptions = {
      integrationID: "495726b8-0c9c-498b-8744-2ba1dab43dc6", // The ID of this integration.
       region: "jp-tok", // The region your integration is hosted in.
       serviceInstanceID: "abe25bb4-5c3c-4339-b39a-8017cda1616e", // The ID of your service
 instance.
       onLoad: function(instance) { instance.render(); }
      };
     setTimeout(function(){
       const t=document.createElement('script');
       t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
 (window.watsonAssistantChatOptions.clientVersion | 'latest') + "/WatsonAssistantChatEntry.js";
       document.head.appendChild(t);
     });
    </script>
 </body>
 </html>
```

