

ASSIGNMENT-4


DATE	26 october 2022
Team ID	PNT2022TMID49558
Project name	Project-plasma donor application
Team Member Name	Karpagam.B


1.Create a Bucket in IBM object storage.



2.Upload 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.









Kp.html:

3. Upload a css page to the object storage and use the same page in your HTML code.







Style.css:

```
.column {
    float: left;
    width: 33.33%;
    padding: 5px;
}
.row::after {
    content: "";
    clear: both;
    display: table;
} .row {
    display: flex;
}.column {
    flex: 33.33%;
    padding: 5px;
}
```

4. Design a chatbot using IBM Watson assistant for hospitals. Ex: User comes with a query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.







URL:

https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-788903c8-d8da-4041-b36b-23d833ff83e1%3A%3Ae56c56ff-5763-4e79-bb86-2a6572c059ca&integrationID=8d6adb5d-aa6a-46fd-bdf7-3f51cea5c1b4®ion=us-south&serviceInstanceID=788903c8-d8da-4041-b36b-23d833ff83e1

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in the HTML page.





Kp.html:

```
<html>
<head>
kead>
</head>
</head>
<body>
<script>
window.watsonAssistantChatOptions = {
    integrationID: "50221570-40d3-4660-beee-539dafac4674", // The ID of this integration.
    region: "us-south", // The region your integration is hosted in.
    serviceInstanceID: "788903c8-d8da-4041-b36b-23d833ff83e1", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
    const t=document.createElement('script');
```

```
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/"
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
<div class="row">
  <div class="column">
    <img src="image-1.jpg" alt="Disable" style="width: 200px;height: 200px;">
  </div>
  <div class="column">
    <img src="image-2.jpg" alt="Disable" style="width: 200px;height: 200px;">
  </div>
  <div class="column">
    <img src="image-3.jpg" alt="Disable" style="width: 200px;height: 200px;">
  </div>
  <div class="column">
    <img src="image-4.jpg" alt="Disable" style="width: 200px;height: 200px;">
  </div>
  <div class="column">
    <img src="image-5.jpg" alt="Disable" style="width: 200px;height: 200px;">
  </div>
</div>
</body>
</html>
```