CLOUD APPLICATION-PLASMA DONOR

PLASMA DONOR WEB APPLICATION USING CLOUD

PROJECT REPORT

Submitted by:

Anu K (950019104003)

Evanjalin R (950019104011)

Janani S (950019104015)

Karpagam B (950019104020)

TEAM ID:PNT2022TMID49558

ANNA UNIVERSITY REGIONAL CAMPUS – TIRUNELVELI

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

AUGUST 2022 – NOVEMBER 2022

TABLE OF CONTENTS

CHAPTER NO	TITLE
1	INTRODUCTION
1.1	Project Overview
1.2	Purpose
2	LITERATURE SURVEVEY
2.1	Existing Problem
2.2	References
2.3	Problem Statement Definition
3	IDEATION & PROPOSED SOLUTION
3.1	Empathy Map Canvas
3.2	Ideation & Brainstorming
3.3	Proposed Solution
3.4	Problem Solution Fit
4	REQUIREMENT ANALYSIS
4.1	Functional requirement
4.2	Non-Functional requirements
5	PROJECT DESIGN
5.1	Data Flow Diagrams
5.2	Solution & Technical Architecture
5.3	User Stories
6	PROJECT PLANNING AND SCHEDULING
6.1	Sprint Planning & Estimation
6.2	Sprint Delivery Schedule

6.3	Reports from JIRA
7	CODING & SOLUTIONING
7.1	Feature 1
7.2	Feature 2
7.3	Database Schema
8	TESTING
8.1	Test Cases
8.2	User Acceptance Testing
9	RESULTS
9.1	Performance Metrics
10	ADVANTAGES & DISADVANTAGES
11	CONCLUSION
12	FUTURE SCOPE
13	APPENDIX

1.INTRODUCTION

1.1 Project Overview:

The main goal of our project is to design a user-friendly web application that is like a scientific vehicle from which we can help reduce mortality or help those affected by COVID19 by donating plasma from patients who have recovered without approved antiretroviral therapy planning for a deadly COVID19 infection, plasma therapy is an experimental approach to treat those COVID-positive patients and help them recover fasterTherapy, which is considered reliable and safe.

1.2 Purpose:

During COVID 19 crisis there requirement for plasma increased drastically as there were no vaccinations found in order to treat the infected patients. In such situation it was very difficult to find the plasma donor, check whether the donor was infected previously and was recovered, and which donor is eligible to donate plasma was a challenging task.

2.LITERATURE SURVEY

2.1 Existing Problem:

1.PLASMA DONATION WEBSITE

The main goal of this application is to make it easier for the COVID-19 patients to get a plasma donor easily as well as donate plasma if they have recovered. The system target two types of users: the people who want to donate plasma and the people who need plasma. The user can also view the total active cases, nearby vaccine centers, hospitals address. The main objective of

developing the website is to make it easier for the COVID-19 patients to get a plasma donor easily and as soon as possible.

ADVANTAGES

- This website is fast and offers great accuracy as compared to manual registered keeping.
- It is very easy to use and understand. It is easily workable and accessible for everyone.

DISADVANTAGES

- It cannot automatically verify the genuine users.
- It requires active internet connection.

2. DELHI FIGHTS CORONA

The Delhi government has launched the country's first plasma bank. If you are a recovered corona patient, come forward and donate your plasma. In this time of emergency it becomes difficult to approach the right donor. To overcome this problem this application is proposed.

ADVANTAGES

- Recipients can get blood easily
- Donors can also donate plasma easily by checking the list of blood donation camps.

DISADVANTAGES

- It requires active internet connection.
- In some situation it was very difficult to find plasma donor.

2.2 References:


- 1. https://dev.to/nehasoni_/plasma-donation-website-using-mern-stack-26f5
- 2. https://delhifightscorona.in/donateplasma/

2.3 Problem Statement Definition:


During COVID 19 crisis the requirement for plasma increased drastically as there were no vaccinations found in order to treat the infected patients. In such situation it was very difficult to find the plasma donor, check whether the donor was infected previously and was recovered, and which donor is eligible to donate plasma was a challenging task.

3.IDEATION&PROPOSEDSOLUTION

3.1EmpathyMap




3.2 Ideation & Brainstorming:



3.3 Proposed Solution:

S.NO	PARAMETER	DESCRIPTION
1.	Problem Statement (Problem to be solved)	During COVID 19 crisis there requirement
		for plasma increased drastically as there
		were no vaccinations found in order to treat
		the infected patients. In such situation it
		was very difficult to find the plasma donor,
		check whether the donor was infected
		previously and was recovered, and which
		donor is eligible to donate plasma was a
		challenging task.
2.	Idea / Solution description	To maintain and update the plasma details
		in the form of web application. Users can
		get an Alert from email if the specific
		plasma is available.
3	Novelty / Uniqueness	Send notification to recipient if plasma is
		available
4	Social Impact / Customer Satisfaction	We can save life who are in need of plasma
5	Business Model (Revenue Model)	We can collaborate with government and it
		can utilize the app to help the people who
		are in need of plasma
6	Scalability of the Solution	Performance and speed do not slow down
		even if large number of users access the
		application at the same time.

3.4 Problem Solution fit



4. REQUIREMENT ANALYSIS

4.1 Functional & Non-Functional requirements:

Following are the functional requirements of the proposed solution

FR No	Functional Requirement	Sub Requirement (Story
	(Epic)	/ Sub-Task)
FR-1	User Registration	Registration through Form
		Registration through GmaiL
FR-2	User Confirmation	Confirmation via Email
		Confirmation via OTP
FR-3	Recipient Registration	Registration through Form
		Registration through Gmail
FR-4	Recipient Confirmation	Confirmation via Email


FR-5	Recipient Notify Donors	Notify Donors via Email
------	-------------------------	-------------------------

Following are the non-functional requirements of the proposed solution

NFR No	Non-Functional	Description
	Requirement	
NFR-1	Usability	People can get plasma in a
		short period when they are in a
		critical situation.
NFR-2	Security	The informations provided by
		the users are securely stored in
		database.Admin can only
		access the database
NFR-3	Reliability	If any data provided by the
		user is wrong this app will
		intimate users to provide the
		correct information.
NFR-4	Performance	This application performs well
		it will help both the donors,
		and recipient.
NFR-5	Availability	The donor availability time is
		much more than downtime.
NFR-6	Scalability	Many number of donors and
		recipient can get registered


5. PROJECT DESIGN:

5.1 Data Flow Diagram:



A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

5.2 Solution & Technical Architecture:



5.3 User Stories:

User	Functional	User	User	Acceptanc	Priorit	Releas
Type	Requiremen	Story	Story /	e criteria	y	e
	t (Epic)	Numbe	Task			
		r				
Customer	Registration	USN-1	As a	I can access	High	Sprint-1
(Donor)			DONOR, I	my account /		
			can register	dashboard		
			for the			
			application			
			by entering			
			my name,			
			email,			
			password,			
			Blood			
			group,			
			Address,			
			mobile			
			number and			
			confirming			
			my			
			password			
		USN-2	As a	I can receive	High	Sprint-1
			DONOR, I			•
			will receive	email & click		
			confirmatio	confirm		
			n email once			
			I have			
			registered			
			for the			
			application			

		USN-3	As a	I can register	Low	Sprint-2
			DONOR, I	& access the		
			can register	dashboard		
			in the	with Gmail		
			application	Login		
			through			
			Gmail			
	LOGIN	USN-4	As a	I can register	Medium	Sprint-1
			DONOR, I	& access the		
			can log into	dashboard		
			the	with Login		
			application			
			by entering			
			email &			
			password			
					High	Sprint-1
	Dashboard	USN-5	As a	I can see the	Medium	Sprint-2
			DONOR, I	dashboard		
			can see the	with Register		
			information	or login		
			about my			
			application			
Customer	Registration	USN-6	As a	I can access	High	Sprint-1
(Recipient			RECIPIENT	my account /		
)			, I can	dashboard		
			register in			
			the			
			application			
			by entering			
			my name,			
			email,			

					1
		password,			
		Organizatio			
		n name,			
		Address,			
		mobile			
		number and			
		confirming			
		my			
		password.			
Login	USN-7	As a	I can register	Medium	Sprint-1
		RECIPIENT	& access the		
		, I can log	dashboard		
		into the	with Login		
		application			
		by entering			
		email &			
		password			
Request	USN-8	As a	I can register	High	Sprint-2
Notification		RECIPIENT	& send the		
		, I can send	Request		
		Request to			
		the donors			
		by notifying			
		them at the			
		right time,			
		i.e., when			
		plasma			
		needed			
Response from	USN-9	As a	I can Send	High	Sprint-2
Donor		RECIPIENT	Request &		
		Ican Receive			

	reply from	Get response	
	Donors	from Donors	

6. PROJECT PLANNING & SCHEDULING:

6.1 Sprint Planning & Estimation:

Sprint	Functional	User Story	User Story / Task	Story Points	Priority	Team Members
	Requirement (Epic)	Number		_		
Sprint-1	Donor Registration	USN-1	As a donor, I can register for the application by entering my email, password, and confirming my password and plasma details.	1	High	Anu K
Sprint-2	Donor confirmation	USN-2	As a Donor, I will receive confirmation email once I have registered for the application	3	High	Evanjalin R
Sprint-1	Donor login	USN-3	As a Donor, I can log into the application by entering email and password	1	High	Janani S
Sprint-2	Recipient Registration	USN-4	As a Recipient, I can register for the application by entering required details	2	High	Karpagam B
Sprint-2	Recipient Login	USN-5	As a Recipient, I can log into the application by entering email & password	1	High	Evanjalin R
Sprint-3	Request Notification	USN-6	As a Recipient, I can send Request to the Donors by notifying them at the right time	3	High	Anu K
Sprint-4	Response from Donor	USN-7	As a Recipient, I can Receive response from Donors	3	High	Janani S
Sprint-4	Dashboard	USN-8	As a Donor, I can see the information about application	2	Medium	Karpagam B

6.2 Sprint Delivery Schedule:

Project Tracker, Velocity & Burndown Chart: (4 Marks)


Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	12	6 Days	24 Oct 2022	29 Oct 2022	12	29 Oct 2022
Sprint-2	12	6 Days	31 Oct 2022	05 Nov 2022	12	05 Nov 2022
Sprint-3	12	6 Days	07 Nov 2022	12 Nov 2022	12	12 Nov 2022
Sprint-4	12	6 Days	14 Nov 2022	19 Nov 2022	12	19 Nov 2022

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

AV= sprint duration / velocity = 12/6 = 2

6.3 Reports from JIRA:



7.CODINIG & SOLUTIONING

7.1 FEATURE 1

• Registration page

The volunteered donors can register in our website by filling the required information such as username, address, blood group, password etc.

The recipient can register in our website in order to get plasma.

• Login page

The login page is common for both the donor and recipient. Donors and Recipients can login in our website by giving username and password.

• Request notification

The recipient posts a request then the concerned blood group donors will get notified about it.

• Quick availability of plasma

The donors will provide required plasma at the correct time to save the life of the people.

7.2 Feature 2 (Coding)

1. Python flask:

We have used python flask to develop our project. Python flask is a web framework and a python module that let us to develop web application easily.

from flask import Flask, render_template, request,redirect, url_for, session import ibm_db import re app = Flask(name)

2. IBM Cloud db2

When the donors and recipients registers in our website, the details get stored in the IBM Cloud db2. We have connected db2 with our project using python code.

```
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-
433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32459;S
ECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=hnl10309
;PWD=4q2SvdOKme6RC7Zr",",")
stmt = ibm_db.prepare(conn,insert_sql)
ibm_db.bind_param(stmt, 1, username )
ibm db.bind param(stmt, 2, age)
ibm_db.bind_param(stmt, 3, bloodgroup)
ibm_db.bind_param(stmt, 4, gender)
ibm_db.bind_param(stmt, 5, phone)
 ibm db.bind param(stmt, 6, address)
ibm db.bind param(stmt, 7, email)
ibm_db.bind_param(stmt, 8, password)
ibm_db.bind_param(stmt, 9, confirmpassword )
ibm_db.bind_param(stmt, 10, height)
ibm db.bind param(stmt, 11, weight) ibm db.execute(stmt)
msg = 'You have successfully registered!'
```

3. For receiving email:

The registered user will get the email using this python code.

```
# importing librariesfromflaskimportFlask
fromflask_mailimportMail,Messageapp=Flask(name)
mail=Mail(app)#instantiatethemailclass#configurationofmail
app.config['MAIL_SERVER']='smtp.gmail.com'app.config['MAIL_PORT']=465app.config['M
AIL_USERNAME'] = 'karpagamboothanathan@gmail.com'app.config['MAIL_PASSWORD']
= 'nmydiidhksvvojid' app.config['MAIL_USE_TLS'] =
```

```
Falseapp.config['MAIL_USE_SSL']=True
mail=Mail(app)

#messageobjectmappedtoaparticularURL'/'@app.route("/")

defindex():
msg=Message(
'youhaveregisteredsucessfully',
sender ='karpagamboothanathan@gmail.com',recipients=['siksha@gmail.com']
)
msg.body='Welcometoplasmadonorapplication!!Thanksforregistering'mail.send(msg)
return'Sent'

ifname == 'main':app.run(debug=True)
```

4. Deploying flask app in Docker:

We have deployed our flask app in docker where all the code, libraries and dependencies together to make it possible for multiple containers to run in the same host and we can run our flask app using the dockerdesktop.

8.TESTING

8.1 Test cases

Section	Total cases	Non tested	Fail	Pass
Login	7	0	0	7
Registration	7	0	0	7
Performance	7	0	0	7
Final report output	7	0	0	7

8.2 User acceptance testing

1. Purpose of document

The purpose of document is to briefly explain the test coverage and open issues of the [Plasma Donor Application] project at the time of the release to User Acceptance Testing (UAT).

2. Defect analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By design	5	3	1	0	9
Duplicate	5	1	0	1	7
External	2	2	1	1	6
Fixed	3	1	0	0	4
Not	0	1	2	0	3
reproduced					
Skipped	3	2	1	1	7
Won't fix	0	3	2	1	6
Total	18	13	7	4	42

3. Test case analysis

This report shows the number of test cases that have passed, failed and untested.

Section	Total cases	Non tested	Fail	Pass
Login	7	0	0	7
Registration	7	0	0	7
Performance	7	0	0	7
Final report output	7	0	0	7

9.RESULT

9.1 Performance metrics

S.No	Parameter	Values
1.	Model summary	During COVID -19 the requirement of plasma
		increased as there is no vaccination. Plasma
		from donors who have recovered from
		COVID-19 may contain antibodies that could
		help to recover. The website builds a platform
		which will help to provide quickest solution to
		find the plasma donors. The volunteered
		donor can register in this website by filling
		their details. The recipient can register in
		order to get plasma and they get verified
		email. The database will have all the details
		about the registered donor and recipient.
		Once they have registered, they can login to
		our page. If a recipient posts a request then the
		concerned blood group donors will get
		notified about it. The recipient will get the
		plasma at the right time.
2.	Accuracy	This is fast and offers great accuracy as
		compared to manual registered keeping.

10. ADVANTAGES & DISADVANTAGES

Advantages:

- It is very easy to use and understand. It is easy workable and accessible for everyone.
- It would help you to find the plasma donors easily depending on the availability.

Disadvantages:

- Forgot password option is unavailable.
- Internet speed

11. CONCLUSION

- Plasma is a liquid portion of blood; it is a mixture of water, proteins and salts.
 Antibodies are proteins made by the body in response to an infection. People fully rescued from COVID19 are encouraged to donate plasma, which can help to increase the lifespan of other patients because their plasma contains antigens which helps the affected person to recover faster.
- These immunoglobulin give your immune system a way to fight the virus when you are sick, so your plasma can be used to help others fight off illness. Individuals must fully resolve symptoms for at least 14 days prior are eligible to donate The efficient way of finding plasma donor for the infected people is implemented using the plasma donor application website. People fully rescued from COVID-19 are encouraged to donate plasma which can help to increase the lifespan of other patients.

12. FUTURE SCOPE

- Upgrading the UI that is more user-friendly which will help many users to access the website and also ensures that many plasma donors can be added into the community.
- One important future scope is availability of location based plasma donor details and extraction of location based donor's details, which is very helpful to the acceptant people.

13. APPENDIX

SOURCE CODE

INDEX.html:

```
margin: auto;
  position: relative;
.content .par{
  padding-left: 25px;
  padding-bottom: 25px;
  font-family: Arial;
  color: beige;
  letter-spacing: 1.2px;
  line-height: 30px;
}
.content h1{
  font-family: 'Times New Roman';
  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  color: red;
  letter-spacing: 2px;
}.content .cn{
  width: 160px;
  height: 40px;
  background: #ff7200;
  border: none;
  margin-bottom: 10px;
```

```
margin-left: 20px;
    font-size: 18px;
    border-radius: 10px;
    cursor: pointer;
    transition: .4s ease;
      }
  .content .cn a{
    text-decoration: none;
    color: #000;
    transition: .3s ease;
  }
  .content span{
    color: #ff7200;
    font-size: 65px
  }
</style>
</head>
<body>
  <div class="full-page">
     <div class="navbar">
       <div>
         <a href='index.html'></a>
       </div>
```

```
<nav>
       <a href='#'>HOME</a>
         <a href="{{'login'}}">LOGIN</a>
         <a href="{{'register'}}">DONATE PLASMA</a>
         <a href="{{'registers'}}">NEED PLASMA? </a>
<nav>
   </div>
   <div class="content">
     <h1>PLASMA DONOR<br/>br>WEB APPLICATION</h1>
     <br>><br>>
      "Blood Donation Costs You Nothing, <br >> But It Can
Mean The World To Someone In Need."
 </div>
</body>
</html>
```

DONOR REGISTER.html:

```
<div class="logo">
  <a href="/userdashboard"> <i class="fas fa-arrow-left"></i></a>
   <center> <h3>Donor Registration</h3></center>
 </div>
</div>
<div class="cont" align="center" >
 < h3 >
 <div class="profile">
 < h3 >
 <form action="{{ url_for('register') }}" method="post">
   Name:
      <input type="text" name="username" size="15" />
     Age:
       <input type="text" name="age" size="15" />
      Bloodgroup:
       <input type="text" name="bloodgroup" size="15" />
```

```
LastDonateDate:
<input type="text" name="lastdonatedate" size="15" />
Gender:
<input type="text" name="gender" size="15" />
Phone:
<input type="text" name="phone" size="15" />
Address:
<input type="text" name="address" size="15" />
Email:
<input type="text" name="email" size="15" />
Password:
<input type="text" name="password" size="15" />
```

```
Confirm Password:
           <input type="text" name="confirmpassword" size="15" />
          Height:
          <input type="text" name="height" placeholder="Please write
your height in centimetres" size="15" />
         Weight:
          <input type="text" name="weight" placeholder="Please write
your weight in centimetres" size="15" />
         <div class="cont" align="center" >
        <button><input type="submit" value="REGISTER" /></button>
       </div>
      </form> </div>
  </div>
  </div>
  <span class="alert{{indicator}}">{{a}}</span>
 </body>
 </html>
```

RECEIPIENT REGISTER.html:

```
<Html>
```

```
<head>
  <title>Registration form</title>
  <link rel="stylesheet"href="{{url_for('static',filename='profile.css')}}">
</head>
<center>
  <h1 class="word"></h1>
</center>
<body>
  <div class="nav">
    <div class="logo">
      <a href="/userdashboard"> <i class="fas fa-arrow-left"></i></a>
      <center> <h3>Recipient Registration</h3></center>
    </div>
    </div>
  <div class="cont" align="center" >
   < h3 >
   <div class="profile">
   <h3>
    <form action="{{ url_for('registers') }}" method="post">
```

```
Name:
<input type="text" name="username" size="15" />
<th>>Age:</th>
 <input type="text" name="age" size="15" />
Bloodgroup:
 <input type="text" name="bloodgroup" size="15" />
Gender:
 <input type="text" name="gender" size="15" />
Phone:
 <input type="text" name="phone" size="15" />
Address:
 <input type="text" name="address" size="15" />
```

```
Email:
          <input type="text" name="email" size="15" />
          Password:
          <input type="text" name="password" size="15" />
          Confirm Password:
          <input type="text" name="confirmpassword" size="15"
/>
          Height:
           <input type="text" name="height" placeholder="Please write
your height in centimetres" size="15" />
          Weight:
          <input type="text" name="weight" placeholder="Please write
your weight in centimetres" size="15" />
          <div class="cont" align="center" >
        <button><input type="submit" value="REGISTER" /></button>
        </div>
```

```
</form>
       </div>
    </div>
   </div>
  </body>
  </html>
LOGIN.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Login</title>
  <link rel="stylesheet"href="{{url_for('static',filename='coding.css')}}">
  link
href="https://fonts.googleapis.com/css2?family=Kaushan+Script&display=swap"
rel="stylesheet">
</head>
<body>
 <form action="/login" method="post">
  <div class="full-page">
    <div class="sub-page">
       <div class="navigation-bar">
         <div class="logo">
           <a href='login.html'></a>
```

```
</div>
       </div>
       <div class="row">
         <div class="col-1">
            <div class="form-box">
              <div class="form">
                <form class="login-form">
                   <center><h1 class="main-heading">Login
Form</h1></center>
                   <br>
                   <input type="text" name="username" placeholder="Enter</pre>
Your Username" size="15" />
                   <br>
                   <input type="text" name="password" placeholder="Enter Your</pre>
password" size="15" />
                                  <button>
                     <input type="submit" value="LOGIN" />
                   </button>
                  </form>
               </div>
               </div>
         </div>
      </div>
    </div>
  </div>
  <script src='https://code.jquery.com/jquery-3.2.1.min.js'>
```

```
</script>
  <script>
    $('.message a').click(function(){$('form').animate({height: "toggle",opacity:
"toggle"},"slow");});
  </script>
 </form>
</body>
</html>
DASHBOARD.html:
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="UTF-8">
  k href='https://unpkg.com/boxicons@2.0.7/css/boxicons.min.css'
rel='stylesheet'>
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <style>
    /* Googlefont Poppins CDN Link */
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;60
0;700&display=swap');
*{
 margin: 0;
 padding: 0;
 box-sizing: border-box;
```

```
font-family: 'Poppins', sans-serif;
.sidebar{
 position: fixed;
 height: 100%;
 width: 240px;
 background: red;
 transition: all 0.5s ease;
}
. side bar. active \{
 width: 60px;
.sidebar .logo-details{
 height: 80px;
 display: flex;
 align-items: center;
.sidebar .logo-details i{
 font-size: 28px;
 font-weight: 500;
 color: #fff;
 min-width: 60px;
 text-align: center
.sidebar .logo-details .logo_name{
```

```
color: #fff;
 font-size: 24px;
 font-weight: 500;
}
.sidebar .nav-links{
 margin-top: 10px;
.sidebar .nav-links li{
 position: relative;
 list-style: none;
 height: 50px;
.sidebar .nav-links li a{
 height: 100%;
 width: 100%;
 display: flex;
 align-items: center;
 text-decoration: none;
 transition: all 0.4s ease;
.sidebar .nav-links li a.active{
 background: #081D45;
.sidebar .nav-links li a:hover{
 background: #081D45;
```

```
}
.sidebar .nav-links li i{
 min-width: 60px;
 text-align: center;
 font-size: 18px;
 color: #fff;
.sidebar .nav-links li a .links_name{
 color: #fff;
 font-size: 15px;
 font-weight: 400;
 white-space: nowrap;
.sidebar .nav-links .log_out{
 position: absolute;
 bottom: 0;
 width: 100%;
}
nav .profile-details img{
 height: 40px;
 width: 40px;
 border-radius: 6px;
 object-fit: cover;
```

```
nav .profile-details .admin_name{
 font-size: 15px;
 font-weight: 500;
 color: #333;
 margin: 0 10px;
 white-space: nowrap;
nav .profile-details i{
 font-size: 25px;
 color: #333;
/* Responsive Media Query */
@media (max-width: 1240px) {
 .sidebar{
  width: 80px;
 .sidebar.active{
  width: 250px;
 .sidebar.active ~ .home-section{
  /* width: calc(100% - 220px); */
  overflow: hidden;
  left: 220px;
```

```
.sidebar.active ~ .home-section nav{
  width: calc(100% - 220px);
  left: 220px;
 }
}
@media (max-width: 1000px) {
 .overview-boxes .box{
  width: calc(100% / 2 - 15px);
  margin-bottom: 15px;
@media (max-width: 700px) {
nav .sidebar-button .dashboard,
nav .profile-details .admin_name,
nav .profile-details i{
  display: none;
 }
@media (max-width: 550px) {
 .overview-boxes .box{
  width: 100%;
  margin-bottom: 15px;
```

```
.sidebar.active ~ .home-section nav .profile-details{
  display: none;
 @media (max-width: 400px) {
 .sidebar{
  width: 0;
 . side bar. active \{\\
  width: 60px;
 .sidebar.active ~ .home-section{
  left: 60px;
  width: calc(100% - 60px);
 .sidebar.active ~ .home-section nav{
  left: 60px;
  width: calc(100% - 60px);
   </style>
 </head>
<body>
 <div class="sidebar">
```

```
<div class="logo-details">
   <i class='bx bxl-c-plus-plus'></i>
   <span class="logo_name">PLASMA DONOR</span>
  </div>
   <1i>>
     <a href="/profile">
      <i class='bx bx-box' ></i>
      <span class="links_name">profile</span>
     </a>
    <1i>>
     <a href="/display">
      <i class='bx bx-box' ></i>
      <span class="links_name">Request</span>
     </a>
    </div>
 <section class="home-section">
 </script>
</body>
</html>
```

PROFILE.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Profile</title>
  <link rel="stylesheet"href="{{url_for('static',filename='profile.css')}}">
</head>
<body> <div class="nav">
    <div class="logo">
     <a href="/userdashboard"> <i class="fas fa-arrow-left"></i></a>
     <center> <h3>Profile</h3></center>
    </div>
   </div>
  <div class="cont" align="center">
   < h3 >
   <div class="profile">
   < h3 >
    >
      Name:
      {{username}}
     >
      Age:
      {age}
```

```
BloodGroup:
<\!\!td\!\!>\!\!\{\{bloodgroup\}\}<\!\!/td\!\!>
>
Gender:
{{gender}}
Phone:
{{phone}}}
Address:
{{address}}
E-Mail:
{{email}}
Height:
{{height}}
```

```
Weight
{th>Weight}}
{td>{{weight}}}

</div>
</div>
</div>
</body>
</html>
```

DISPLAY.html

```
</div>
 {% if state == "SENT" % }
</re>
        <div class="content">
                 <h1>Request Email Sent Successfully...! </h1>
           </div>
           </re>
       <form action="/send_email" method="post">
                 <div class="content">
                       <h1>Requesting plasma!!!<h1></div>
                 <br>
                 <br>
                 <label> Blood Group:</label>
             <input type="text" name="bloodgroup" value="{{bloodgroup}}"</pre>
placeholder="Enter BloodGroup"/>
                 <hr>>
                 <br>
                 <br>
                 <label> Email:</label>
             <input type="text" name="email1" placeholder="Enter Email"/>
                 <br>
                 <br>
          <button type="submit" class="button1">NOTIFY</button>
```

```
</form>
        { % endif % }
</div>
</div>
</body>
</html>
STATIC (style) CODE
*{margin: 0;
 padding: 0;
box-sizing: border-box;
}
full-page
{ height: 100vh;
width: 100%;
background: azure;
position: absolute;
.sub-page
 width: 1266px;
 height: 559px;
 position: absolute;
 background: url(bb.jpg);
```

```
background-size: cover;
background-position: center;
left: 50px;
top: 50px;
}navigation-bar
{
```

PROFILE.css

```
@import
url("https://fonts.googleapis.com/css2?family=Caesar+Dressing&family=Dancing
+Script:wght@500&family=Poppins:wght@400;500&display=swap");
@import
url("https://fonts.googleapis.com/css2?family=Gemunu+Libre&display=swap");
@import
url("https://fonts.googleapis.com/css2?family=Roboto+Mono&display=swap");
@import
url("https://fonts.googleapis.com/css2?family=Roboto+Mono&display=swap");
* {
 margin: 0;
 padding: 0;
}
body {
 width: 100%;
 height: 100%;
}
a {
```

```
text-decoration: none;
.nav {
 background-color: red;
 padding: 10px;
 display: flex;
 justify-content: space-between;
.nav .logo {
 display: flex;
 gap: 10px;
.nav .logo i {
 text-align: center;
 color: bisque;
 font-size: 30px;
 padding: 8px;
.nav .logo h3 {
 color: bisque;
 font-size: 30px;
 font-family: "Poppins", cursive;
 text-align: center;
```

```
}
.nav .name {
 text-align: center;
 color: black;
 font-size: 20px;
 font-family: "Poppins", cursive;
.cont .logo {
 color: crimson;
 font-size: 90px;
.cont .logo i {
 border: 4px solid black;
 border-radius: 50%;
 padding: 4px;
.cont .profile {
 margin-top: 20px;
 width: 60%;
.cont .profile table {
 padding: 20px;
 width: auto;
 font-family: system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto,
  Oxygen, Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
```

```
margin-bottom: 20px;
}
.cont .profile tr {
 background-color: azure;
.cont .profile td {
 padding: 10px;
 text-align: center;
.cont .profile th {
 background-color: crimson;
 color: bisque;
 padding: 5px;
.cont .profile a {
 background-color: gold;
 padding: 10px;
 border-radius: 10px;
 font-family: "Roboto Mono", monospace;
```

STYLE.css

```
*
  margin: 0;
  padding: 0;
  box-sizing: border-box;
.full-page
  height: 100%;
      width: 100%;
      background-image: linear-
gradient(rgba(0,0,0,0.4),rgba(0,0,0,0.4)),url(bloodimage1.png);
      background-position: center;
      background-size: cover;
      position: absolute;
}
.navbar
  display: flex;
  align-items: center;
  padding: 20px;
  padding-left: 50px;
  padding-right: 30px;
  padding-top: 50px;
nav
```

```
flex: 1;
  text-align: right;
}
nav ul
  display: inline-block;
  list-style: none;
}
nav ul li
  display: inline-block;
  margin-right: 70px;
}
nav ul li a
  text-decoration: none;
  font-size: 20px;
  color: white;
  font-family: sans-serif;
}
nav ul li button
  font-size: 20px;
  color: white;
```

```
outline: none;
  border: none;
  background: transparent;
  cursor: pointer;
  font-family: sans-serif;
nav ul li button:hover
  color: aqua;
nav ul li a:hover
  color: aqua;
a
  text-decoration: none;
  color: palevioletred;
  font-size: 28px;
#login-form
  display: none;
.form-box
```

```
{
  width:380px;
      height:480px;
      position:relative;
      margin:2% auto;
      background:rgba(0,0,0,0.3);
      padding:10px;
  overflow: hidden;
}
.button-box
      width:220px;
      margin:35px auto;
      position:relative;
      box-shadow: 0 0 20px 9px #ff61241f;
      border-radius: 30px;
}
.toggle-btn
      padding:10px 30px;
      cursor:pointer;
      background:transparent;
      border:0;
      outline: none;
      position: relative;
```

```
}
#btn
      top: 0;
      left:0;
      position: absolute;
      width: 110px;
      height: 100%;
      background: #F3C693;
      border-radius: 30px;
      transition: .5s;
}
.input-group-login
      top: 150px;
      position:absolute;
      width:280px;
      transition:.5s;
}
.input-group-register
  top: 120px;
      position:absolute;
      width:280px;
      transition:.5s;
```

```
}
.input-field
{
      width: 100%;
      padding:10px 0;
      margin:5px 0;
      border-left:0;
      border-top:0;
      border-right:0;
      border-bottom: 1px solid #999;
      outline:none;
      background: transparent;
}
.submit-btn
      width: 85%;
      padding: 10px 30px;
      cursor: pointer;
      display: block;
      margin: auto;
      background: #F3C693;
      border: 0;
      outline: none;
      border-radius: 30px;
}
```

```
.check-box
      margin: 30px 10px 34px 0;
}
span
      color:#777;
      font-size:12px;
      bottom:68px;
      position:absolute;
#login
      left:50px;
#login input
{
      color:white;
      font-size:15;
#register
      left:450px;
#register input
```

```
{
    color:white;
    font-size: 15;
}
```

APP.PY

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
from flask_mail import Mail, Message
import re
app = Flask(__name__)
mail = Mail(app) # instantiate the mail class
# configuration of mail
app.config['MAIL_SERVER']='smtp.gmail.com'
app.config['MAIL\_PORT'] = 465
app.config['MAIL_USERNAME'] = 'karpagamboothanathan@gmail.com'
app.config['MAIL_PASSWORD'] = 'nmydiidhksvvojid'
app.config['MAIL_USE_TLS'] = False
app.config['MAIL_USE_SSL'] = True
mail = Mail(app)
app.secret_key = 'a'
```

```
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-
433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32459;S
ECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=hnl10309
;PWD=4q2SvdOKme6RC7Zr",",")
@app.route('/')
def home():
  return render_template('index.html')
@app.route('/login', methods = ['GET', 'POST'])
def login():
  msg = "
  if request.method == 'POST'and 'username' in request.form and 'password' in
request.form:
    username = request.form['username']
    password = request.form['password']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM donor WHERE username = ?
AND password = ?')
    ibm_db.bind_param(stmt,1,username)
    ibm_db.bind_param(stmt,2,password)
    ibm db.execute(stmt)
    account = ibm_db.fetch_tuple(stmt)
    stmt = ibm_db.prepare(conn, 'SELECT * FROM recipient WHERE username
= ? AND password = ?')
    ibm_db.bind_param(stmt,1,username)
    ibm_db.bind_param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_tuple(stmt)
```

```
if account:
       session['loggedin'] = True
       session['username'] = account[1]
       msg = 'Logged in successfully!'
       return redirect(url_for('dashboard'))
     else:
       msg = 'Incorrect username / password !'
       return render_template('login.html', a = msg)
  return render_template('login.html')
@app.route('/dashboard')
def dashboard():
  return render_template('dashboard.html')
@app.route('/logout')
def logout():
  session.pop('loggedin', None)
  session.pop('id', None)
  session.pop('username', None)
  return redirect(url_for('login'))
@app.route('/profile',methods=["POST","GET"])
def profile():
  if 'username' in session:
    id = session['username']
```

```
stmt = ibm_db.prepare(conn, 'SELECT * FROM donor WHERE username =
?')
    ibm_db.bind_param(stmt, 1, id)
    ibm_db.execute(stmt)
    acc = ibm_db.fetch_tuple(stmt)
    stmt = ibm_db.prepare(conn, 'SELECT * FROM recipient WHERE username
= ?')
    ibm_db.bind_param(stmt, 1, id)
    ibm_db.execute(stmt)
    acc = ibm_db.fetch_tuple(stmt)
    return render_template('profile.html',
username=acc[1],age=acc[2],bloodgroup=acc[3],gender=acc[4],phone=acc[5],addr
ess=acc[6],email=acc[7],passsword=acc[8],confirmpassword=acc[9],height=acc[1
0], weight=acc[11])
  return render_template('profile.html')
@app.route('/send_email', methods = ['POST'])
def send():
  if 'bloodgroup' in request.form:
    type = request.form['bloodgroup']
    remail=request.form['email1']
    stmt = ibm_db.prepare(conn, 'SELECT email FROM donor WHERE
bloodgroup = ?')
```

```
ibm_db.bind_param(stmt,1,type)
    ibm_db.execute(stmt)
    acc = ibm_db.fetch_tuple(stmt)
    mails = []
    while acc != False:
       mails.append(acc[0])
       acc = ibm_db.fetch_tuple(stmt)
    msg = Message('Blood Request',
sender='karpagamboothanathan@gmail.com', recipients=mails)
    msg.body = "I need " + request.form['bloodgroup'] + " Blood(plasma). " +
remail + " - contact this email to donate"
    mail.send(msg)
    return render_template('display.html', state="SENT")
  return 'Please Provide Blood in Form'
@app.route('/display',methods=["POST","GET"])
def display():
  if request.method == 'POST':
    alert = "
    if 'name' in session:
       id = session['username']
       bloodgroup = request.form['bloodgroup']
       sqlselect = "SELECT * FROM recipient WHERE bloodgroup = ? order by
id asc"
```

```
stmt = ibm_db.prepare(conn,sqlselect)
       ibm_db.bind_param(stmt, 1, bloodgroup)
       ibm_db.execute(stmt)
       acc = ibm_db.fetch_tuple(stmt)
    return render_template('display.html',m=alert)
  return render_template('display.html')
@app.route('/register', methods =['GET', 'POST'])
def register():
  msg = "
  if request.method == 'POST':
     username = request.form['username']
     age = request.form['age']
    bloodgroup = request.form['bloodgroup']
    lastdonatedate= request.form['lastdonatedate']
     gender = request.form['gender']
     phone= request.form['phone']
     address= request.form['address']
     email = request.form['email']
    password = request.form['password']
     confirmpassword = request.form['confirmpassword']
    height= request.form['height']
     weight = request.form['weight']
```

```
sql = "SELECT * FROM donor WHERE username = ? "
     stmt = ibm_db.prepare(conn,sql)
     ibm_db.bind_param(stmt,1,username)
     ibm_db.execute(stmt)
     account = ibm_db.fetch_assoc(stmt)
     msgg = Message(
         'Hello',
         sender ='karpagamboothanathangmail.com',
         recipients = [email]
     msgg.body = 'Thank you...You are successfully registered in plasma donor
application.'
    mail.send(msgg)
     if account:
       msg = 'Account already exists!'
     elif not re.match(r'[^{\circ}@]+@[^{\circ}@]+\\.[^{\circ}@]+', email):
       msg = 'Invalid email address!'
     elif not re.match(r'[A-Za-z0-9]+', username):
       msg = 'Username must contain only characters and numbers!'
     elif not username or not password or not username:
       msg = 'Please fill out the form!'
     else:
       insert_sql = "INSERT INTO
donor(username,age,bloodgroup,lastdonatedate,gender,phone,address,email,passw
ord, confirmpassword, height, weight) VALUES(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
```

```
stmt = ibm_db.prepare(conn,insert_sql)
       ibm_db.bind_param(stmt, 1, username)
       ibm_db.bind_param(stmt, 2, age)
       ibm_db.bind_param(stmt, 3, bloodgroup)
       ibm_db.bind_param(stmt, 4, lastdonatedate )
       ibm_db.bind_param(stmt, 5, gender)
       ibm_db.bind_param(stmt, 6, phone)
       ibm_db.bind_param(stmt, 7, address )
       ibm_db.bind_param(stmt, 8, email )
       ibm_db.bind_param(stmt, 9, password )
       ibm_db.bind_param(stmt, 10, confirmpassword)
       ibm_db.bind_param(stmt, 11, height)
       ibm_db.bind_param(stmt, 12, weight)
       ibm_db.execute(stmt)
       msg = 'You have successfully registered!'
  return render_template('donor.html', msg = msg)
@app.route('/registers', methods = ['GET', 'POST'])
def registers():
  msg = "
  if request.method == 'POST':
    username = request.form['username']
    age = request.form['age']
    bloodgroup = request.form['bloodgroup']
    gender = request.form['gender']
```

```
phone= request.form['phone']
     address= request.form['address']
     email = request.form['email']
     password = request.form['password']
     confirmpassword = request.form['confirmpassword']
    height= request.form['height']
     weight = request.form['weight']
     sql = "SELECT * FROM recipient WHERE username = ? "
     stmt = ibm_db.prepare(conn,sql)
    ibm_db.bind_param(stmt,1,username)
     ibm_db.execute(stmt)
     account = ibm_db.fetch_assoc(stmt)
    msgg = Message(
         'Hello',
         sender = 'karpagamboothanathangmail.com',
         recipients = [email]
         )
    msgg.body = 'Thank you...You are successfully registered in plasma donor
application. '
    mail.send(msgg)
    if account:
       msg = 'Account already exists!'
     elif not re.match(r'[^{\circ}@]+@[^{\circ}@]+\.[^{\circ}@]+', email):
       msg = 'Invalid email address!'
     elif not re.match(r'[A-Za-z0-9]+', username):
       msg = 'Username must contain only characters and numbers!'
```

```
elif not username or not password or not username:
       msg = 'Please fill out the form!'
    else:
       insert_sql = "INSERT INTO
recipient(username,age,bloodgroup,gender,phone,address,email,password,confirm
password,height,weight) VALUES(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
       stmt = ibm_db.prepare(conn,insert_sql)
       ibm_db.bind_param(stmt, 1, username )
       ibm_db.bind_param(stmt, 2, age)
       ibm_db.bind_param(stmt, 3, bloodgroup)
       ibm_db.bind_param(stmt, 4, gender)
       ibm_db.bind_param(stmt, 5, phone)
       ibm_db.bind_param(stmt, 6, address )
       ibm_db.bind_param(stmt, 7, email)
       ibm_db.bind_param(stmt, 8, password )
       ibm_db.bind_param(stmt, 9, confirmpassword)
       ibm_db.bind_param(stmt, 10, height)
       ibm_db.bind_param(stmt, 11, weight )
       ibm_db.execute(stmt)
       msg = 'You have successfully registered!'
  return render template('recipient.html', msg = msg)
if __name__ == '__main__':
  app.run(debug = True)
```

GITHUB LINK:

 $\underline{https://github.com/IBM-EPBL/IBM-Project-25233-1659955267}$

DEMO LINK:

 $\underline{https://youtu.be/Zu-Y3dXnulE}$