SPRINT-4

Date	19 November 2022
Team ID	PNT2022TMID49558
Project Name	Plasma Donor Web Application


INDEX.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title></title>
<link rel="stylesheet"href="{{url_for('static',filename='styles.css')}}">
<style>
  *{
margin: 0;
padding: 0;
   }
  .content{
width: 1200px;
height: auto;
margin: auto;
position: relative;
   }
```

```
.content .par{
padding-left: 25px;
padding-bottom: 25px;
font-family: Arial;
color: beige;
letter-spacing: 1.2px;
line-height: 30px;
  }
  .content h1{
font-family: 'Times New Roman';
font-size: 50px;
padding-left: 20px;
margin-top: 9%;
color: red;
letter-spacing: 2px;
  }.content .cn{
width: 160px;
height: 40px;
background: #ff7200;
border: none;
margin-bottom: 10px;
margin-left: 20px;
font-size: 18px;
```

```
border-radius: 10px;
cursor: pointer;
transition: .4s ease;
      }
  .content .cna{
text-decoration: none;
color: #000;
transition: .3s ease;
  }
  .content\ span\{
color: #ff7200;
font-size: 65px
  }
</style>
</head>
<body>
<div class="full-page">
<div class="navbar">
<div>
<a href='index.html'></a>
</div>
<nav>
```

```
<ulid='MenuItems'>
<a href='#>HOME</a>
<a href="{{"login'}}}">LOGIN</a>
<a href="{{"register'}}">DONATE PLASMA</a>
<a href="{{"registers'}}">NEED PLASMA? </a>
<a href="{{"registers'}}">NEED PLASMA? </a>
<a href="available to the properties of the properties of the plant of the properties of
```



DONOR REGISTER.html:

```
<Html><head>
<title>Registration form</title>
<link rel="stylesheet"href="{{url_for('static',filename='profile.css')}}">
</head><center>
<h1 class="word"></h1>
</center>
<body><div class="nav">
<div class="logo">
<a href="/userdashboard"><i class="fasfa-arrow-left"></i></a>
<center><h3>Donor Registration</h3></center>
</div>
</div>
<div class="cont" align="center" >
< h3 >
<div class="profile">
< h3 >
<form action="{{ url_for('register') }}" method="post">
```

```
Name:
<input type="text" name="username" size="15" />
Age:
<input type="text" name="age" size="15" />
Bloodgroup:
<input type="text" name="bloodgroup" size="15" />
LastDonateDate:
<input type="text" name="lastdonatedate" size="15" />
Gender:
<input type="text" name="gender" size="15" />
Phone:
<input type="text" name="phone" size="15" />
```

```
Address:
<input type="text" name="address" size="15" />
Email:
<input type="text" name="email" size="15" />
Password:
<input type="text" name="password" size="15" />
Confirm Password:
<input type="text" name="confirmpassword" size="15" />
Height:
<input type="text" name="height" placeholder="Please write your height
in centimetres" size="15" />
Weight:
<input type="text" name="weight" placeholder="Please write your weight
in centimetres" size="15" />
```



RECIPIENT REGISTER.html:


<Html>

<head>

```
<title>Registration form</title>
<link rel="stylesheet"href="{{url_for('static',filename='profile.css')}}">
</head>
<center>
<h1 class="word"></h1>
</center>
<body>
<div class="nav">
<div class="logo">
<a href="/userdashboard"><i class="fasfa-arrow-left"></i></a>
<center><h3>Recipient Registration</h3></center>
</div>
</div>
<div class="cont" align="center" >
< h3 >
<div class="profile">
< h3 >
<form action="{{ url_for('registers') }}" method="post">
Name:
<input type="text" name="username" size="15" />
```

```
Age:
<input type="text" name="age" size="15" />
Bloodgroup:
<input type="text" name="bloodgroup" size="15" />
Gender:
<input type="text" name="gender" size="15" />
Phone:
<input type="text" name="phone" size="15" />
Address:
<input type="text" name="address" size="15" />
Email:
<input type="text" name="email" size="15" />
```

```
Password:
<input type="text" name="password" size="15" />
Confirm Password:
<input type="text" name="confirmpassword" size="15" />
Height:
<input type="text" name="height" placeholder="Please write your height
in centimetres" size="15" />
Weight:
<input type="text" name="weight" placeholder="Please write your weight
in centimetres" size="15" />
<div class="cont" align="center" >
<button><input type="submit" value="REGISTER" /></button>
</div>
</form>
</div>
</div>
```



LOGIN.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

```
<title>Login</title>
<link rel="stylesheet"href="{{url_for('static',filename='coding.css')}}">
link
href="https://fonts.googleapis.com/css2?family=Kaushan+Script&display=swa
p" rel="stylesheet">
</head>
<body>
<form action="/login" method="post">
<div class="full-page">
<div class="sub-page">
<div class="navigation-bar">
<div class="logo">
<a href='login.html'></a>
</div>
</div>
<div class="row">
<div class="col-1">
<div class="form-box">
<div class="form">
<form class="login-form">
<center><h1 class="main-heading">Login Form</h1></center>
<br>
<input type="text" name="username" placeholder="Enter Your Username"</pre>
size="15"/>
<br>
```

```
<input type="text" name="password" placeholder="Enter Your password"</pre>
size="15" />
                         <button>
<input type="submit" value="LOGIN" />
</button>
</form>
</div>
      </div>
</div>
</div>
</div>
</div>
<script src='https://code.jquery.com/jquery-3.2.1.min.js'>
</script>
<script>
    $('.message a').click(function(){$('form').animate({height:
"toggle",opacity: "toggle"},"slow");});
</script>
</form>
</body>
</html>
```



DASHBOARD.html:

```
box-sizing: border-box;
font-family: 'Poppins', sans-serif;
}
.sidebar{
position: fixed;
height: 100%;
width: 240px;
background: red;
transition: all 0.5s ease;
}
. sidebar. active \{\\
width: 60px;
}
.sidebar .logo-details{
height: 80px;
display: flex;
align-items: center;
}
.sidebar .logo-details i{
font-size: 28px;
font-weight: 500;
color: #fff;
min-width: 60px;
```

```
text-align: center
.sidebar .logo-details .logo_name{
color: #fff;
font-size: 24px;
font-weight: 500;
}
.sidebar .nav-links{
margin-top: 10px;
}
.sidebar .nav-links li{
position: relative;
list-style: none;
height: 50px;
}
.sidebar .nav-links li a{
height: 100%;
width: 100%;
display: flex;
align-items: center;
text-decoration: none;
transition: all 0.4s ease;
}
.sidebar .nav-links li a.active{
```

```
background: #081D45;
.sidebar .nav-links li a:hover{
background: #081D45;
}
.sidebar .nav-links li i{
min-width: 60px;
text-align: center;
font-size: 18px;
color: #fff;
}
.sidebar .nav-links li a .links_name{
color: #fff;
font-size: 15px;
font-weight: 400;
white-space: nowrap;
}
.sidebar .nav-links .log_out{
position: absolute;
bottom: 0;
width: 100%;
}
nav .profile-details img{
```

```
height: 40px;
width: 40px;
border-radius: 6px;
object-fit: cover;
}
nav .profile-details .admin_name{
font-size: 15px;
font-weight: 500;
color: #333;
margin: 0 10px;
white-space: nowrap;
}
nav .profile-details i{
font-size: 25px;
color: #333;
}
/* Responsive Media Query */
@media (max-width: 1240px) {
 .sidebar{
width: 80px;
 .sidebar.active{
width: 250px;
```

```
}
 .sidebar.active ~ .home-section{
  /* width: calc(100% - 220px); */
overflow: hidden;
left: 220px;
 .sidebar.active ~ .home-section nav{
width: calc(100% - 220px);
left: 220px;
 }
}
@media (max-width: 1000px) {
 .overview-boxes .box{
width: calc(100% / 2 - 15px);
margin-bottom: 15px;
 }
@media (max-width: 700px) {
nav .sidebar-button .dashboard,
nav .profile-details .admin_name,
nav.profile\text{-}details\ i\{
display: none;
```

```
}
@media (max-width: 550px) {
 .overview-boxes .box{
width: 100%;
margin-bottom: 15px;
 }
 .sidebar.active ~ .home-section nav .profile-details{
display: none;
 }
}
 @media (max-width: 400px) {
 .sidebar{
width: 0;
 }
 .sidebar.active{
width: 60px;
 }
 .sidebar.active ~ .home-section{
left: 60px;
width: calc(100% - 60px);
 }
 .sidebar.active ~ .home-section nav{
```

```
left: 60px;
width: calc(100% - 60px);
 }
}
</style>
</head>
<body>
<div class="sidebar">
<div class="logo-details">
<i class='bxbxl-c-plus-plus'></i>
<span class="logo_name">PLASMA DONOR</span>
</div>
<1i>>
<a href="/profile">
<i class='bxbx-box' ></i>
<span class="links_name">profile</span>
</a>
<
<a href="/display">
<i class='bxbx-box' ></i>
<span class="links_name">Request</span>
</a>
```


```
</div>
<section class="home-section">
</script>
</body>
</html>
\leftarrow \rightarrow \mathbf{C} (i) 127.0.0.1:5000/dashboard
   PLASMA
   DONOR
```

PROFILE.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Profile</title>
k rel="stylesheet"href="{{url_for('static',filename='profile.css')}}">
```

```
</head>
<body><div class="nav">
<div class="logo">
<a href="/userdashboard"><i class="fasfa-arrow-left"></i></a>
<center><h3>Profile</h3></center>
</div>
</div>
<div class="cont" align="center">
< h3 >
<div class="profile">
< h3 >
Name:
{{username}}
Age:
{age}
BloodGroup:
<\!\!td\!\!>\!\!\{\{bloodgroup\}\}<\!\!/td\!\!>
```


```
Gender:
{gender}}
Phone:
<\!\!td\!\!>\!\!\{\{phone\}\}<\!\!/td\!\!>
Address:
{{address}}
E-Mail:
<\!\!td\!\!>\!\!\{\{email\}\}<\!\!/td\!\!>
Height:
{td>{{height}}}
Weight
{{weight}}
```




DISPLAY.html

```
<div class="name"><span></span>
<div class="val">
      {% for val in data %}
<div>{{val}}</div>
      {% endfor %}
           </div>
 {% if state == "SENT" %}
</re>
     <div class="content">
                 <h1>Request Email Sent Successfully...! </h1>
           </div>
           </re>
     <form action="/send_email" method="post">
                 <div class="content">
                       <h1>Requesting plasma!!!<h1></div>
                 <br>
                 <br>
                 <label> Blood Group:</label>
           <input type="text" name="bloodgroup" value="{{bloodgroup}}"</pre>
placeholder="Enter BloodGroup"/>
                 <br>
                 <br>
```

```
<br>>
                  <label> Email:</label>
            <input type="text" name="email1" placeholder="Enter Email"/>
                  <br>>
                  <br>>
      <button type="submit" class="button1">NOTIFY</button>
      </form>
        { % endif % }
</div>
</div>
</body>
</html>
STATIC (style) CODE
*{margin: 0;
padding: 0;
box-sizing: border-box;
full-page
{ height: 100vh;
width: 100%;
background: azure;
```





PROFILE.css

```
@import
url("https://fonts.googleapis.com/css2?family=Caesar+Dressing&family=Danci
ng+Script:wght@500&family=Poppins:wght@400;500&display=swap");
@import
url("https://fonts.googleapis.com/css2?family=Gemunu+Libre&display=swap");
@import
url("https://fonts.googleapis.com/css2?family=Roboto+Mono&display=swap");
@import
url("https://fonts.googleapis.com/css2?family=Roboto+Mono&display=swap");
* {
    margin: 0;
    padding: 0;
}
body {
    width: 100%;
```

```
height: 100%;
}
a {
text-decoration: none;
}
.nav {
background-color: red;
padding: 10px;
display: flex;
justify-content: space-between;
}
.nav .logo {
display: flex;
gap: 10px;
}
.nav .logo i {
text-align: center;
color: bisque;
font-size: 30px;
padding: 8px;
.nav .logo h3 {
```

```
color: bisque;
font-size: 30px;
font-family: "Poppins", cursive;
text-align: center;
}
.nav .name {
text-align: center;
color: black;
font-size: 20px;
font-family: "Poppins", cursive;
}
.cont .logo {
color: crimson;
font-size: 90px;
}
.cont .logo i {
border: 4px solid black;
border-radius: 50%;
padding: 4px;
.cont .profile {
margin-top: 20px;
width: 60%;
}
```

```
.cont .profile table {
padding: 20px;
width: auto;
font-family: system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto,
  Oxygen, Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
margin-bottom: 20px;
}
.cont .profile tr {
background-color: azure;
}
.cont .profile td {
padding: 10px;
text-align: center;
}
.cont .profile th {
background-color: crimson;
color: bisque;
padding: 5px;
.cont .profile a {
background-color: gold;
```

```
padding: 10px;
border-radius: 10px;
font-family: "Roboto Mono", monospace;
}
STYLE.css
*
margin: 0;
padding: 0;
box-sizing: border-box;
}
.full-page
height: 100%;
      width: 100%;
      background-image: linear-
gradient(rgba(0,0,0,0.4),rgba(0,0,0,0.4)),url(bloodimage1.png);
      background-position: center;
      background-size: cover;
      position: absolute;
}
.navbar
display: flex;
```

```
align-items: center;
padding: 20px;
padding-left: 50px;
padding-right: 30px;
padding-top: 50px;
nav
flex: 1;
text-align: right;
}
navul
display: inline-block;
list-style: none;
}
navul li
{
display: inline-block;
margin-right: 70px;
}
navul li a
text-decoration: none;
```

```
font-size: 20px;
color: white;
font-family: sans-serif;
}
navul li button
font-size: 20px;
color: white;
outline: none;
border: none;
background: transparent;
cursor: pointer;
font-family: sans-serif;
}
navul li button:hover
color: aqua;
navul li a:hover
color: aqua;
}
a
```

```
text-decoration: none;
color: palevioletred;
font-size: 28px;
}
#login-form
display: none;
}
.form-box
width:380px;
      height:480px;
      position:relative;
      margin:2% auto;
      background:rgba(0,0,0,0.3);
      padding:10px;
overflow: hidden;
}
.button-box
      width:220px;
      margin:35px auto;
      position:relative;
      box-shadow: 0 0 20px 9px #ff61241f;
```

```
border-radius: 30px;
}
.toggle-btn
{
      padding:10px 30px;
      cursor:pointer;
      background:transparent;
      border:0;
      outline: none;
      position: relative;
}
#btn
{
      top: 0;
      left:0;
      position: absolute;
      width: 110px;
      height: 100%;
      background: #F3C693;
      border-radius: 30px;
      transition: .5s;
}
.input-group-login
{
```

```
top: 150px;
      position:absolute;
      width:280px;
      transition:.5s;
}
.input-group-register
top: 120px;
      position:absolute;
      width:280px;
      transition:.5s;
}
.input-field
{
      width: 100%;
      padding:10px 0;
      margin:5px 0;
      border-left:0;
      border-top:0;
      border-right:0;
      border-bottom: 1px solid #999;
      outline:none;
      background: transparent;
}
```

```
.submit-btn
      width: 85%;
      padding: 10px 30px;
      cursor: pointer;
      display: block;
      margin: auto;
      background: #F3C693;
      border: 0;
      outline: none;
      border-radius: 30px;
}
.check-box
{
      margin: 30px 10px 34px 0;
}
span
{
      color:#777;
      font-size:12px;
      bottom:68px;
      position:absolute;
}
#login
```

```
{
      left:50px;
}
#login input
{
      color:white;
      font-size:15;
}
#register
{
      left:450px;
}
#register input
{
      color:white;
      font-size: 15;
}
APP.PY
from flask import Flask, render_template, request, redirect, url_for, session
importibm\_db
fromflask_mail import Mail, Message
import re
app = Flask(__name___)
```

```
# configuration of mail
app.config['MAIL_SERVER']='smtp.gmail.com'
app.config['MAIL_PORT'] = 465
app.config['MAIL_USERNAME'] = 'karpagamboothanathan@gmail.com'
app.config['MAIL_PASSWORD'] = 'nmydiidhksvvojid'
app.config['MAIL_USE_TLS'] = False
app.config['MAIL_USE_SSL'] = True
mail = Mail(app)
app.secret_key = 'a'
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-
433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32459
;SECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=hnl1
0309;PWD=4q2SvdOKme6RC7Zr",",")
@app.route('/')
def home():
returnrender_template('index.html')
@app.route('/login', methods =['GET', 'POST'])
def login():
msg = "
ifrequest.method == 'POST'and 'username' in request.form and 'password' in
request.form:
username = request.form['username']
```

mail = Mail(app) # instantiate the mail class

```
password = request.form['password']
stmt = ibm_db.prepare(conn, 'SELECT * FROM donor WHERE username = ?
AND password = ?')
ibm_db.bind_param(stmt,1,username)
ibm_db.bind_param(stmt,2,password)
ibm_db.execute(stmt)
account = ibm_db.fetch_tuple(stmt)
stmt = ibm_db.prepare(conn, 'SELECT * FROM recipient WHERE username =
? AND password = ?')
ibm_db.bind_param(stmt,1,username)
ibm_db.bind_param(stmt,2,password)
ibm_db.execute(stmt)
account = ibm_db.fetch_tuple(stmt)
if account:
session['loggedin'] = True
session['username'] = account[1]
msg = 'Logged in successfully!'
return redirect(url_for('dashboard'))
else:
msg = 'Incorrect username / password !'
returnrender_template('login.html', a = msg)
returnrender_template('login.html')
@app.route('/dashboard')
def dashboard():
```

```
returnrender_template('dashboard.html')
@app.route('/logout')
def logout():
session.pop('loggedin', None)
session.pop('id', None)
session.pop('username', None)
return redirect(url_for('login'))
@app.route('/profile',methods=["POST","GET"])
def profile():
if 'username' in session:
id = session['username']
stmt = ibm_db.prepare(conn, 'SELECT * FROM donor WHERE username = ?')
ibm_db.bind_param(stmt, 1, id)
ibm_db.execute(stmt)
acc = ibm_db.fetch_tuple(stmt)
stmt = ibm_db.prepare(conn, 'SELECT * FROM recipient WHERE username =
?')
ibm_db.bind_param(stmt, 1, id)
ibm_db.execute(stmt)
acc = ibm_db.fetch_tuple(stmt)
    return render_template('profile.html',
username=acc[1],age=acc[2],bloodgroup=acc[3],gender=acc[4],phone=acc[5],a
```

```
ddress=acc[6],email=acc[7],passsword=acc[8],confirmpassword=acc[9],height=
acc[10],weight=acc[11])
returnrender_template('profile.html')
@app.route('/send_email', methods = ['POST'])
def send():
if 'bloodgroup' in request.form:
type = request.form['bloodgroup']
remail=request.form['email1']
stmt = ibm_db.prepare(conn, 'SELECT email FROM donor WHERE
bloodgroup = ?')
ibm_db.bind_param(stmt,1,type)
ibm_db.execute(stmt)
acc = ibm_db.fetch_tuple(stmt)
mails = []
whileacc != False:
mails.append(acc[0])
acc = ibm_db.fetch_tuple(stmt)
msg = Message('Blood Request', sender='karpagamboothanathan@gmail.com',
recipients=mails)
msg.body = "I need " + request.form['bloodgroup'] + " Blood(plasma). "
+remail + " - contact this email to donate"
```

```
mail.send(msg)
returnrender_template('display.html', state="SENT")
return 'Please Provide Blood in Form'
@app.route('/display',methods=["POST","GET"])
def display():
ifrequest.method == 'POST':
alert = "
if 'name' in session:
id = session['username']
bloodgroup = request.form['bloodgroup']
sqlselect = "SELECT * FROM recipient WHERE bloodgroup = ? order by id
asc"
stmt = ibm_db.prepare(conn,sqlselect)
ibm_db.bind_param(stmt, 1, bloodgroup)
ibm_db.execute(stmt)
acc = ibm_db.fetch_tuple(stmt)
returnrender_template('display.html',m=alert)
returnrender_template('display.html')
@app.route('/register', methods =['GET', 'POST'])
def register():
```

```
msg = "
ifrequest.method == 'POST':
username = request.form['username']
age = request.form['age']
bloodgroup = request.form['bloodgroup']
lastdonatedate= request.form['lastdonatedate']
gender = request.form['gender']
phone= request.form['phone']
address= request.form['address']
email = request.form['email']
password = request.form['password']
confirmpassword = request.form['confirmpassword']
height= request.form['height']
weight = request.form['weight']
sql = "SELECT * FROM donor WHERE username = ? "
stmt = ibm_db.prepare(conn,sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
msgg = Message(
         'Hello',
sender = 'karpagamboothanathangmail.com',
recipients = [email]
```

```
msgg.body = 'Thank you...You are successfully registered in plasma donor
application.'
mail.send(msgg)
if account:
msg = 'Account already exists!'
elif not re.match(r'[^{\circ}@]+@[^{\circ}@]+\.[^{\circ}@]+', email):
msg = 'Invalid email address!'
elif not re.match(r'[A-Za-z0-9]+', username):
msg = 'Username must contain only characters and numbers!'
elif not username or not password or not username:
msg = 'Please fill out the form!'
else:
insert_sql = "INSERT INTO
donor(username,age,bloodgroup,lastdonatedate,gender,phone,address,email,pas
stmt = ibm_db.prepare(conn,insert_sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.bind_param(stmt, 2, age)
ibm_db.bind_param(stmt, 3, bloodgroup)
ibm_db.bind_param(stmt, 4, lastdonatedate )
ibm_db.bind_param(stmt, 5, gender)
ibm_db.bind_param(stmt, 6, phone)
ibm_db.bind_param(stmt, 7, address )
ibm_db.bind_param(stmt, 8, email)
```

```
ibm_db.bind_param(stmt, 9, password )
ibm_db.bind_param(stmt, 10, confirmpassword)
ibm_db.bind_param(stmt, 11, height)
ibm_db.bind_param(stmt, 12, weight)
ibm_db.execute(stmt)
msg = 'You have successfully registered!'
returnrender_template('donor.html', msg = msg)
@app.route('/registers', methods =['GET', 'POST'])
def registers():
msg = "
ifrequest.method == 'POST':
username = request.form['username']
age = request.form['age']
bloodgroup = request.form['bloodgroup']
gender = request.form['gender']
phone= request.form['phone']
address= request.form['address']
email = request.form['email']
password = request.form['password']
confirmpassword = request.form['confirmpassword']
height= request.form['height']
weight = request.form['weight']
sql = "SELECT * FROM recipient WHERE username = ? "
```

```
stmt = ibm_db.prepare(conn,sql)
ibm_db.bind_param(stmt,1,username)
ibm db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
msgg = Message(
          'Hello',
sender = 'karpagamboothanathangmail.com',
recipients = [email]
msgg.body = 'Thank you...You are successfully registered in plasma donor
application. '
mail.send(msgg)
if account:
msg = 'Account already exists!'
elif not re.match(r'[^{\circ}@]+@[^{\circ}@]+\.[^{\circ}@]+', email):
msg = 'Invalid email address!'
elif not re.match(r'[A-Za-z0-9]+', username):
msg = 'Username must contain only characters and numbers!'
elif not username or not password or not username:
msg = 'Please fill out the form!'
else:
insert_sql = "INSERT INTO
recipient(username,age,bloodgroup,gender,phone,address,email,password,confir
mpassword, height, weight) VALUES(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
stmt = ibm_db.prepare(conn,insert_sql)
```

```
ibm_db.bind_param(stmt, 1, username )
ibm_db.bind_param(stmt, 2, age)
ibm_db.bind_param(stmt, 3, bloodgroup)
ibm_db.bind_param(stmt, 4, gender )
ibm_db.bind_param(stmt, 5, phone )
ibm_db.bind_param(stmt, 6, address )
ibm_db.bind_param(stmt, 7, email)
ibm_db.bind_param(stmt, 8, password )
ibm_db.bind_param(stmt, 9, confirmpassword )
ibm_db.bind_param(stmt, 10, height)
ibm_db.bind_param(stmt, 11, weight )
ibm_db.execute(stmt)
msg = You have successfully registered!'
returnrender_template('recipient.html', msg = msg)
if __name__ == '__main___':
app.run(debug = True)
```