SPRINT-1

DATE	29 october 2022
Team ID	PNT2022TMID49558
Project Name	Plasma Donor web Application

CODE:

```
Index.html:
<!DOCTYPE html>
<html lang="en">
<head>
<style>
*{
  margin: 0;
  padding: 0;
}
.main\{
  width: 100%;
  background: linear-gradient(to top, rgba(0,0,0,0.5)50%,rgba(0,0,0,0.5)50%), url(register.jpg);
  background-position: center;
  background-size: cover;
  height: 100vh;
.navbar{
  width: 1200px;
  height: 70px;KK
  margin: auto;
```

```
}
.icon\{
  width: 100px;
  float: left;
  height: 70px;
}
.menu{
  width: 400px;
  float: left;
  height: 60px;
}
ul{
  float: left;
  display: flex;
  justify-content: center;
  align-items: center;
}
ul li{
  list-style: none;
  margin-left: 62px;
  margin-top: 27px;
  font-size: 15px;
}
ul li a{
  text-decoration: none;
  color: #fff;
  font-family: Arial;
```

```
font-weight: bold;
  transition: 0.4s ease-in-out;
}
ul li a:hover{
  color: #ff7200;
}
.btn{
  width: 100px;
  height: 40px;
  background: #ff7200;
  border: 2px solid #ff7200;
  margin-top: 13px;
  color: #fff;
  font-size: 15px;
  border-bottom-right-radius: 5px;
  border-bottom-right-radius: 5px;
  transition: 0.2s ease;
  cursor: pointer;
}
.btn:hover{
  color: #000;
}
.btn:focus{
  outline: none;
}
```

```
.srch:focus{
  outline: none;
}
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color: #fff;
  position: relative;
.content .par{
  padding-left: 25px;
  padding-bottom: 25px;
  font-family: Arial;
  letter-spacing: 1.2px;
  line-height: 30px;
}
.content h1{
  font-family: 'Times New Roman';
  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
.content .cn{
  width: 160px;
  height: 40px;
```

```
background: #ff7200;
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
.content .cn a{
  text-decoration: none;
  color: #000;
  transition: .3s ease;
}
.content span{
  color: #ff7200;
  font-size: 65px
}
.form{
  width: 250px;
  height: 200px;
  background: linear-gradient(to top, rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
  position: absolute;
  top: -20px;
  left: 870px;
  transform: translate(0%,-5%);
  border-radius: 10px;
```

```
padding: 25px;
.form h2{
  width: 220px;
  font-family: sans-serif;
  text-align: center;
  color: #ff7200;
  font-size: 22px;
  background-color: #fff;
  border-radius: 10px;
  margin: 2px;
  padding: 8px;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
  border-bottom: 1px solid #ff7200;
  border-top: none;
  border-right: none;
  border-left: none;
  color: #fff;
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
  font-family: sans-serif;
}
```

```
.form input:focus{
  outline: none;
}
::placeholder{
  color: #fff;
  font-family: Arial;
}
.btnn{
  width: 240px;
  height: 40px;
  background: #ff7200;
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
}
.btnn:hover{
  background: #fff;
  color: #ff7200;
}
.btnn a{
  text-decoration: none;
  color: rgba(22, 21, 21, 0.801);
  font-weight: bold;
```

```
}
.form .link{
  font-family: Arial, Helvetica, sans-serif;
  font-size: 17px;
  padding-top: 20px;
  text-align: center;
}
.form .link a{
  text-decoration: none;
  color: #ff7200;
}
.liw{
  padding-top: 15px;
  padding-bottom: 10px;
  text-align: center;
.icons a{
  text-decoration: none;
  color: #fff;
.icons ion-icon{
  color: #fff;
  font-size: 30px;
  padding-left: 14px;
  padding-top: 5px;
  transition: 0.3s ease;
}
```

```
.icons ion-icon:hover{
  color: #ff7200;
  <title>Index form</title>
  <link rel="stylesheet" href="style.css">
</style>
</head>
<body>
  <div class="main">
    <div class="navbar">
      <div class="menu">
        ul>
           <a href="#">HOME</a>
          <a href="#">ABOUT</a>
          <a href="#">CONTACT</a>
        </div>
       </div>
    <div class="content">
      <h1>PLASMA DONOR <br><span>WEB APPLICATION</span> <br></h1>
      During COVID 19 crisis there requirement for plasma increased
drastically as there were no <br>
             vaccinations found in order to treat the infected patients. In such situation it was
very difficult <br>
              to find the plasma donor, check whether the donor was infected previously and
was recovered, <br/>br>and which donor is eligible to donate plasma was a challenging task.
              <div class="form">
               DONOR LOGIN
```

```
<a href="{{'login'}}">Login</a>
               Don't have an account<br>
                  <a href="{{'register'}}">Sign up </a> here</a>
                  </div>,.
</div>
</div>
</div>
</div>
<script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>
</body>
</html>
Register.html:
<Html>
<head>
  <title>Registration form</title>
</head>
<center>
  <h1 class="word">DONOR REGISTRATION</h1>
</center>
<style>
  body {
    background-image: url(register.jpg);
    background-repeat: no-repeat;
    background-position: right;
```

```
}
  </style>
 <br>>
<body>
   <form action="{{ url_for('register') }}" method="post">
   <label> Username:</label>
   <input type="text" name="username" size="15" /> <br> <br>>
   <label>Age:*</label>
   <input type="age" name="age" /> <br> <br>>
   <label>
      Blood Group*:
   </label>
   <input type="bloodgroup" name="bloodgroup" />
   <br>>
    <br>
   <label lastdonatedate>Last Donate Date:*</label>
   <input type="lastdonatedate" /> <br> <br>
    <label>
      Gender *:
   </label>
   <input type="gender" name="gender">
   <br>>
   <br>
   <label>
      Phone *:
   </label>
```

```
<!--<input type="text" name="countrycode" value="+91" size="2" />-->
    <input type="text" name="phone" size="10" /> <br> <br>>
    Address<br>
    <textarea name="address" cols="80" rows="5" value="address">
</textarea>
    <br>> <br>>
    Email *:
    <input type="email" id="email" name="email" /> <br>
    <br>> <br>>
    Password:
    <input type="password" id="password" name="password"> <br>
    <br>> <br>>
    Confirm Password:
    <input type="password" name="confirmpassword"> <br> <br>
    <label> Height*:</label>
    <input type="height" name="height" placeholder="Please write your height in</pre>
centimetres"><br><br>
    <label> Weight*:</label>
    <input type="weight" name="weight" placeholder="Please write your weight in
centimetres">
    <br>><br>>
    <footer>* Required field</footer><br>
    <button>
    <input type="submit" value="REGISTER" />
  </button>
  </form>
</body>
</html>
```

```
Login.html:
```

```
<Html>
<head>
  <title>Registration form</title>
</head>
<center>
  <h1 class="word">DONOR REGISTRATION</h1>
</center>
<style>
body {
    background-image: url(register.jpg);
    background-repeat: no-repeat;
    background-position: right;
}
   </style>
  <br>
<body>
    <form action="{{ url_for('register') }}" method="post">
<label> Username:</label>
    <input type="text" name="username" size="15" /> <br> <br>>
    <label>Age:*</label>
    <input type="age" name="age" /> <br> <br>>
    <label>
      Blood Group*:
    </label>
    <input type="bloodgroup" name="bloodgroup" />
    <br>
```

```
<label lastdonatedate>Last Donate Date:*</label>
    <input type="lastdonatedate" name="lastdonatedate" /> <br> <br/>
    <label>
      Gender *:
    </label>
    <input type="gender" name="gender">
    <br>
    <br>
    <label>
      Phone *:
    </label>
    <!--<input type="text" name="countrycode" value="+91" size="2" />-->
    <input type="text" name="phone" size="10" /> <br>
    Address<br>
    <textarea name="address" cols="80" rows="5" value="address">
</textarea>
    <br>> <br>>
    Email *:
    <input type="email" id="email" name="email" /> <br>
    <br>> <br>>
    Password:
    <input type="password" id="password" name="password"> <br>
    <br>> <br>>
    Confirm Password:
    <input type="password" name="confirmpassword"> <br> <br>
    <label> Height*:
```



```
<input type="height" name="height" placeholder="Please write your height in</pre>
centimetres"><br><br>
    <label> Weight*:
    <input type="weight" name="weight" placeholder="Please write your weight in
centimetres">
    <br>><br>>
    <footer>* Required field</footer><br>
    <button>
    <input type="submit" value="REGISTER" />
  </button>
  </form>
</body>
</html>
app.py:
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re
app = Flask(__name__)
app.secret_key = 'a'
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=6667d8e9-9d4d-4ccb-ba32-
21da3bb5aafc.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30376;SECURITY=SS
L;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=ldc29737;PWD=8chltNu9YvPRo0Sw
",",")
@app.route('/')
def home():
  return render_template('index.html')
@app.route('/login', methods =['GET', 'POST'])
def login():
  global userid
```


```
msg = "
  if request.method == 'POST'and 'username' in request.form and 'password' in request.form:
    username = request.form['username']
    password = request.form['password']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM donor WHERE username = ? AND
password = ?'
    ibm_db.bind_param(stmt,1,username)
    ibm_db.bind_param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    if account:
       session['loggedin'] = True
       session['username'] = account['USERNAME']
       msg = 'Logged in successfully!'
       return render_template('index.html', msg = msg)
    else:
       msg = 'Incorrect username / password !'
  return render_template('login.html', msg = msg)
@app.route('/logout')
def logout():
  session.pop('loggedin', None)
  session.pop('id', None)
  session.pop('username', None)
  return redirect(url_for('login'))
@app.route('/register', methods =['GET', 'POST'])
def register():
  msg = "
  if request.method == 'POST':
```

```
username = request.form['username']
age = request.form['age']
bloodgroup = request.form['bloodgroup']
lastdonatedate= request.form['lastdonatedate']
gender = request.form['gender']
phone= request.form['phone']
address= request.form['address']
email = request.form['email']
password = request.form['password']
confirmpassword = request.form['confirmpassword']
height= request.form['height']
weight = request.form['weight']
sql = "SELECT * FROM donor WHERE username = ? "
stmt = ibm_db.prepare(conn,sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
  msg = 'Account already exists!'
elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
  msg = 'Invalid email address!'
elif not re.match(r'[A-Za-z0-9]+', username):
  msg = 'Username must contain only characters and numbers!'
elif not username or not password or not username:
  msg = 'Please fill out the form!'
else:
```

```
insert_sql = "INSERT INTO donor VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
       stmt = ibm_db.prepare(conn,insert_sql)
       ibm_db.bind_param(stmt, 1, username )
       ibm_db.bind_param(stmt, 2, age)
       ibm_db.bind_param(stmt, 3, bloodgroup)
       ibm_db.bind_param(stmt, 4, lastdonatedate )
       ibm_db.bind_param(stmt, 5, gender )
       ibm_db.bind_param(stmt, 6, phone )
       ibm_db.bind_param(stmt, 7, address )
       ibm_db.bind_param(stmt, 8, email )
       ibm_db.bind_param(stmt, 9, password )
       ibm_db.bind_param(stmt, 10, confirmpassword )
       ibm_db.bind_param(stmt, 11, height)
       ibm_db.bind_param(stmt, 12, weight )
       ibm_db.execute(stmt)
       msg = 'You have successfully registered!'
  elif request.method == 'POST':
    msg = 'Please fill out the form!'
  return render_template('regi.html', msg = msg)
if __name__ == '__main__':
  app.run(debug = True)
```

OUTPUT

Index page:



Login page

DONOR LOGIN





DONOR LOGIN





Register page

