

1. INTRODUCTION

1.1 PROJECT OVERVIEW

Liver diseases avert the normal function of the liver. Mainly due to the large amount of alcohol consumption liver disease arises. Early prediction of liver disease using classification algorithms is an efficacious task that can help the doctors to diagnose the disease within a short duration of time. Discovering the existence of liver disease at an early stage is a complex task for the doctors. The main objective of this project is to analyse the parameters of various classification algorithms and compare their predictive accuracies so as to find out the best classifier for determining the liver disease.

This Project examines data from liver patients concentrating on relationships between a key list of liver enzymes, proteins, age and gender using them to try and predict the likeliness of liver disease. Here we are building a model by applying various machine learning algorithms find the best accurate model. And integrate to flask-based web application. User can predict the disease by entering parameters in the web application.

1.2 PURPOSE

This project helps in early risk identification and thus increasing the chance of recovery of the patient as medical attention is given early on. No prior knowledge of Medical Sciences and Liver Diseases is needed as we only need the medical report and we need to enter them in the GUI. The results are instantaneous thus reducing the time of diagnosis. The system predicts the result with high accuracy thus it is trustworthy at a large scale. This Liver Prediction System could be used in hospitals, so before sending the samples to the lab the hospital could eliminate False Negative Prediction and could start the medication course early on, thus saving valuable time. As this system is integrated into a flask-based web application many people can use this and thus increasing the impact of our project.

2. LITERATURE SURVEY

2.1 EXISTING PROBLEM

The Machine Learning Model is yet to be integrated with a Web/Mobile Application, thus limiting the number of users and reducing the accessibility. The Final result is binary ('Risk' or 'No Risk') thus limiting the scope of diagnosis. There isn't a disease-specific model that will help in early predictions of different kinds of liver diseases.

2.2 REFERENCES

S.No	AUTHOR	TITLE	YEAR
1	Chokka Anuradha, D Swapna, Balamuralikrishnan	Diagnosing of Liver Disease Prediction in Patients using combined Machine Learning Models	IEEE-2022
2	Fazle Rabbi, S.M. Mahedy Hasan, Arifa Islam Champa, Kamrul Hasan	Prediction of Liver Disease Using Machine Learning Algorithms: A Comparative Study	ICAICT-2020
3	Varun Vats, Lining Zhang	A Comparative Analysis of Unsupervised Machine Techniques for Liver Disease Prediction	IEEE-2018
4	A.K.M Sazzadur Rahman, F. M. Javed Mehedi Shamrat, Zarrin Tasnim	A Comparative Study on Liver Disease Prediction Using Supervised Machine Learning Algorithms	ResearchGate-2019
5	Rakshith D B, Mrigank Srivastava, Ashwani Kumar, Gururaj S P	Liver Disease Prediction System Using Machine Learning Techniques	IJERT-2021

2.3 Problem Statement Definition

1.Diagnosing of Liver Disease Prediction in Patients using combined Machine Learning Models

Chokka Anuradha, D Swapna, Balamuralikrishnan Thati

IEEE-2022

In the human body one of the most important organs is the liver. If the regular functionality of the liver is disturbed then this condition is called disease-affected liver. Therefore, an early stage of disease detection is more important which helps in disease prevention at starting stage with small medications. But, it is too difficult to identify Liver disease at the early stages because symptoms are very less at the starting stage. Lab results with physical examination are involved in the Traditional methods. This paper aims to represent a Diagnosing for Liver disease prediction in Patients using Combined Machine Learning Models. Optimized three machine learning algorithms are used for the accurate diagnosis of liver disease and they are Artificial Neural Networks (ANN), Decision Trees, and K-Nearest Neighbors (KNN). With the help of these algorithms, given data is classified and results are produced. The future data is predicted with the help of past and present data. The accuracy results are produced by comparing three classification algorithms

2.Prediction of Liver Disease Using Machine Learning Algorithms: A Comparative Case Study

Fazle Rabbi, S. M. Mahedy Hasan, Arifa Islam Champa, Kamrul Hasan.

ICAICT-2020

Liver, a crucial interior organ of the human body whose principal tasks are to eliminate generated waste produced by our organism, digest food, and preserve vitamins and energy materials. The liver disorder can cause various fatal diseases, including liver cancer. Here they have compared four different ML algorithms such as Logistic Regression, Decision Tree, Random Forest and Extra Trees for classifying Indian Liver Patient Dataset. Pearson Correlation

Coefficient based features selection is applied to eliminate irrelevant features from the dataset. After comparing experimental results, we have found that boosting on ET provides the highest accuracy of 92.91%

3. A Comparative Analysis of Unsupervised Machine Techniques for Liver Disease Prediction

Varun Vats, Lining Zhang

IEEE-2018

He considered three different ML (Machine Learning) algorithms. A comparison of these algorithms had been carried out for evaluating their forecasting accuracy and computing intricacy \. These algorithms included AP (Affinity Propagation), K means and DBSCAN. This work was dedicated to the medical dataset based on liver disorders. This work made use of the Silhouette coefficient to measure the comparative efficiency of the considered algorithmic approaches

4. A Comparative Study on Liver Disease Prediction Using Machine Learning Algorithms

A.K.M Sazzadur Rahman, F. M. Javed Mehedi Shamrat, Zarrin Tasnim, Joy Roy, Syed Akhter Hossain

ResearchGate – 2019

Chronic Liver Disease is the leading cause of global death that impacts the massive quantity of humans around the world. This disease diagnosis is very costly and complicated. Therefore, this paper evaluates the performance of different Machine Learning algorithms in order to reduce the high cost of chronic liver disease diagnosis by prediction. Six machine learning techniques have been applied including Logistic Regression, K Nearest Neighbors, Decision Tree, Support Vector Machine, Naïve Bayes, and Random Forest. The performance was evaluated on different measurement techniques such as accuracy, precision, recall, f-1 score, and specificity and the result was that LR achieved the highest accuracy.

5. Liver Disease Prediction System using Machine Learning Techniques

Rakshith D B, Mrigank Srivastava, Ashwani Kumar, Gururaj S P

IJERT – 2021


In this paper risk of liver disease for a person is predicted based on the blood test report results of the user. With the dataset used for this project, 100 % accuracy is obtained for SVM model. The data pre-processing was done using Jupyter Notebook and Desktop Application was Implemented using Spyder IDE. The programming language which was used is python and machine learning Sklearn was used to build the model using classification algorithm like KNN, SVM, Naive Bayes and ANN.

3. IDEATION AND PROPOSED SOLUTION

3.1 EMPATHY MAP CANVAS

Statistical Machine Learning Approaches To Liver Disease Prediction

Liver diseases avert the normal function of the liver. Mainly due to the large amount of alcohol consumption liver disease arises. Early prediction of liver disease using classification algorithms is an efficacious task that can help the doctors to diagnose the disease within a short duration of time. Discovering the existence of liver disease at an early stage is a complex task for the doctors. The main objective of this project is to analyze the parameters of various classification algorithms and compare their predictive accuracies so as to find out the best classifier for determining the liver disease.



3.2 IDEATION AND BRAINSTORMING

TOP 3 POINTS:

1. Through this project, we can successfully develop and validate a risk prediction model and subsequent user-friendly scoring tool, the Algorithm for Liver Function Investigations, for liver condition diagnosis in patients with no obvious liver condition at the time of incident liver function testing in primary care.
2. Upon early diagnosis of the liver condition, the severity would reduce and so does the cost of appropriate treatment methodologies. Hence, this project will help reduce the financial as well as biological impact.
3. Liver cirrhosis is a leading cause of death and affects millions of people in the United States. Early mortality prediction among patients with cirrhosis might give healthcare providers more opportunity to effectively treat the condition.

DISCUSSION BETWEEN GROUP MEMBERS:

Balakumaran S:

1. Early risk identification.
2. Saving cost and time.
3. Liver is an important organ in our human body where most of the metabolism takes place.
4. Can help many people as its mortality rate is very high and affects millions of people.

Saravanan P:

5. Additional enzymes or proteins that affect the liver can be included.
6. Based on the analytics we can analyse which patients are most likely to suffer from heart disease in the near future and based on the patient details we will make decisions to cure them.
7. To detect disease, Health Care Professionals need to collect samples from patients which can cost both time and money. The main problem is doctors cannot diagnose on the basis of variations in test results.

8. Current method of doctors analysing each blood report is difficult. ML models can help speed up the process.

Buvaneswar AS:

9. Analyse the correlation between the different features of the initial-model.

10. What is the relation between the severity of the liver disease w.r.t age.

11. Can we somehow collect feedback from patients to identify any underlying relation b/w potential lifestyles that impact the liver in a very substantial way.

12. Talk with doctors to gather ideas about different data sources available for building the model.

Abhinav K:

13. Identification of different features that may help in the building of the model.

14. Analysing what tests are taken when a patient undergoes diagnosis of liver and accordingly use those set of details in our model as applicable.

15. Develop disease-specific models that will help in early predictions of different kinds of liver diseases.

16. Perform an EDA to see if there are any common features between the disease-specific models.

3.3 PROPOSED SOLUTION:

S.No	Parameter	Description
1	Problem Statement (Problem to be solved)	Liver diseases avert the normal function of the liver. Mainly due to the large amount of alcohol consumption liver disease arises. Early prediction of liver disease using classification algorithms is an efficacious task that can help the doctors to diagnose the disease within a short duration of time. Discovering the existence of liver disease at an early stage is a complex task for the doctors. The problem at hand is to analyse the parameters of various classification algorithms and compare their

		predictive accuracies so as to find out the best classifier for determining the liver disease.
2	Idea / Solution description	Through this project, we can successfully develop and validate a risk prediction model and subsequent user-friendly scoring tool, the Algorithm for Liver Function Investigations, for liver condition diagnosis in patients with no obvious liver condition at the time of incident liver function testing in primary care. Upon early diagnosis of the liver condition, the severity would reduce and so does the cost of appropriate treatment methodologies. Hence, this project will help reduce the financial as well as biological impact. Liver cirrhosis is a leading cause of death and affects millions of people in the United States. Early mortality prediction among patients with cirrhosis might give healthcare providers more opportunity to effectively treat the condition.
3	Novelty / Uniqueness	This Project examines data from liver patients concentrating on relationships between a key list of liver enzymes, proteins, age and gender using them to try and predict the likeliness of liver disease. Here we are building a model by applying various machine learning algorithms find the best accurate model. And integrate to flask-based web application. User can predict the disease by entering parameters in the web application. We have tried to minimize the number of False Negative predictions.
4	Social Impact / Customer Satisfaction	This project helps in early risk identification and thus increasing the chance of recovery of the patient as medical attention is given early on. No prior knowledge of Medical Sciences and Liver Diseases is needed as we only need the medical report and we need to enter them in the GUI. The results are instantaneous thus reducing the time of diagnosis. The system predicts the result with high accuracy thus it is trustworthy at a large scale.
5	Business Model (Revenue Model)	This could be made as a Proprietary Software and could be sold to hospital chains i.e., integrate this Liver Disease Prediction system to their main frame. So before sending the samples to the lab the hospital could eliminate False Negative Prediction and could start the medication course before the test results arrive saving valuable time. This could also be made available to the general public and if a patient has the symptoms of a liver disease, they could get a clear idea of their condition by using the web app, thus giving us valuable market penetration.
6	Scalability of the Solution	The Liver Disease Prediction System is integrated into a flask-based web application. Thus, many people could use it simultaneously thus increasing the impact of our project. As there is a user-friendly GUI, the project will be accessible to a large audience regardless of their educational background.

3.4 PROBLEM SOLUTION FIT

Problem-Solution fit canvas 2.0		LIVER DISEASE PREDICTION		
Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS Who is your customer? i.e. working parents of 0-5 y.o. kids Hospitals who currently diagnose liver diseases maybe are interested in our product. Also, individuals who are interested in self-diagnosis are also part of our customer segment.	6. CUSTOMER CONSTRAINTS CC What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices. Hospitals have to take up the constraint of conducting the necessary tests whose results are then put into the model. Therefore, the cost associated with that needs to be taken up by the patient.	5. AVAILABLE SOLUTIONS AS Which solutions are available to the customers when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital notetaking Currently, diagnosis is done when patients have severe symptoms following which necessary tests are taken. The cons are that the treatment would be very late and there is high chance the patient would not be diagnosed	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS J&P Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explore different sides. Problem is the need for timely analysis of liver diseases so that treatment could be done well in advance. Current technology will help us understand underlying patterns b/w features and help in early detection	9. PROBLEM ROOT CAUSE RC What is the real reason that this problem exists? What is the back story behind the need to do this job? i.e. customers have to do it because of the change in regulations. The increase in intake of drugs among people at an earlier age. Since metabolism takes place in the liver, drugs severely impact the processing capability of the liver. Which ultimately leads to liver disease.	7. BEHAVIOUR BE What does your customer do to address the problem and get the job done? i.e. directly related: find the right solar panel installer, calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace) Hospitals at the moment try to identify liver diseases with the help of their experience.	
Identify strong TR & EM	3. TRIGGERS TR What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news. Most cases require liver transplant Many cases could not even be treated by common practices.	10. YOUR SOLUTION SL If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality. If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour. Timely prediction will help our customer be able to diagnose the patient in time. Will reduce the mortality rate. Reduce treatment costs	8. CHANNELS of BEHAVIOUR CH 8.1 ONLINE What kind of actions do customers take online? Extract online channels from #7 NA 8.2 OFFLINE What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development. Apply diagnostic procedures to narrow down the problem.	Extract online & offline CH of BE
	4. EMOTIONS: BEFORE / AFTER EM How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design. They are not sure if they will be able to diagnose the patient in time.			



Problem-Solution fit canvas is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 license
 Created by Daria Nepriakhina / Amaltama.com



4.REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENT

FR NO.	FUNCTIONAL REQUIREMENT(EPIC)	SUB REQUIREMENT(STORY/SUB-TASK)
FR 1	User Registration	Registration through Form
FR-2	User Verification	Submit necessary medical documents for validation
FR-3	User Dashboard	Redirect to dashboard after successful login and put a hyperlink to enter the data.
FR-4	Follow-up	Contact the user to see if they got in touch with the recommended doctors around their region. (Assuming they have been predicted to have the disease)
FR-5	Database	Create a database to store all activity that takes place in the web app for administrative/development purposes.

Following are the functional requirements of the proposed solution.

4.2 NON-FUNCTIONAL REQUIREMENTS:


Following are the non-functional requirements of the proposed solution.

FR No.	NON-FUNCTIONAL REQUIREMENTS	DESCRIPTION
NFR-1	Usability	A functioning server that is capable of running the application 24x7
NFR-2	Security	Follow valid general-purpose protocols for providing security and privacy to the data and users.
NFR-3	Reliability	Tweak the model as and when new findings arise to make the model as reliable as possible.
NFR-4	Performance	Make the whole process as user-friendly as possible
NFR-5	Availability	Model is preferred to be available 24x7 as the application to be hosted on a web server.
NFR-6	Scalability	Model can be tweaked and easily changed when new findings can prove useful insights for getting a better model. Can also change the design of the website as needed.


5. PROJECT DESIGN

5.1 DATA FLOW DIAGRAM

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2 SOLUTION ARCHITECTURE



5.3 USER STORIES

USER TYPE	FUNCTIONAL REQUIREMENT	USER STORY NO.	USER STORY	ACCEPTANCE CRITERIA	PRIORITY	RELEASE
Customer (web user)	Registration	USN-1	As a user, I can register for the application by entering my username, State, password, and confirming my password	I can access my account / dashboard	High	Sprint-1

	Login	USN-2	As a user, I can log into the application by entering username & password	I can access the dashboard of the application	High	Sprint-2
	Dashboard	USN-3	As a user, I can view the dashboard and find the page to enter my data for prediction	I can find the link to enter the data for prediction	High	Sprint-3
Customer with a risk of Disease	Follow-up	USN-4	As a Customer with risk of disease I was recommended 3 Liver Specialists from my State	I can find the Liver Specialists from my State	Low	Sprint-4

6.PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATION

Sprint	Functional Requirement	User Story No.	User Story	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password	5	High	Abhinav K
Sprint-1		USN-2	As a user, I will receive confirmation email once I have registered for the application	5	High	Abhinav K
Sprint-1	Login	USN-3	As a user, I can log into the application by entering email & password	10	High	Abhinav K
Sprint-2	Input Necessary Details	USN-4	As a user, I can give Input Details to Predict Likelihood of Liver Disease	15	High	Saravanan P
Sprint-2	Data Pre-Processing	USN-5	Transform raw data into suitable format for prediction.	5	High	Saravanan P
Sprint-3	Prediction of Liver Disease	USN-6	As a user, I can predict Liver Disease using machine learning model. (Setting up the web application with the appropriate *.pkl file)	15	High	Balakumaran S
Sprint-3		USN-7	As a user, I can get accurate prediction of liver disease. (Trying to test accuracy with different models)	5	Medium	Buveneswar A S
Sprint-4	Review	USN-8	As a user, I can give feedback of the application.	20	High	Buveneswar A S

6.2 SPRINT DELIVERY SCHEDULE

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov-2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		

6.3 REPORTS FROM JIRA



7.CODING AND SOLUTIONING

7.1 Authentication

REGISTRATION:

```
class RegisterForm(FlaskForm):
    username = StringField(validators=[
        InputRequired(), Length(min=4, max=20)], render_kw={"placeholder": "Username"})

    password = PasswordField(validators=[
        InputRequired(), Length(min=2, max=20)], render_kw={"placeholder": "Password"})

    state = SelectField(
        label="Choose an option", choices=["Choose an option", 'TAMIL NADU', 'KERLA', 'ANDRA PRADESH', 'TELANGANA', 'KARNATAKA', 'MAHARASHTRA', 'ODISHA', 'WEST BENGAL', 'RAJASTHAN', 'PUNJAB'] )

    submit = SubmitField('Register')

    def validate_state(self, state):
        state = str(state)
        if state[state.find("selected")+16:state.find("selected")+32] == "Choose an option":
            raise ValidationError("Please select a role.")

    def validate_username(self, username):
        existing_user_username = User.query.filter_by(
            username=username.data).first()
        if existing_user_username:
            raise ValidationError(
                'That username already exists. Please choose a different one.')
```

The Registration Page includes three forms namely Username, Password and State. It raises an error if the entered state is not valid or if the entered username already exists.

```
@ app.route('/register', methods=['GET', 'POST'])
def register():
    form = RegisterForm()
    if form.validate_on_submit():
        hashed_password = bcrypt.generate_password_hash(form.password.data)
        new_user = User(username=form.username.data,
                        password=hashed_password, state=form.state.data)
        db.session.add(new_user)
        db.session.commit()
        return redirect(url_for('login'))
    else:
        Warning('Login Unsuccessful. Please check username and password', 'danger')

    return render_template('register.html', form=form)
```

The details of the user are stored in a database. There are 3 columns in the database, the username (primary key), hashed password and state. After clicking the submit button in the registration page the user is redirected to the login page if there is no error raised.

LOGIN:

```
class LoginForm(FlaskForm):
    username = StringField(validators=[
        InputRequired(), Length(min=4, max=20)], render_kw={"placeholder": "Username"})

    password = PasswordField(validators=[
        InputRequired(), Length(min=8, max=20)], render_kw={"placeholder": "Password"})

    submit = SubmitField('Login')
```

The Login page has two forms, username and password.

```
@app.route('/', methods=['GET', 'POST'])
def login():
    form = LoginForm()
    if form.validate_on_submit():
        user = User.query.filter_by(username=form.username.data).first()
        if user:
            if bcrypt.check_password_hash(user.password, form.password.data):
                login_user(user)
                session['admin'] = request.form['username']
                session['state'] = user.query.filter_by(username=form.username.data).first().state
                return redirect(url_for('home'))

    return render_template('login.html', form=form)
```

If the username is in the database and if the entered password is correct then the session admin is set to the username, the session state is the state of the logged in user and the user gets redirected to the home page.

7.2 DASHBOARD

The data required by the model is entered by the user in the dashboard. Then the data is passed into the model. The results of the model are displayed and if the user has risk of Liver Disease, then three Hepatologists from their state are recommended for further treatment.

```

@app.route('/data_predict', methods=['POST'])
def predict():


    age = request.form['age']
    gender = request.form['gender']
    tb = request.form['tb']
    dbi = request.form['dbi']
    ap = request.form['ap']
    aa1 = request.form['aa1']
    aa2 = request.form['aa2']
    tp = request.form['tp']
    a = request.form['a']
    agr = request.form['agr']
    if gender == "Male":
        gender = 1
    else:
        gender = 0
    data = [[float(age),
              float(gender),
              float(tb),
              float(dbi),
              float(ap),
              float(aa1),
              float(aa2),
              float(tp),
              float(a),
              float(agr)]]

    model = pickle.load(open('KNN_10thaug.pkl', 'rb'))




    prediction = model.predict(data)
    if (prediction == 1):
        return render_template('noChance.html')
    else:
        return render_template('chance.html', specialist = specialists.query.filter_by(state = session['state']).first())

```

OUTPUTS:



The screenshot shows a web browser window with the address bar displaying 'localhost:5000/register'. The page has a light blue header with a red liver icon and the text 'LIVER DISEASE PREDICTOR'. In the center, there is a white 'REGISTER' form with a blue shadow. The form contains three input fields: 'Username', 'Password', and a dropdown menu labeled 'Choose an option'. Below these fields is a blue 'REGISTER' button. At the bottom of the form, there is a link that says 'Already have an account? Log In'.



8.TESTING

8.1 USER ACCEPTANCE TESTING

TEST No.	FEATURE	TEST SCENARIO	EXPECTED RESULT	ACTUAL RESULT	STATUS
1	Main Page	Enter URL and click go.	Login Page should display	Working as Expected	Pass
2	Registration	1.Click Register button 2.Enter Registration details	1.Register Page should be displayed 2.User should be redirected to the login page after registering	Working as Expected	Pass
3	Login	Enter Login Details	User should be redirected to home page if login is successful	Working as expected	Pass
4	Home	Click Predict	1.The contents of the home page should be displayed. 2.User should be redirected to predict page	Working as expected	Pass
5	Predict	Enter User health record	1.Ensure the values are within in the permissible range. 2. The results of the model should be displayed after clicking predict	Working as expected	Pass
6	Results		Results of the model are displayed	Working as expected	Pass

9.RESULTS

```
[37] scoresdf = pd.DataFrame(scores.items(), columns=['Model', 'Accuracy'])
      scoresdf.sort_values(by="Accuracy", ascending=False, inplace=True)
      scoresdf
```

	Model	Accuracy
2	Stochastic Gradient Descent	0.717949
6	Support Vector Machine	0.717949
0	Logistic regression	0.709402
5	Random Forest	0.683761
4	K-Nearest Neighbours	0.658120
3	Decision Tree	0.649573
1	Naive Bayes	0.538462

```
[40] svm.fit(x_train, y_train)
      SVMpred = svm.predict(x_test)
      SVMaccuracy = accuracy_score(SVMpred, y_test)

      RFmodel.fit(x_train, y_train)
      RFPred = RFmodel.predict(x_test)
      RFaccuracy = accuracy_score(RFPred, y_test)

      KNNmodel.fit(x_train,y_train)
      KNNpred = KNNmodel.predict(x_test)
      KNNaccuracy = accuracy_score(KNNpred,y_test)

      print("SVM : {0} | RF : {1} | KNN : {2}".format(SVMaccuracy.round(2), RFaccuracy.round(2), KNNaccuracy.round(2)))
```

```
SVM : 0.72 | RF : 0.73 | KNN : 0.66
```

10. ADVANTAGES AND DISADVANTAGES

ADVANTAGES:

No Medical Expertise Required: You don't need to have any knowledge of medical science and liver diseases to predict the liver disease using this application. All we need is Medical Reports which would give use the results of our prediction

High Accuracy: The system predicts the results with accuracy of 100% for this data set. While the accuracy might vary but it is still trustworthy at a large scale.

Immediate Results: The results here are predicted instantaneously thus reducing the time of diagnosis.

Additional Analytics: Based on the analytics we can analyse which patients are most likely to suffer from liver disease in the near future and based on the patient details we will make decisions to cure them.

Scalability: The Machine Learning Model is yet to be integrated with a Web/Mobile Application, thus limiting the number of users and reducing the accessibility.

DISADVANTAGES:

Disease Specific Models: There isn't a disease-specific model that will help in early predictions of different kinds of liver diseases.

Limited Diagnosis: The Final result is binary (whether the patient has 'Risk' or 'No Risk'), thus limiting the scope of diagnosis.

Limited Scope: The web-application is built in flask which is a micro-framework and it is only suitable for small-scale applications. We may not be able to divide a single project into multiple small applications, thus adding new features to the application could be a hassle.

CONCLUSION

Early prediction of liver disease using classification algorithms is an efficacious task that can help the doctors to diagnose the disease within a short duration of time. Discovering the existence of liver disease at an early stage is a complex task for the doctors.

This Project examines data from liver patients concentrating on relationships between a key list of liver enzymes, proteins, age and gender using them to try and predict the likeliness of liver disease. Here the model was built by applying various machine learning algorithms. The model was integrated with a flask-based web application.

FUTURE SCOPE

In this project the patients are only classified on the basis of whether they have a risk of Liver Disease or not. There isn't any insight on the exact underlying disease. In the future we could include disease-specific models that will help in early detection of different diseases. The final result is binary, in the future we could include different 'Risk' Categories to further classify patients on the basis of severity.

Rather than using a micro-framework like Flask we could include web-frameworks like Django for our web application. As we would be able to build multiple different applications within the same project in Django.