Sprint 1- User Login Page

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
<link href='http://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'
rel='stylesheet' type='text/css'>
<meta charset="UTF-8"
<title>Login</title>
<link rel="stylesheet" type="text/css"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css
">
<style>
  body{
    background-color: turquoise;
  }
  .login{
    position:relative;top:200px;left:50%;
  }
.login input[type="text"],
.login input[type="password"],
{
  box-sizing: border-box;
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  outline: none;
  display: block;
  width: 100%;
  padding: 7px;
  border: none;
  border-bottom: 1px solid #ddd;
  background: transparent;
  margin-bottom: 10px;
  font: 16px Arial, Helvetica, sans-serif;
  height: 45px;
}
.login input[type="button"]{
  -moz-box-shadow: inset 0px 1px 0px 0px #45D6D6;
  -webkit-box-shadow: inset 0px 1px 0px 0px #45D6D6;
  box-shadow: inset 0px 1px 0px 0px #45D6D6;
  background-color: #2CBBBB;
  border: 1px solid #27A0A0;
  display: inline-block;
  cursor: pointer;
  color: #FFFFFF;
  font-family: 'Open Sans Condensed', sans-serif;
```

```
    font-size: 14px;
    padding: 8px 18px;
    text-decoration: none;
    text-transform: uppercase;
}
.login input[type="button"]:hover{
    background:linear-gradient(to bottom, #34CACA 5%, #30C9C9 100%);
    background-color:#34CACA;
}
</style>
</head>
<body>
<div class="container">
<div class="row">
<div class="col-lg-10">
<div class="page-header">
</div>
<form id="login-form">
<script type="text/javascript">
var loginCheck=function(){
const loginForm = document.getElementById("login-form");
const loginButton = document.getElementById("login-form-submit");
const loginErrorMsg = document.getElementById("login-error-msg");
    const username = loginForm.username.value;
    const password = loginForm.password.value;

    if (username === "lan" && password === "123") {
      alert("Successful Login !");
      window.open("/index");
    } else {
        alert("Login unsuccessful !");
        console.log("login error");
    }
}
</script>
      <div class="login">
      <h2>Login</h2><br/><br/>
      <form>
      <label>Username  </label>
      <input type="text" name="username" id="username-field" class="login-
form-field" placeholder="Username"><br/><br/>
      <label>Password  </label>
      <input type="password" name="password" id="password-field" class="login-
form-field" placeholder="Password"><br/><br/>
      <button type="button" value="Login" id="login-form-submit"
onclick="loginCheck()">Login</button>
      </form>
      </div>
</form>
```

```
</div>
</div>
</div>
</body>
</html>
```

Output:

Successful login

This shows the case of successful login done by entering a
valid username and corresponding password.

Unsuccessful login

This shows the case of an unsuccessful login done by entering and username and a password that is not corresponding to it or an invalid username.