A Novel Method for Handwritten Digit Recognition System

Analysing the data

Project Id: PNT2022TMID15811

PTO

```
In [3]: X_train
 Out[3]: array([[[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0], [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0]],
                      [[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                      [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0]],
                      [[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0]],
                      ...,
                      [[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0]],
                      [[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0]],
                      [[0, 0, 0, \ldots, 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
                       [0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0],
[0, 0, 0, ..., 0, 0, 0]]], dtype=uint8)
 In [4]: y_train
 Out[4]: array([5, 0, 4, ..., 5, 6, 8], dtype=uint8)
In [20]: plt.imshow(X_train[0])
Out[20]: <matplotlib.image.AxesImage at 0x180ff6068e0>
               5
              10
              15
              20
              25
```

Ś

10

15

20

25