## **PROJECT DEVELOPMENT PHASE**

## **SPRINT-1** DATA COLLECTION, IMAGE PREPROCESSING

TEAM -ID :	PNT2022TMID15853
PROJECT NAME:	Al-powered Nutrition Analyzer for Fitness Enthusiasts

SOORAJ K RAM BALAJI S PRAVEEN RAJ S PRASANNA REDDY RITHVIK THOTA


### **DATA COLLECTION**

Data Collection Collect images of different food items organized into subdirectories based on their respective names as shown in the project structure. Create folders of types of food items that need to be recognized. In this project, we have collected images of 5 types of food items apples, 'banana', 'orange', , they are saved in the respective subdirectories with their respective names.

#### **DATASET LINK:**

The link provided for accessing the test and train datasets for the CNN model is:

#### https://drive.google.com/drive/folders/1yNVuLA2hxlstOcDV58enyD7 4Y9drEs6Y?usp=sharing





Name ↑	Owner	Last modified	File size
3_100.jpg 🐣	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
4_100.jpg **	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
5_100.jpg 🐣	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
6_100.jpg 🐣	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
7_100.jpg 🐣	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
8_100.jpg **	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
9_100.jpg 🐣	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB
30_100.jpg 🐣	Shivani Kapoor	10 Jun 2020 Shivani Kapoor	5 KB

# **IMAGE PREPROCESSING**

We will be improving the image data that suppresses unwilling distortions or enhances some image features important for further processing, although performing some geometric transformations of images like rotation, scaling, translation, etc.

- Import The ImageDataGenerator Library
- Configure ImageDataGenerator Class
- Apply Image DataGenerator Functionality To Training dataset And Testing dataset

The Keras deep learning neural network library provides the capability to fit models using image data augmentation via the ImageDataGenerator class.

There are five main types of data augmentation techniques for image data; specifically:

Image shifts via the width\_shift\_range and height\_shift\_range arguments. The image flips via the horizontal\_flip and vertical\_flip arguments. Image rotations via the rotation\_range argument Image brightness via the brightness\_range argument. Image zoom via the zoom\_range argument.

Let us apply ImageDataGenerator functionality to Train dataset and Test dataset by using the following code

For Training set using flow\_from\_directory function.

```
import numpy as np
import tensorflow
from tensorflow.keras.models import Sequential
from tensorflow.keras import layers
from tensorflow.keras.layers import Dense,Flatten
from tensorflow.keras.layers import Conv2D,MaxPooling2D
from keras.preprocessing.image import ImageDataGenerator
```

```
train_datagen_ImageDataGenerator(rescale=1./255), shear_range=0.2, zoom_range=0.2, horizontal_flip=True)

test_datagen_ImageDataGenerator(rescale=1./255)

test_datagen_ImageDataGenerator(rescale=1./255)

test_datagen_ImageDataGenerator(rescale=1./255)

test_datagen_ImageDataGenerator(rescale=1./255)

test_datagen_ImageDataGenerator(rescale=1./255)

toget_size=(64, 64), batch_size=5, color_mode='rpb', class_mode='spanse')

toget_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='spanse')

found 2626 images belonging to 5 classes.

found 1055 images belonging to 5 classes.

print(x_train.class_indices)

transcript (Counter(0: 606, 1: 445, 2: 479, 3: 621, 4: 475))

Counter(0: 606, 1: 445, 2: 479, 3: 621, 4: 475))
```