IBM-NALAYATHIRAN PROJECT

Problem Statement:

IoT-Based Smart Crop Protection System for Agriculture

Domain:

Internet of Things

Assignment 3:

To build a python code, for blinking LED and traffic lights for Raspberry Pi.

SUBMITTED BY:

HARINI AANANTHI K S - 917719D026 KEERTHIGA R M - 917719D040

SHENBAGA THENDRAL B – 917719D090

SNEHA S R - 917719D094

TEAM ID: PNT2022TMID21422

CODE:

LED blinking:

import timeimport RPi.GPIO as GPIOGPIO.setmode(GPIO.BOARD)

led = 5 # GPIO pin number is 5 and name is GPIO3

GPIO.setup(led, GPIO.OUT, initial = 0) # Setup LED and set it initially to OFF

while(True):

GPIO.output(led, GPIO.HIGH) # Set LED to ON time.sleep(2) # Wait for 2 seconds

GPIO.output(led, GPIO.LOW) # Set LED to OFF time.sleep(2)

Traffic light:

import RPi.GPIO as GPIO import time

Using physical pin locations GPIO.setmode(GPIO.BOARD)

Pin header IDs for LEDs and button

YellowLed = 35

RedLed = 33

GreenLed = 37

safeCrossing = 38

button = 11

Set up LEDs

GPIO.setup(RedLed, GPIO.OUT)

GPIO.setup(YellowLed, GPIO.OUT)

GPIO.setup(GreenLed, GPIO.OUT)

GPIO.setup(safeCrossing, GPIO.OUT)

GPIO.output(RedLed, GPIO.HIGH)

```
GPIO.output(YellowLed, GPIO.HIGH)
GPIO.output(GreenLed, GPIO.HIGH)
# Set up button
GPIO.setup(button,GPIO.IN,pull_up_down=GPIO.PUD_
DOWN)
def cycleLights ():
    print ('Traffic: GREEN off, AMBER on')
    GPIO.output(GreenLed, GPIO.HIGH)
    GPIO.output(YellowLed, GPIO.LOW)
    time.sleep(1)
    print ('Traffic: AMBER off, RED on')
    GPIO.output(YellowLed, GPIO.HIGH)
    GPIO.output(RedLed, GPIO.LOW)
    time.sleep(1)
    print ('Padestrian: Safe to cross on')
    GPIO.output(safeCrossing, GPIO.LOW)
```

```
time.sleep(5)
print ('Padestrian: Safe to cross flashing')
for flash in range(0, 5):
    GPIO.output(safeCrossing, GPIO.HIGH)
    time.sleep(0.8)
    GPIO.output(safeCrossing, GPIO.LOW)
    time.sleep(0.8)
print ('Padestrian: Safe to cross off')
GPIO.output(safeCrossing, GPIO.HIGH)
time.sleep(1)
print ('Traffic: AMBER and RED on')
GPIO.output(YellowLed, GPIO.LOW)
time.sleep(1.5)
print ('Traffic: AMBER and RED off, GREEN on')
GPIO.output(RedLed, GPIO.HIGH)
GPIO.output(YellowLed, GPIO.HIGH)
```

```
GPIO.output(GreenLed, GPIO.LOW)
    print ('Padestrian button blocked to let traffic flow')
    time.sleep(4)
    print ('Padestrian button unblocked')
    return
def teardown ():
    GPIO.output(RedLed, GPIO.HIGH)
    GPIO.output(YellowLed, GPIO.HIGH)
    GPIO.output(GreenLed, GPIO.HIGH)
    GPIO.cleanup()
    return
try:
    while True:
         ButtonPress = False
         # Lights start with the green traffic light on
         # and the padestrian light off
         GPIO.output(GreenLed, GPIO.LOW)
```

GPIO.output(safeCrossing, GPIO.HIGH)

```
# Wait until button is presses
          print ('Waiting for a padestrian to press the
button', end=")
          while not ButtonPress:
               # Check every 2 seconds for a press
               print ('.', end=")
               time.sleep(1)
               ButtonPress = GPIO.input(button)
          print ('\nPadestrian button press detected!')
          cycleLights()
except KeyboardInterrupt:
```

teardown()