



DEPLOY ON KUBERNETES

Create a Kubernetes cluster


- Sign in to your [IBM Cloud Dashboard](#).
- Open **IBM Kubernetes Service**.




- Click **Create Cluster**.



- Select the **Region** where you want to deploy the cluster, type in a **name** for your cluster, then click **Create Cluster**.
- Select the appropriate cluster type depending on your account.
- It takes some time for the cluster to get ready (around 30 minutes).



- Once the cluster is ready, click on your cluster's name and you will be redirected to a new page with information about your cluster and worker node.



- Click on the **Worker Nodes** tab to note the cluster's Public IP.

The screenshot displays the IBM Cloud console interface for a cluster named 'mycluster-free'. The 'Worker nodes' tab is active, showing a table with the following data:

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
000000b0	Provision pending...	default	Milan 01		1.24.6.1541	1.24.6_1541

The console also features a sidebar with navigation options like 'Overview', 'Worker nodes', 'Worker pools', and 'DevOps'. A top navigation bar includes the IBM Cloud logo, a search bar, and the user's account name 'Subash R's Account'. A right sidebar contains a 'Help' section with links to 'Log in to your cluster', 'Deploy your app', 'Expose your app', 'Add storage to your app', 'Connect integrations', 'Install add-ons', and 'Troubleshoot'.