ASSIGNMENT-3

Python code

D:\IBM\user2.py

helo.py ✕ user2.py* ✕

```python
# -*- coding: utf-8 -*-



from flask import Flask,redirect,url_for,request
app=Flask(__name__)

@app.route('/success/<name>/<name1>/<name2>/<name3>')
def success(name,name1,name2,name3):
    return "Welcome %s " %name +"you studying %s " %name1 +"your age is %s " %name2 +" and your Email id
@app.route('/login',methods=["POST","GET"])
def login():

    if request.method=="POST":
        user=request.form["no"]
        user1=request.form["no1"]
        user2=request.form["no2"]
        user3=request.form["no3"]
        return redirect(url_for('success',name=user,name1=user1,name2=user2,name3=user3))




if __name__=='__main__':
    app.run(debug=True)
```

Terminal (COMMAND PROMPT)

```
C:\Windows\System32\cmd.exe - python user2.py
 * Debugger PIN: 509-158-755

D:\IBM>

D:\IBM>python user2.py
 * Serving Flask app 'user2' (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Running on http://127.0.0.1:5000 (Press CTRL+C to quit)
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 509-158-755
 * Detected change in 'D:\\IBM\\user2.py', reloading
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 509-158-755

D:\IBM>python user2.py
 * Serving Flask app 'user2' (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Running on http://127.0.0.1:5000 (Press CTRL+C to quit)
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 509-158-755
```

OUTPUT PAGE-1

OUTPUT PAGE-2

After clicking ok button, the page dispalys the following.

Welcome Velmani J you studying BE CSE your age is 21 and your Email id is velmani615@gmail.com

<div align="right">

Submitted by

VELMANI J

</div>

IBM REPOSITORY: IBM-EPBL/**IBM-Project-25671-1659970243**