



RMK ENGINEERING COLLEGE

(An Autonomous Institution)

R.S.M. Nagar, Kavaraipettai-601 206, Gummidipoondi Taluk, Thiruvallur District.

PROJECT

FERTILISER RECOMMENDATION SYSTEM FOR DISEASE PREDICTION

DONE BY

TEAM ID: PNT2022TMID15637

S. BRINDHA (111719104029)

A.S VIDYA VARSHINI (111719104014)

ANUSHIYA DEVI .M (111719104012)

ABIMANYA U.B (111719104002)

INDEX

1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA

7. CODING & SOLUTIONING

- 7.1 Feature 1
- 7.2 Feature 2

8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

9. RESULTS

9.1 Performance Metrics

10.ADVANTAGES & DISADVANTAGES

11.CONCLUSION

12.FUTURE SCOPE

13.APPENDIX

Source Code

GitHub & Project Demo Link

1. INTRODUCTION

1.1 Project Overview

Plant disease prediction helps in the detection and recognition of the plant diseases. The images of plants are captured and analyzed for certain symptoms using Computer vision and image processing. By identifying the disease, the deficit nutrients that lead to the disease are found. Based on the available data on fertilizers, the necessary nutrient rich fertilizers are recommended.

1.2 Purpose

The plant diseases may lead to abnormal functionalities which may end up with the death of the plant. The project aims at recognizing the symptoms at the early stages. The project also aims at guiding the farmers with the proper choice of the fertilizers that are required to counter the deficiency of the nutrients that cause the disease.

2. LITERATURE SURVEY

2.1 Existing problem

Project Title	Algorithms used	Advantages	Disadvantages
Plant Infection Detection Using Image Processing	Infections are detected based on K-means clustering which uses hue estimation method for dividing and clustering the image and GLCM techniques that is used for texture analysis.	This system was capable of identifying the infection and classifies them accordingly with 98.27% of accuracy. This automated system reduces time of detection and labor cost	The farmers must afford mobile phones or digital camera to take images of infected leaves of different plants.
Prediction of crop yield and fertilizer recommendation using machine learning algorithms	Random Forest and Support Vector Machine algorithms are used for the classification of the soil to classify, display confusion matrix, Precision, Recall, predict crop based on the given inputs, etc.	It recommends fertilizer suitable for every particular crop.	Requires Third Party applications to display information on weather, temperature, humidity, atmospheric pressure, etc.
Plant Disease Detection Using Image	Random Forest classifier, a combination of	Accuracy scores were 93% which is nearly equal to f1	The proposed system is able to detect 20 different diseases

Processing and	multiple decision	scores. It requires	only.
Machine	trees is used where	less time for	
Learning	each tree is trained by using different subsets of the whole dataset to reduce the overfitting and improves the accuracy of the classifier.	prediction than other deep learning- based approaches since it uses statistical machine learning and image processing algorithm.	
Fertilizers Recommendation System for Disease Prediction in Tree Leaves	Support Vector Machine (SVM) algorithm classifies the leaf image as normal or affected. And it is used to identify a function Fx which obtain the hyper-plane.	Recommend the fertilizer for affected leaves and its measurement or quantity are suggested based on severity level of the disease.	The proposed algorithm cannot be used to identify the disease that affects the other plant organs such as stems and fruits.
Farmer's Assistant: A Machine Learning Based Application for Agricultural Solutions	Extreme Gradient Boosting (XGBoost), is a scalable, distributed gradient- boosted decision tree (GBDT) machine learning library. It provides parallel tree boosting and is the leading machine learning library for regression, classification, and ranking problems.	It is expected that boosting (Random Forest) and bagging (XG Boost) models will usually perform and generalize better than nonensemble methods.	This model performs well only on the images which are from those classes that the model already knows and it will not be able to detect the correct class for any data that is out of the domain.

	Random forest algorithm is also used.		
Cloud Based Automated Irrigation and Plant Leaf Disease Detection System Using an Android Application.	K-means clustering is used for feature extraction.	It is simple and cost-effective system for plant leaf disease detection.	Any H/w failures may affect the system performance.
Detection of Leaf Diseases and Classification using Digital Image Processing.	K-Means Clustering used for image segmentation and then system extract the GLCM features from disease detected images. The disease classification done through the SVM classifier.	The system detects the diseases on citrus leaves with 90% accuracy.	System only able to detect the disease from citrus leaves.

2.2 References

- [1]. G. Preethi, P. Rathi, S. M. Sanjula, S. D. Lalitha, B. V. Bindhu, "Agro based crop and fertilizer recommendation system using machine learning", European Journal of Molecular & Clinical Medicine, 7, 4, 2020, 2043-2051 https://deepai.org/publication/farmer-s-assistant-a-machine-learning-based-application-for-agricultural-solutions
- [2]. International Journal of Engineering Applied Sciences and Technology, 2019 Vol. 4, Issue 5, ISSN No. 2455-2143, Pages 371-376 https://www.ijeast.com/papers/371-376, Tesma405, IJEAST.pdf
- [3]. Plant Disease Detection Using Image Processing and Machine Learning Pranesh Kulkarni1, Atharva Karwande1, Tejas Kolhe1, Soham Kamble1, Akshay Joshi1, Medha Wyawahare1 1 Department of Electronics and Telecommunication, Vishwakarma Institute of Technology. https://arxiv.org/ftp/arxiv/papers/2106/2106.10698.pdf
- [4]. Plant Infection Detection Using Image Processing Senthilkumar Meyyappan, Nalla Malla Reddy Engineering college, Corresponding Author: Dr. Sridhathan C

 https://www.researchgate.net/publication/326803995_Plant_Infection_Detection_Using_Image_Processing
- [5]. Plant Disease Detection Using Image Processing

DOI-10.1109/ICCUBEA.2015.153

https://ieeexplore.ieee.org/document/7155951

- [6]. Metrics for Performance Measurements

 https://www.mathworks.com/matlabcentral/answers/418986-how-to-calculate-true-positive-true-negative-false-positive-and-false-negative-aswe-have-segment
- [7]. International journal of scientific & technology research volume 8, issue 11, November 2019 ISSN 2277-8616 3343 Fertilizers

 Recommendation System for Disease Prediction in Tree Leaf

 http://www.ijstr.org/final-print/nov2019/Fertilizers-Recommendation-System-For-Disease-Prediction-In-Tree-Leave.pdf
- [8]. Farmer's Assistant: A Machine Learning Based Application for Agricultural Solutions Shloka Gupta, Nishit Jain, Akshay Chopade, Aparna Bhonde, Department of Information Technology Datta Meghe College of Engineering Navi Mumbai, India. https://arxiv.org/pdf/2204.11340.pdf
- [9]. S. D. Khirade, A. B. Patil, "Plant Disease Detection Using Image Processing", 2015 International Conference on Computing Communication Control and Automation, 2015, pp. 768-771, doi:


10.1109/ICCUBEA.2015.153

https://www.semanticscholar.org/paper/Plant-Disease-Detection-Using-Image-Processing-Khirade-

Patil/575467ca9dc8d7f687fe2f490f6b18932b5c45b

2.3 Problem Statement Definition


This project aims at providing a system to support the cultivators in choosing the right fertilizers for their plants to counter the deficiency of nutrients that cause various infections and diseases. The below blocks define the problems faced by the different users and the solutions that are provided by the system.



3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas


An empathy map is used to gain deeper insights on the customer's interaction with the system. It gives an idea on what the user feels and experiences while using the system, what fears the user has respective to the system, etc. It also specifies how supportive the system environment is and what the users are likely to hear from the people around them regarding the usage of the system.



3.2 Ideation & Brainstorming

Ideation and Brainstorming are performed to generate ideas and solutions.

Brainstorming is a group activity unlike ideation.



3.3 Proposed Solution

An automated system that takes the images of plant parts as input identifies different diseases on plants by checking the symptoms shown on the leaves of the plant is built. Deep learning techniques are used to identify the diseases and suggest the fertilizes that can help cure the disease. The user need not consult any specialist for identification of diseases that affected the leaves or for the recommendation of the fertilizers.

Project Design Phase-I Proposed Solution Template

Date	24 September 2022
Team ID	PNT2022TMID15637
Project Name	Fertilizers Recommendation System
	for disease prediction
Maximum Marks	2 Marks

Proposed Solution Template:

Project team shall fill the following information in proposed solution template.

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Agriculture is having a great impact on the country's economy.Different diseases effect plant that reduces their production and is a major threat to food security.The major problems that the farmers of our country are currently facing includes Crop Failure, Lack of adequate knowledge, Crop damage due to ignorance/carelessness, Lack of

		professional assistance, Inaccessibility to agro-tech solutions.Most of the diseases are detected in later stage that to manually which is time consuming and results in heavy loss so it is important to build an automated system that detects disesase at early stage and provides fertilizer recommendation accordingly.
2.	Idea / Solution description	An automated system is built that takes the input as picture of leaves which is uploaded by the user, identifies different diseases on plants by checking the symptoms shown on the leaves of the plant. Deep learning techniques are used to identify the diseases and suggest the fertilizer needed for the plant.
3.	Novelty / Uniqueness	It doesnot require user to consult any specialist for identification of diseases that affected the leaves
		and the fertilizers that is required for the same. It detects Plant disease at their early stage.
4.	Social Impact / Customer Satisfaction	1
4. 5.		the same.It detects Plant disease at their early stage. The whole process of identifying disease and recommendation of fertilizer happens just by uploading image so it is user friendly.It helps farmers to get good yield out of the crop.People will get good quality

3.4 Problem Solution fit

The Problem-Solution Fit means that the solution that is realized can actually solve the problem that the customer faces.

Problem-Solution fit canvas 2.0Purpose/Vision 1.CUSTOMER SEGMENT(S) 6.CUSTOMER CONSTRAINTS 5.AVAILABLE SOLUTIONS Cultivators · Image acquisition is followed by The cultivators may not be aware of the gardeners infections or diseases that affected their preprocessing and segmentation. plant pathologists plants. Even if they did, the nutrients Leaves are classified using the Support Vector Machine (SVM) algorithm. required to cure may not be known. Identification of the right fertilizer and the Fertilizer for affected leaves is quantity to be used may be difficult. recommended based on severity level. 2.JOBS-TO-BE-DONE / PROBLEMS 9.PROBLEM ROOT CAUSE 7.BEHAVIOUR · Lack of expertise or knowledge lead to Abnormality in plants leads to their death, The user uploads the images as input. inability of the cultivators and gardeners Large scale disease/infection spread will The affected leaves' images are to identify the infections or diseases that reduce crop yield. Improper diagnosis may separated from the unaffected leaves. affect their plants. guide cultivators toward the supply of Based on deep learning, the disease is Exact nutrients that are required to cure incorrect fertilizers which will not rectify predicted. the problem. Even excessive use of the the problem may not be known. Necessary nutrients are recognised and To handle nutrient deficiency, the farmers required fertilizer may lead to the leaching fertilizers rich in those nutrients are and eutrophication. may use incorrect fertilizers. recommended. Excessive use of fertilizers damages the plants and it will reduce the soil fertility. Some amount of the fertilizer may penetrate into water bodies causing eutrophication. 10. YOUR SOLUTION CHANNELS of BEHAVIORS Fertilizers contain specific nutrients that are required for the proper development of the ONLINE · An automated system that takes the plant body. Some fertilizers benefit plants images of leaves as input and indirectly by increasing water retention Online portal is for accepting the input identifies the different symptoms to capacity of the soil, improving soil porosity images and displaying the recommended based on the crop, etc decide on the disease that affects the fertilizers. plant. 4.EMOTIONS: BEFORE /AFTER This will be done using the Deep Soil may not have adequate quantities of all learning techniques. nutrients. Rate of replenishment of soil Based on which the fertilizers rich in While offline, the image preprocessing, nutrients is much slower than the rate of the required nutrients are suggested. segmentation, disease prediction, etc. are consumption. Hence fertilizers are required to balance these rates by providing enough nutrients to the soil and plants directly thereby allowing the soil to replenish at its own rate.

4. REQUIREMENT ANALYSIS

4.1 Functional requirement

Functional Requirements specify the features and functions of the proposed system.

Project Design Phase-II Solution Requirements (Functional & Non-functional)

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR	Functional	Sub Requirement (Story / Sub-Task)
No.	Requirement (Epic)	
FR-1	User Registration	Registering through Gmail
FR-2	User confirmation	Confirmation is done through Email
FR-2	Image Capture	Take a picture of a leaf and
		verify that the leaf was captured using
		the specified criteria.
FR-3	Image Processing	Upload the image of
		the leaf for detecting
		the diseases that is
		present in the leaf.
FR-4	Leaf Prediction	Determine the parameter that should
		be taken into account for disease
		identification for identifying the leaf
		and predicting the disease in it.
FR-5	Image Description	Show the prescribed fertilizer that
		has to be used for the diseased leaf
FR-6	Providing Dataset	Training the
		datasets
		Testing the
		datasets
FR-7	Adding Datasets	Datasets for fruits and vegetables are
		added.

4.2 Non-Functional requirements

Non functional requirements specify the general properties of the proposed system.

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.


FR No.	Non-Functional	Description
	Requirement	
NFR-1	Usability	Data sets can be prepared according to the leaf. Leaf datasets can be used for detection of all kind of leaf's Datasets can be reusable to detect diseases present in leaf.
NFR-2	Security	User information and leaf data are secured The employed algorithms are more secure.
NFR-3	Reliability	The leaf quality is more for predicting the disease in leaf. The datasets and image capture consistently performs well.
NFR-4	Performance	The leaf problem is specified when the leaf is detected. Performs well according to the quality of the leaf and provides a specific cure to it by showing recommendation of fertilizer.
NFR-5	Availability	The quality of the leaf will be used again for detection. Datasets will be made available and easily accessible. It is available to all users to predict plant disease.
NFR-6	Scalability	Increasing the accuracy of disease prediction in the leaf.

5. PROJECT DESIGN

5.1 Data Flow Diagrams

A data flow diagram or DFD(s) maps out the flow of information for any process or system. DFDs help you better understand process or system operation to discover potential problems, improve efficiency, and develop better processes.


Data Flow Diagrams:



5.2 Solution & Technical Architecture

Solution Architecture:


Solution architecture is the process of developing solutions based on predefined processes, guidelines and best practices with the objective that the developed solution fits within the enterprise architecture in terms of information architecture, system portfolios, integration requirements, etc.



FERTILIZERS RECOMMENDATION SYSTEM FOR DISEASE PREDICTION

Technical Architecture:

Technical architecture involves the development of a technical blueprint regarding the arrangement, interaction, and interdependence of all elements so that system-relevant requirements are met.



5.3 User Stories

An informal, generic explanation of a software feature written from the viewpoint of the end user is known as a user story. Its objective is to explain how a software feature will benefit the user.

USER STORIES:

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by providing my email address, password, and confirming my password.	I have access to my profile/dashboard.	High	Sprint-1
		USN-2	Once I have registered for the application, I will receive a confirmation email.	I can receive a confirmation email and click the confirm button.	High	Sprint-1
		USN-3	As a user, I can sign up for the application using Gmail.	I can use Gmail to access the application.	Medium	Sprint-1
	Login	USN-4	As a user, I can access the application by entering my email address and password.	I can make use of the Application for Disease Prediction	High	Sprint-1
Customer (Web user)	Registration	USN-5	As a Web user, I can register on the System with a User ID.	I can access the app like a website.	High	Sprint-1
Customer Care Executive	Customer Support	USN-6	As a supporter, I can see how customers use the product.	I can develop Customer Guidelines and Practices.	Low	Sprint-2
Administrator	Analyst	USN-7	As an admin, I can update several datasets about plant diseases.	I can store a significant amount of data.	High	Sprint-1
Customer Purpose	Prediction	USN-8	It use artificial intelligence to identify plant diseases in captured photographs and provides a live view of prediction.	I can predict plant disease.	High	Sprint-1

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

The purpose of sprint planning is to define what can be delivered in the sprint and how that work will be achieved. Sprint planning is done in collaboration with the whole team.

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint- 1	Data Collection	USN-1	Collecting dataset for pre-processing	10	High	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI
Sprint- 1		USN-2	Data pre-processing- Used to transform the data into useful format.	10	Medium	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI
Sprint- 2	Model Building	USN-3	Model building for fruit and vegetable disease prediction	10	High	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI
Sprint- 2		USN-4	Splitting the data into training and testing from the entire dataset.	10	Medium	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI
Sprint-	Training and Testing	USN-5	Training the model and testing the performance of the model	20	Medium	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI
Sprint- 4	Implementation of Web page	USN-6	Implementing the web page for collecting the data from user	10	High	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI
Sprint- 4		USN-6	Deploying the model using IBM Cloud and IBM Watson Studio	10	Medium	BRINDHA S ABIMANYA U B ANUSHIYA DEVI M A S VIDYA VARSHINI

6.2 Sprint Delivery Schedule

Agile sprints typically last from one week to one month. The goal of sprints is to put pressure on teams to innovate and deliver more quickly, hence the shorter the sprint, the better.

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint- 2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint- 4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

Velocity:

Sprint 1 Average Velocity: Average Velocity = 20/2 = 10

Sprint 2 Average Velocity: Average Velocity = 20/2 = 10

Sprint 3 Average Velocity:
Average Velocity = 20/1 = 20


Sprint 4 Average Velocity:
Average Velocity = 20/2 = 10

Burndown Chart:




6.3 Reports from JIRA Backlog:

A backlog is a list of issues that's related to the project and the functions of the system. It makes it simple to make, store, manage a variety of problems including the ones the team is working on.




Board:

A board reflects your team's process, tracking the status of work. The columns on the board represent the status of your team's issues. The visual representation of the work helps in discussing and tracking of the progress of the project from start to finish.



Roadmap:

A roadmap offers quick and easy planning that helps teams better manage their dependencies and track progress on the big picture in real-time.



7. CODING & SOLUTIONING

Python – app.py:

```
import os
import numpy as np
import pandas as pd
from tensorflow.keras.models import load_model
# from tensorflow.keras.preprocessing import image
from werkzeug.utils import secure_filename

from flask import Flask, render_template, request

app = Flask(__name__)

#load both the vegetable and fruit models
model = load_model("vegetable.h5")
model1=load_model("fruit.h5")

#home page
```

```
@app.route('/')
def home():
    return render_template('home.html')
#prediction page
@app.route('/prediction')
def prediction():
    return render_template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
    if request.method == 'POST':
        # Get the file from post request
        f = request.files['image']
        # Save the file to ./uploads
        basepath = os.path.dirname(__file__)
        file_path = os.path.join(
            basepath, 'uploads', secure_filename(f.filename))
        f.save(file path)
        img = image.load img(file path, target size=(128, 128))
        x = image.img_to_array(img)
        x = np.expand dims(x, axis=0)
        plant=request.form['plant']
        print(plant)
        if(plant=="vegetable"):
            preds = model.predict(x)
            preds=np.argmax(preds)
            print(preds)
            df=pd.read_excel('precautions - veg.xlsx')
            print(df.iloc[preds]['caution'])
        else:
            preds = model1.predict(x)
            preds=np.argmax(preds)
            df=pd.read_excel('precautions - fruits.xlsx')
            print(df.iloc[preds]['caution'])
        return df.iloc[preds]['caution']
if __name__ == "__main__":
    app.run(debug=False)
```

Feature 1:

home.html:

```
<!DOCTYPE html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'</pre>
rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="{{ url_for('static', filename='css/style.css') }}">
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-</pre>
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=AMFGethlf4Q6r2IdpTrTqcDQGNLDU5Cbc3diYnUdLkg5mQrVB td220
HUAsBJSd0oo80R0zM3rIPeFWfnEY4XCxQu4K0xMSqlshEoIB0zvYw0SsMYpyUv4fnvKEjmJoj Y6cI4ov
-6AMOkz3Sh3epkfq0gltfnAPvvQBRdXqRmdqePVjlvvqL28ONZCiS0Qr5t0XGxJ0bSiWVT-
rH3cqaKCk05eP1Dx04mieTcjsA_TtFLx15PUu0ed6soaj-F006-
1d400xbJYBXUBefiUhzmOYCpsGIs10y0vA0huo8AUYwYB72dvs07U302hq8BmYBv98h13sSo8iXKxyKx4
FUsOMkixjxYP6hu0wwi7yv1E2rei3GHtPl5YwHkWioQIPqvAmrlmaPtFZmF-
jE4_UUCi9IEKws8IduDiqQIFkxf03YT_sUC9gWmxKSpGbiebwCgV-
wvdGEnbUxY18p9Db6jC6FVKRhqdMBianq63qv-
zZRMZbEpjzQT0DQAH3Yho4o4A00FIW2004q8Q80xt2kV928P_nBgS9H0gHI5EZxenbjfqANTs1rh8GGhB
d7RJaE8-
2AaqT6zbLf2tILJ8j4fk3bV1qsdw0fPmp6foJbDu4343XH36a0VGHsMLeVqcc30PSsE1pJbGE4_C_ExQd
0 uRSA40mRjnFwHdLo9SJc1qghyc5YGQil utG48olMy9cC6z-iyKg1EeLKB43u-
q4SlUimRnuUsZW7drNWaijSfJPDmkm7lUJ0POwQXPfnLa2_spc3FisWCOZ7dFuIgDciIu0yF8rio2X0Pz
6pZkGQW4Fwl6vWKrLplmHagJElKXg58YSWwAT2DILilBjuSPiTwCHR9Ya mAXW4C03v7xzJlaSK9jneEC
qctvKnH3RFgDS8ocfDcY651XNRkq6v1hrcdv5sM2ek4Kjq40FgX-wijr-0JdpSDpZlbIK00sPb4-
u1B8c7MaCqBcbJAhfmg4utLU67fn5GLoCX_-5TAWV0ID-_sC1Vs9glWRPkKmmktJMbVy98XqC5-
DhtE3yd5I9ZM1SEH1gGYLlRjxwzPjWwHE-YH1Nx9lm-
Esq27TK7M86uT8iAe7LgtviO2YsCB0buShHWmjh3RzwMGqNqeymFSxPRK sDmTFoVjcaYpGa0kaMwhmmF
```

```
9AtPwGmFaGglv3rryVg0X0bGoXRetnrPpDG7jUoq5zQuXQSedBf9hmNwEqWsSZtI4zNTxjiEkxU0djhPX
qByZbnelp 3z6pqqniLzqj9jzAkvX6wDOW7ZycfDzOt-
zNgTxWdtf41P6ZjVu8EWSf65Wqgen5jD4IPXgXGtxkjrSbrqiX-
NxxxfKVJUOoOcEO0F6n3DWD0BMWS8UGOQO8gZZeXCfpuTIGYTD6okyD91kLk5AmhaNTJVKjkHO-
dHZqMHxikVhdK6C2PIfg41EY0yuE3Fjj_5NNX5ZalIpOl3LN6YQ8Jqis_UmC_OXmjW2F5Y4p8VRRKc1HW
2DFaUxBrEgfSwe keyaofodrjde pfPuDQDryEgGy9DNIhpGUV bQJ8jlPxRL7WSpmPU7-
IZ1mVN onhqq2oI-WTl7ep-8w0GsJH3OhSRyyJC0XC9xtetqVjIHzcbKYFsxOaXT-
LLe7U9oHaXHzjDK3hn-ZNFYwzV_aoq8180eb" charset="UTF-8"></script><style>
.header {
      top:0;
      margin:0px;
      left: 0px;
      right: 0px;
      position: fixed;
      background-color: #28272c;
      color: white;
      box-shadow: 0px 8px 4px grey;
      overflow: hidden;
      padding-left:20px;
      font-family: 'Josefin Sans';
      font-size: 2vw;
      width: 100%;
      height:8%;
      text-align: center;
    .topnav {
  overflow: hidden;
  background-color: #333;
.topnav-right a {
  float: left;
 color: #f2f2f2;
  text-align: center;
  padding: 14px 16px;
 text-decoration: none;
  font-size: 18px;
.topnav-right a:hover {
 background-color: #ddd;
  color: black;
.topnav-right a.active {
```

```
background-color: #565961;
  color: white;
.topnav-right {
 float: right;
 padding-right:100px;
body {
  background-color:#ffffff;
  background-repeat: no-repeat;
  background-size:cover;
  background-position: 0px 0px;
  .button {
  background-color: #28272c;
  border: none;
  color: white;
  padding: 15px 32px;
  text-align: center;
  text-decoration: none;
  display: inline-block;
  font-size: 16px;
  border-radius: 12px;
.button:hover {
  box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
form {border: 3px solid #f1f1f1; margin-left:400px;margin-right:400px;}
input[type=text], input[type=password] {
 width: 100%;
  padding: 12px 20px;
 display: inline-block;
 margin-bottom:18px;
 border: 1px solid #ccc;
 box-sizing: border-box;
button {
  background-color: #28272c;
  color: white;
 padding: 14px 20px;
```

```
margin-bottom:8px;
  border: none;
  cursor: pointer;
 width: 15%;
  border-radius:4px;
button:hover {
  opacity: 0.8;
.cancelbtn {
 width: auto;
 padding: 10px 18px;
 background-color: #f44336;
.imgcontainer {
 text-align: center;
 margin: 24px 0 12px 0;
img.avatar {
 width: 30%;
 border-radius: 50%;
.container {
  padding: 16px;
span.psw {
 float: right;
 padding-top: 16px;
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
  span.psw {
     display: block;
     float: none;
  .cancelbtn {
     width: 100%;
```

```
.home{
  margin:80px;
  width: 84%;
  height: 500px;
  padding-top:10px;
  padding-left: 30px;
.login{
  margin:80px;
  box-sizing: content-box;
  width: 84%;
  height: 420px;
  padding: 30px;
  border: 10px solid blue;
.left,.right{
 box-sizing: content-box;
 height: 400px;
margin:20px;
 border: 10px solid blue;
.mySlides {display: none;}
img {vertical-align: middle;}
/* Slideshow container */
.slideshow-container {
  max-width: 1000px;
  position: relative;
  margin: auto;
/* Caption text */
.text {
  color: #f2f2f2;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
  width: 100%;
  text-align: center;
```

```
/* The dots/bullets/indicators */
.dot {
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
.active {
  background-color: #717171;
/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .text {font-size: 11px}
</style>
</head>
<body style="font-family:'Times New Roman', Times, serif;background-</pre>
color:#C2C5A8;">
<div class="header">
```

```
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;</pre>
padding-top:1%">Plant Disease Prediction</div>
  <div class="topnav-right"style="padding-top:0.5%;">
    <a class="active" href="{{ url_for('home')}}">Home</a>
    <a href="{{ url for('prediction')}}">Predict</a>
  </div>
</div>
<div style="background-color:#ffffff;">
<div style="width:60%;float:left;">
<div style="font-size:50px;font-family:Montserrat;padding-left:20px;text-</pre>
align:center;padding-top:10%;">
<b>Detect if your plant<br> is infected!!</b></div><br>
<div style="font-size:20px;font-family:Montserrat;padding-left:70px;padding-</pre>
right:30px;text-align:justify;">Agriculture is one of the major sectors worls
wide. Over the years it has developed and the use of new technologies and
equipment replaced almost all the traditional methods of farming. The plant
diseases effect the production. Identification of diseases and taking necessary
precautions is all done through naked eye, which requires labour and laboratries.
This application helps farmers in detecting the diseases by observing the spots
on the leaves, which inturn saves effort and labor costs.</div><br><br>>
</div>
</div>
<div style="width:40%;float:right;"><br><br>
<img src="{{url_for('static',filename='images/12456.png')}}" style="max-</pre>
height:100%; max-width:100%; ">
</div>
</div>
<div class="home">
<br>
</div>
<script>
var slideIndex = 0;
showSlides();
function showSlides() {
  var i;
  var slides = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("dot");
```

```
for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}
slideIndex++;
if (slideIndex > slides.length) {slideIndex = 1}
for (i = 0; i < dots.length; i++) {
    dots[i].className = dots[i].className.replace(" active", "");
}
slides[slideIndex-1].style.display = "block";
dots[slideIndex-1].className += " active";
setTimeout(showSlides, 2000); // Change image every 2 seconds
}
</script>
</body>
</html>
```

Feature 2:

Predict.html:

```
<!DOCTYPE html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'</pre>
type='text/css'>
<link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"</pre>
rel="stylesheet">
    <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-</pre>
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=3wvf44XdejigWHFj22ANQmgfA-L5oa67wZhZwPtEITSot6t8o-
DPZwNcHRFhpa2tgGpDJGis4-1IHYyxyIAN2GE0-kSZKkCLRkbKttCLVN9mKhGFVtGJ3auoiiByn_jJ-
mA447x4TmdjGgz8XvMdLSPF4Gu5xwt0joGxWDXu0EF18Sa5usZGgj4TdDiTfDHpElX3P1eH-
lsevFhUJQEZe3981VXjRKYRn2FrxsYwXGSMBn0sRR9IYup35XYNQkvA6DLQV1lwLc4XuAo0BlJYAfI75R
405LwTWuT-uaft0DEQeuV_f3rKvkrcBkalcpWnyXVLeLyjMz5CqpZ1aSCy1MgVAzWxGb-
GX3eQb0F5qOksANddV_vhz1Ai4RgptuAfB8mVyuz0nWZzpmwam34lc4NL4tfyWGncKz2taMyGfsK4Mrn0
zfPlY9 n9FP0lMlAX0IQ8TfbVp4B1vbwnA-
```

```
RVJq8mxoTjgMgqhKhp6NQY 8gZULkbqqA0pqUMvfL3 fZC1PFipLNjCyCGe9YOaU9L7QF4CXeKsRhJXmI
898FhpxB1oI7z0xvndsDLPRsqbNuse eGL9tz0Te5HLGhtoXSn508pHC99 XHYofrlismcByzZlmVqVkC
NfmbnMjaD9IQf6xAACyjkQ927AOvyDVCZKr-
tV6wRZyv z7Z1J9AG7SGSLoB34AkMytkYXvpgGn21pGFNhvl3YSmyKYc2XJs89zHbp5fSyXsfasogSEYL
bpxCmuvzZKO4haaqouKDcLwBGMFp Br095f-
AlhhWOdPDx1ezvTMx1NgS4Q0970mbyQCqHUFWWZLYNgjQ8zpfdBXB17L v lfmrUWhUiUVc9tRcJy-
lpchFJe8Gz7TUOKCRDjbIWtiqXryDeENrJgQ31laXp-
VVYp0I1L55pek2fgk50CGNzVges5oG4PpMyCIXtJpv32E5rlPTktG4hD8eXmYQECVU1HvSmEiKvuY6T6i
9wdpqg AnycRzUXmYdahFT3W7zToIn2RXzNfd0U0zbYBvtJ70TpR4PjfU751J0FsnphDuCnero3UY0ak7
vYvGYD9YV2md5v-3AmP-eOor2m55JZRH Hxpn28x-nDNCOHqVBC6leYuYFBVV vL51-
E8n92uWUqwMEzdZPZtAyRaCfz3D2Y0IYn-
ZrnfNTg2M zVJePmUu1xdjYh7d1dx7nwclm7wJrBPb3JnX2kvEGYs9SM17MlwzoY1VJq4UzJ2D6oEvhQw
HvG4e1etlS6iLWzhy8RVMfBlTa4DPD0HmTlHhsKbn0UaMyFFCppe79rtIVRctcomnVmQysUwUOhjzlAq3
0-hXJCTqdCWJe2xnxjAuUHVqHSiHiZllZaoOWNCV5Ypx eqzn-KyZS3u-
2 hGLHHNA2AVBWn hF3Gz16dw6zA4QSmWZSfDUcNObLJGOSTaDS3Z8jPTloYPFmu8oES6TL1dLlEK5Yhc
SGaX4iv6o95drsZGb6bBcWgT7sNFHW6dVE9wdjoDFuBergPIAm0sKaZQ2Ex6j150WCbE6UaPg-
VNfziA2FEPpJaI9hEPI2gdaSuHqovlEOt5mjuFBBOxpK0t8kOZRtsVzqUuJw3VcLjaP6SfG_KZfgX_g8T
Ps6CcFh1LRz63oXMQFPW6AA7eudWfygndazedq5B-
6DqSkOT04GTUJNqLcElg6KEEWqxd88BzoQoK28jrAf-xWHNIZv5HmQQYEnyX0U cW8HX-
hde54TuY fY3e5QYu4be-JxTkA4JxWLEagSa7-zs" charset="UTF-8"></script><script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
    <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'</pre>
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<link href="{{ url_for('static', filename='css/final.css') }}" rel="stylesheet">
<style>
.header {
            top:0;
            margin:0px;
            left: 0px;
            right: 0px;
            position: fixed;
            background-color: #28272c;
            color: white;
            box-shadow: 0px 8px 4px grey;
            overflow: hidden;
            padding-left:20px;
            font-family: 'Josefin Sans';
```

```
font-size: 2vw;
            width: 100%;
            height:8%;
            text-align: center;
        .topnav {
  overflow: hidden;
  background-color: #333;
.topnav-right a {
  float: left;
  color: #f2f2f2;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
  font-size: 18px;
.topnav-right a:hover {
  background-color: #ddd;
  color: black;
.topnav-right a.active {
  background-color: #565961;
  color: white;
.topnav-right {
  float: right;
  padding-right:100px;
.login{
margin-top:-70px;
body {
  background-color:#ffffff;
  background-repeat: no-repeat;
  background-size:cover;
  background-position: 0px 0px;
.login{
```

```
margin-top:100px;
.container {
 margin-top:40px;
  padding: 16px;
select {
   width: 100%;
   margin-bottom: 10px;
    background: rgba(255,255,255,255);
    border: none;
   outline: none;
    padding: 10px;
    font-size: 13px;
    color: #000000;
    text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
    border: 1px solid rgba(0,0,0,0.3);
    border-radius: 4px;
    box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px
rgba(255,255,255,0.2);
    -webkit-transition: box-shadow .5s ease;
    -moz-transition: box-shadow .5s ease;
   -o-transition: box-shadow .5s ease;
    -ms-transition: box-shadow .5s ease;
    transition: box-shadow .5s ease;
</style>
</head>
<body style="font-family:Montserrat;overflow:scroll;">
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;</pre>
padding-top:1%">Plant Disease Prediction</div>
  <div class="topnav-right" style="padding-top:0.5%;">
 </div>
</div>
<div class="container">
        <div id="content" style="margin-top:2em">
        <div class="container">
```

```
<div class="row">
            <div class="col-sm-6 bd" >
              <br>
                <img src="{{url_for('static',filename='images/789.jpg')}}"</pre>
style="height:450px;width:550px"class="img-rounded" alt="Gesture">
            </div>
            <div class="col-sm-6">
                <div>
                    <h4>Drop in the image to get the prediction </h4>
            <form action = "" id="upload-file" method="post"</pre>
enctype="multipart/form-data">
                <select name="plant">
                       <option value="select" selected>Select plant type</option>
                       <option value="fruit">Fruit</option>
                       <option value="vegetable">Vegetable</option>
        </select><br>
                <label for="imageUpload" class="upload-label" style="background:</pre>
#28272c;">
                    Choose...
                </label>
                <input type="file" name="image" id="imageUpload" accept=".png,</pre>
.jpg, .jpeg">
            </form>
            <div class="image-section" style="display:none;">
                <div class="img-preview">
                    <div id="imagePreview">
                    </div>
                </div>
                <div>
                    <button type="button" class="btn btn-info btn-lg " id="btn-</pre>
predict" style="background: #28272c;">Predict!</button>
                </div>
            </div>
            <div class="loader" style="display:none;"></div>
                <span id="result" style="font-size:17px; "> </span>
            </h3>
        </div>
```

final.css:

```
.img-preview {
   width: 256px;
   height: 256px;
    position: relative;
    border: 5px solid #F8F8F8;
    box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);
    margin-top: 1em;
   margin-bottom: 1em;
.img-preview>div {
   width: 100%;
   height: 100%;
    background-size: 256px 256px;
    background-repeat: no-repeat;
    background-position: center;
input[type="file"] {
    display: none;
.upload-label{
    display: inline-block;
    padding: 12px 30px;
    background: #28272c;
    color: #fff;
   font-size: 1em;
```

```
transition: all .4s;
   cursor: pointer;
}

.upload-label:hover{
   background: #C2C5A8;
   color: #39D2B4;
}

.loader {
   border: 8px solid #f3f3f3; /* Light grey */
   border-top: 8px solid #28272c; /* Blue */
   border-radius: 50%;
   width: 50px;
   height: 50px;
   animation: spin 1s linear infinite;
}

@keyframes spin {
    0% { transform: rotate(0deg); }
    100% { transform: rotate(360deg); }
}
```


main.js:


```
$("#imageUpload").change(function () {
        $('.image-section').show();
        $('#btn-predict').show();
        $('#result').text('');
        $('#result').hide();
        readURL(this);
    });
    // Predict
    $('#btn-predict').click(function () {
        var form_data = new FormData($('#upload-file')[0]);
        // Show loading animation
        $(this).hide();
        $('.loader').show();
        // Make prediction by calling api /predict
        $.ajax({
            type: 'POST',
            url: '/predict',
            data: form_data,
            contentType: false,
            cache: false,
            processData: false,
            async: true,
            success: function (data) {
                $('.loader').hide();
                $('#result').fadeIn(600);
                $('#result').text('Prediction: '+data);
                console.log('Success!');
            },
       });
    });
});
```


8. TESTING

8.1 Test Cases

Test cases are a set of actions performed on a system to determine if it satisfies software requirements and functions correctly as it claimed to perform.







8.2 User Acceptance Testing

Before deploying the software application to a production environment the end user or client performs a type of testing known as user acceptance testing, or UAT to ensure whether the software functionalities serve the purpose of development.

Acceptance Testing
UAT Execution & Report Submission

Date	17 November 2022
Team ID	PNT2022TMID15637
Project Name	Fertilisers recommendation System for disease prediction
Maximum Marks	4 Marks

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Fertilizers recommendation system for disease prediction project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
Leaf spots	10	4	2	3	19
Mosaic leaf pattern	9	6	3	6	24
Blights	4	5	2	1	12
Yellow leaves	11	4	3	20	38
Fruit rots	3	2	1	0	6
Misshapen leaves	2	7	0	1	10
Fruit spots	5	4	1	1	11
Totals	44	31	13	32	120

3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Leaf spots	18	0	0	18
Fruit spots	5	0	0	5
Mosaic leaf pattern	43	0	0	43
Blights	2	0	0	2
Misshapen leaves	25	0	0	25
Yellow leaves	7	0	0	7
Fruit rots	9	0	0	9

9. RESULTS

Performance Metrics

metrics are a baseline for performance tests. Monitoring the correct parameters will help you detect areas that require increased attention and find ways to improve them.

Project Development Phase Model Performance Test

Date	10 November 2022	
Team ID	PNT2022TMID15637	
Project Name	Project - Fertilizers Recommendation System For Disease Prediction	
Maximum Marks	10 Marks	

Model Performance Testing:

S.No.	Parameter	Values	Screenshot
1.	Model Summary	Total params: 45,221,754	1 () C C Salaminosociones
		Trainable params: 45,221,754 Non trainable params: 0	Section 1 and 1 an
2.	Accuracy	Accuracy Training Accuracy – 97.55	1 to
		Validation Accuracy – 96.45	The state of the s

10. ADVANTAGES & DISADVANTAGES

Advantages:

- Early detection of plant diseases.
- Proper fertilizer recommendation to prevent or cure the plant infection or disease.
- No need to consult any specialists.
- Fully automated system.

Disadvantages:

- Requires training the system with large dataset.
- Works only on the pretrained diseases.
- When a plant is infected with multiple diseases the system may not predict all the diseases due to the mixed symptoms.
- Requires a good device connected to the internet.

11. CONCLUSION

Hence a system that takes in images as user input, analyses those for certain symptoms and identifies the disease, recommends the fertilizer to counter the deficiency of the nutrients is built and deployed.

12. FUTURE SCOPE

The system must be trained with numerous images of plant disease symptoms. In case of presence of multiple diseases, suitable classification must be done to predict each disease accurately and recommend separate fertilizers as a solution to each deficiency or infection.

13. APPENDIX

Source Code

```
Home.html:
```

```
<!DOCTYPE html>
<html>
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <title> Plant Disease Prediction</title>
 k href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet' type='text/css'>
k href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet' type='text/css'>
k href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300' rel='stylesheet'
type='text/css'>
k rel="stylesheet" href="{{ url_for('static', filename='css/style.css') }}">
<link href='https://fonts.googleapis.com/css?family=Merriweather' rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Josefin Sans' rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-labs.com/FD126C42-EBFA-4E12-</p>
B309-
BB3FDD723AC1/main.js?attr=AMFGethlf4Q6r2IdpTrTqcDQGNLDU5Cbc3diYnUdLkg5mQrVB_td
22OHUAsBJSd0oo8OR0zM3rIPeFWfnEY4XCxQu4KOxMSqlshEoIBOzvYw0SsMYpyUv4fnvKEjm
Joj_Y6cI4ov-
6AMOkz3Sh3epkfq0gltfnAPvvQBRdXqRmdqePVjlvvqL28ONZCiS0Qr5t0XGxJ0bSiWVT-
rH3cqaKCk05eP1Dx04mieTcjsA TtFLx15PUu0ed6soaj-FOO6-
1d4OQxbJYBXUBefiUhzmOYCpsGIs1OyQvA0huo8AUYwYB72dvs07U3O2hq8BmYBv98h13sSo8
iXKxyKx4FUsOMkixjxYP6hu0wwi7yv1E2rei3GHtPl5YwHkWioQIPqvAmrlmaPtFZmF-
jE4 UUCi9IEKws8IduDiqQIFkxfO3YT sUC9gWmxKSpGbiebwCgV-
wvdGEnbUxY18p9Db6jC6FVKRhqdMBianq63qv-
zZRMZbEpjzQT0DQAH3Yho4o4A00FIW2004q8Q80xt2kV928P_nBgS9HOgHI5EZxenbjfqANTs1r
h8GGhBd7RJaE8-
2AaqT6zbLf2tILJ8j4fk3bV1qsdw0fPmp6foJbDu4343XH36a0VGHsMLeVqcc30PSsE1pJbGE4 C E
xOd0 uRSA40mRjnFwHdLo9SJc1qghyc5YGOil utG48olMy9cC6z-iyKg1EeLKB43u-
q4SlUimRnuUsZW7drNWaijSfJPDmkm7lUJ0POwQXPfnLa2_spc3FisWCOZ7dFuIgDciIu0yF8rio2X
0Pz6pZkGQW4Fwl6vWKrLplmHagJElKXg58YSWwAT2DILilBjuSPiTwCHR9Ya_mAXW4C03v7x
zJlaSK9jneECqctvKnH3RFgDS8ocfDcY65lXNRkq6v1hrcdv5sM2ek4Kjq4OFgX-wijr-
0JdpSDpZlbIK00sPb4-u1B8c7MaCqBcbJAhfmg4utLU67fn5GLoCX_-5TAWV0ID-
sC1Vs9glWRPkKmmktJMbVy98XqC5-DhtE3yd5I9ZM1SEH1gGYLlRjxwzPjWwHE-YH1Nx9lm-
Esq27TK7M86uT8iAe7LgtviO2YsCB0buShHWmjh3RzwMGqNqeymFSxPRK_sDmTFoVjcaYpGa0
kaMwhmmF9AtPwGmFaGglv3rryVg0X0bGoXRetnrPpDG7jUoq5zQuXQSedBf9hmNwEqWsSZtI4z
NTxjiEkxU0djhPXqByZbnelp 3z6pqqniLzqj9jzAkvX6wDOW7ZycfDzOt-
zNgTxWdtf41P6ZjVu8EWSf65Wqgen5jD4IPXgXGtxkjrSbrqiX-
NxxxfKVJUOoOcEO0F6n3DWD0BMWS8UGOQO8gZZeXCfpuTIGYTD6okyD91kLk5AmhaNTJV
KikHO-
dHZqMHxikVhdK6C2PIfg4lEY0yuE3Fjj_5NNX5ZalIpOl3LN6YQ8Jqis_UmC_OXmjW2F5Y4p8VR
RKc1HW2DFaUxBrEgfSwe_keyaofodrjde_pfPuDQDryEgGy9DNIhpGUV_bQJ8jlPxRL7WSpmPU7
-IZ1mVN_onhqq2oI-WTl7ep-8w0GsJH3OhSRyyJC0XC9xtetqVjIHzcbKYFsxOaXT-
LLe7U9oHaXHzjDK3hn-ZNFYwzV_aoq8180eb" charset="UTF-8"></script><style>
.header {
                  top:0;
                  margin:0px;
```

```
left: 0px;
                      right: 0px;
                      position: fixed;
                      background-color: #28272c;
                      color: white;
                      box-shadow: 0px 8px 4px grey;
                      overflow: hidden;
                      padding-left:20px;
                      font-family: 'Josefin Sans';
                      font-size: 2vw;
                      width: 100%;
                      height:8%;
                      text-align: center;
             .topnav {
 overflow: hidden;
 background-color: #333;
.topnav-right a {
 float: left;
 color: #f2f2f2;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
 font-size: 18px;
.topnav-right a:hover {
 background-color: #ddd;
 color: black;
.topnav-right a.active {
background-color: #565961;
 color: white:
.topnav-right {
 float: right;
 padding-right:100px;
body {
 background-color:#ffffff;
 background-repeat: no-repeat;
 background-size:cover;
 background-position: 0px 0px;
 .button {
 background-color: #28272c;
 border: none;
 color: white;
 padding: 15px 32px;
 text-align: center;
```

```
text-decoration: none;
 display: inline-block;
 font-size: 16px;
 border-radius: 12px;
.button:hover {
 box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
form {border: 3px solid #f1f1f1; margin-left:400px;margin-right:400px;}
input[type=text], input[type=password] {
 width: 100%;
 padding: 12px 20px;
 display: inline-block;
 margin-bottom:18px;
 border: 1px solid #ccc;
 box-sizing: border-box;
}
button {
 background-color: #28272c;
 color: white;
 padding: 14px 20px;
 margin-bottom:8px;
 border: none;
 cursor: pointer;
 width: 15%;
 border-radius:4px;}
button:hover {
 opacity: 0.8;}
.cancelbtn {
 width: auto;
 padding: 10px 18px;
 background-color: #f44336;}
.imgcontainer {
 text-align: center;
 margin: 24px 0 12px 0;}
img.avatar {
 width: 30%;
 border-radius: 50%;}
.container {
 padding: 16px;}
span.psw {
 float: right;
 padding-top: 16px;}
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
 span.psw {
   display: block;
```

```
float: none;}
 .cancelbtn {
   width: 100%;}}
.home{
    margin:80px;
 width: 84%;
 height: 500px;
 padding-top:10px;
 padding-left: 30px;}
.login{
    margin:80px;
    box-sizing: content-box;
 width: 84%;
 height: 420px;
 padding: 30px;
 border: 10px solid blue;
.left,.right{
box-sizing: content-box;
height: 400px;
margin:20px;
border: 10px solid blue;
.mySlides {display: none;}
img {vertical-align: middle;}
/* Slideshow container */
.slideshow-container {
 max-width: 1000px;
 position: relative;
 margin: auto;
/* Caption text */
.text {
 color: #f2f2f2;
 font-size: 15px;
 padding: 8px 12px;
 position: absolute;
 bottom: 8px;
 width: 100%;
 text-align: center;
/* The dots/bullets/indicators */
.dot {
 height: 15px;
 width: 15px;
 margin: 0 2px;
 background-color: #bbb;
 border-radius: 50%;
 display: inline-block;
 transition: background-color 0.6s ease;
```

```
}
.active {
 background-color: #717171;
/* Fading animation */
.fade {
 -webkit-animation-name: fade;
 -webkit-animation-duration: 1.5s;
 animation-name: fade:
 animation-duration: 1.5s;
@-webkit-keyframes fade {
 from {opacity: .4}
 to {opacity: 1}
@keyframes fade {
 from {opacity: .4}
 to {opacity: 1}
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
 .text {font-size: 11px}
}
</style>
</head>
<br/><body style="font-family: Times New Roman', Times, serif;background-color:#C2C5A8;">
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white; padding-top:1%">Plant
Disease Prediction</div>
 <div class="topnav-right"style="padding-top:0.5%;">
  <a class="active" href="{{ url for('home')}}">Home</a>
  <a href="{{ url_for('prediction')}}">Predict</a>
 </div>
</div>
<div style="background-color:#fffffff;">
<div style="width:60%;float:left;">
<div style="font-size:50px;font-family:Montserrat;padding-left:20px;text-align:center;padding-</p>
top:10%:">
<br/>b>Detect if your plant<br/>br> is infected!!</br/>div><br/>br>
<div style="font-size:20px;font-family:Montserrat;padding-left:70px;padding-right:30px;text-</p>
align:justify;">Agriculture is one of the major sectors worls wide. Over the years it has developed and
the use of new technologies and equipment replaced almost all the traditional methods of farming. The
plant diseases effect the production. Identification of diseases and taking necessary precautions is all
done through naked eye, which requires labour and laboratries. This application helps farmers in
detecting the diseases by observing the spots on the leaves, which inturn saves effort and labor
costs.</div><br><br>
</div>
```

```
</div>
<div style="width:40%:float:right:"><br><br>
<img src="{{url_for('static',filename='images/12456.png')}}" style="max-height:100%;max-</pre>
width:100%;">
</div>
</div>
<div class="home">
<br>>
</div>
<script>
var slideIndex = 0;
showSlides();
function showSlides() {
 var slides = document.getElementsByClassName("mySlides");
 var dots = document.getElementsByClassName("dot");
 for (i = 0; i < \text{slides.length}; i++)
  slides[i].style.display = "none";
 slideIndex++;
 if (slideIndex > slides.length) {slideIndex = 1}
 for (i = 0; i < dots.length; i++)
  dots[i].className = dots[i].className.replace(" active", "");
 slides[slideIndex-1].style.display = "block";
 dots[slideIndex-1].className += " active";
 setTimeout(showSlides, 2000); // Change image every 2 seconds
</script>
</body>
</html>
```

Predict.html:

```
<!DOCTYPE html>
<html>
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <title> Plant Disease Prediction</title>
 <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet' type='text/css'>
k href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet' type='text/css'>
<link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css" rel="stylesheet">
  <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-labs.com/FD126C42-EBFA-</p>
4E12-B309-BB3FDD723AC1/main.js?attr=3wvf44XdejigWHFj22ANQmgfA-
L5oa67wZhZwPtEITSot6t8o-DPZwNcHRFhpa2tgGpDJGis4-1IHYyxyIAN2GE0-
kSZKkCLRkbKttCLVN9mKhGFVtGJ3auoiiByn iJ-
mA447x4TmdjGgz8XvMdLSPF4Gu5xwt0joGxWDXuOEF18Sa5usZGgj4TdDiTfDHpElX3P1eH-
lsevFhUJQEZe3981VXjRKYRn2FrxsYwXGSMBn0sRR9IYup35XYNQkvA6DLQV1lwLc4XuAo0B
1JYAfI75R4O5LwTWuT-
```

```
GX3eQb0F5qOksANddV vhz1Ai4RgptuAfB8mVyuz0nWZzpmwam34lc4NL4tfyWGncKz2taMyGfs
K4Mrn0zfPlY9 n9FP0lMlAX0IQ8TfbVp4B1vbwnA-
RVJq8mxoTjgMgqhKhp6NQY_8gZULkbqqA0pqUMvfL3_fZC1PFipLNjCyCGe9YOaU9L7QF4CXe
KsRhJXmI898FhpxB1oI7z0xvndsDLPRsqbNuse eGL9tz0Te5HLGhtoXSn5O8pHC99 XHYofrlismc
ByzZlmVqVkCNfmbnMjaD9IQf6xAACyjkQ927AOvyDVCZKr-
tV6wRZyv_z7Z1J9AG7SGSLoB34AkMytkYXvpgGn21pGFNhvl3YSmyKYc2XJs89zHbp5fSyXsfas
ogSEYLbpxCmuvzZKO4haaqouKDcLwBGMFp Br095f-
AlhhWOdPDx1ezvTMx1NgS4QO97OmbyQCqHUFWWZLYNgjQ8zpfdBXB17L_v_lfmrUWhUiUV
c9tRcJy-lpchFJe8Gz7TUOKCRDjbIWtiqXryDeENrJgQ31laXp-
VVYpOI1L55pek2fgk5OCGNzVges5oG4PpMyCIXtJpv32E5rlPTktG4hD8eXmYQECVU1HvSmEiK
vuY6T6i9wdpqg AnycRzUXmYdahFT3W7zToIn2RXzNfdOU0zbYBvtJ70TpR4PjfU75IJ0FsnphDu
Cnero3UYOak7vYvGYD9YV2md5v-3AmP-eOor2m55JZRH Hxpn28x-
nDNCOHqVBC6leYuYFBVV vL51-E8n92uWUqwMEzdZPZtAyRaCfz3D2Y0IYn-
ZrnfNTg2M zVJePmUu1xdjYh7d1dx7nwclm7wJrBPb3JnX2kvEGYs9SM17MlwzoY1VJq4UzJ2D6o
EvhOwHvG4e1etlS6iLWzhy8RVMfBlTa4DPDOHmTlHhsKbn0UaMyFFCppe79rtIVRctcomnVmOy
sUwUOhjzlAq30-hXJCTqdCWJe2xnxjAuUHVqHSiHiZllZaoOWNCV5Ypx eqzn-KyZS3u-
2_hGLHHNA2AVBWn_hF3Gz16dw6zA4QSmWZSfDUcNObLJGOSTaDS3Z8jPTloYPFmu8oES6T
L1dLlEK5YhcSGaX4iv6o95drsZGb6bBcWgT7sNFHW6dVE9wdjoDFuBergPIAm0sKaZQ2Ex6j15O
WCbE6UaPg-
VNfziA2FEPpJaI9hEPI2gdaSuHqovlEOt5mjuFBBOxpK0t8kOZRtsVzqUuJw3VcLjaP6SfG_KZfgX_
g8TPs6CcFhlLRz63oXMQFPW6AA7eudWfygndazedq5B-
6DqSkOT04GTUJNqLcElg6KEEWqxd88BzoQoK28jrAf-xWHNIZv5HmQQYEnyX0U cW8HX-
hde54TuY fY3e5QYu4be-JxTkA4JxWLEagSa7-zs" charset="UTF-8"></script><script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
  <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
k href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300' rel='stylesheet'
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather' rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Josefin Sans' rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<link href="{{ url_for('static', filename='css/final.css') }}" rel="stylesheet">
<style>
.header {
                  top:0:
                  margin:0px;
                  left: 0px;
                  right: 0px;
                  position: fixed;
                  background-color: #28272c;
                  color: white:
                  box-shadow: 0px 8px 4px grey;
                  overflow: hidden;
                  padding-left:20px;
                  font-family: 'Josefin Sans';
                  font-size: 2vw:
                  width: 100%;
                  height:8%;
                  text-align: center;
           .topnav {
 overflow: hidden:
 background-color: #333;
```

uaft0DEQeuV_f3rKvkrcBkalcpWnyXVLeLyjMz5CqpZ1aSCy1MgVAzWxGb-

```
.topnav-right a {
 float: left:
 color: #f2f2f2;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
 font-size: 18px;
.topnav-right a:hover {
 background-color: #ddd;
 color: black;
.topnav-right a.active {
 background-color: #565961;
 color: white;
.topnav-right {
 float: right;
 padding-right:100px;
.login{
margin-top:-70px;
body {
 background-color:#ffffff;
 background-repeat: no-repeat;
 background-size:cover;
 background-position: 0px 0px;
.login{
    margin-top:100px;
.container {
 margin-top:40px;
 padding: 16px;
select {
    width: 100%;
    margin-bottom: 10px;
    background: rgba(255,255,255,255);
    border: none;
    outline: none;
    padding: 10px;
    font-size: 13px;
    color: #000000;
    text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
    border: 1px solid rgba(0,0,0,0.3);
    border-radius: 4px;
    box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px rgba(255,255,255,0.2);
    -webkit-transition: box-shadow .5s ease;
```

```
-moz-transition: box-shadow .5s ease;
    -o-transition: box-shadow .5s ease:
    -ms-transition: box-shadow .5s ease;
    transition: box-shadow .5s ease;
}
</style>
</head>
<body style="font-family:Montserrat;overflow:scroll;">
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white; padding-top:1%">Plant
Disease Prediction</div>
 <div class="topnav-right" style="padding-top:0.5%;">
 </div>
</div>
<div class="container">
     <div id="content" style="margin-top:2em">
             <div class="container">
              <div class="row">
                      <div class="col-sm-6 bd" >
                       \langle br \rangle
                              <img src="{{url_for('static',filename='images/789.jpg')}}"</pre>
style="height:450px;width:550px"class="img-rounded" alt="Gesture">
                      </div>
                      <div class="col-sm-6">
                              <div>
                                       <h4>Drop in the image to get the prediction </h4>
                      <form action = "" id="upload-file" method="post" enctype="multipart/form-
data">
                              <select name="plant">
                                         <option value="select" selected>Select plant type
                                         <option value="fruit">Fruit</option>
                                         <option value="vegetable">Vegetable</option>
             </select><br>
                              <label for="imageUpload" class="upload-label" style="background:</pre>
#28272c;">
                                       Choose...
                              </label>
                              <input type="file" name="image" id="imageUpload" accept=".png,</pre>
.jpg, .jpeg">
                      </form>
                      <div class="image-section" style="display:none;">
                               <div class="img-preview">
                                       <div id="imagePreview">
                                       </div>
                               </div>
                               <div>
```

```
<button type="button" class="btn btn-info btn-lg " id="btn-
predict" style="background: #28272c;">Predict!</button>
                               </div>
                      </div>
                      <div class="loader" style="display:none;"></div>
                       <span id="result" style="font-size:17px; "> </span>
                       </h3>
             </div>
                       </div>
              </div>
             </div>
             </div>
  </div>
</body>
<footer>
  <script src="{{ url_for('static', filename='js/main.js') }}" type="text/javascript"></script>
</footer>
</html>
main.js:
$(document).ready(function () {
  // Init
  $('.image-section').hide();
  $('.loader').hide();
  $('#result').hide();
  // Upload Preview
  function readURL(input) {
     if (input.files && input.files[0]) {
       var reader = new FileReader();
       reader.onload = function (e) {
          $('#imagePreview').css('background-image', 'url(' + e.target.result + ')');
          $('#imagePreview').hide();
          $('#imagePreview').fadeIn(650);
       reader.readAsDataURL(input.files[0]);
  $("#imageUpload").change(function () {
     $('.image-section').show();
     $('#btn-predict').show();
     $('#result').text(");
     $('#result').hide();
     readURL(this);
  });
  // Predict
  $('#btn-predict').click(function() {
     var form data = new FormData($('#upload-file')[0]);
     // Show loading animation
     $(this).hide();
```

```
$('.loader').show();
     // Make prediction by calling api /predict
     $.ajax({
       type: 'POST',
       url: '/predict',
       data: form_data,
       contentType: false,
       cache: false,
       processData: false,
       async: true,
       success: function (data) {
          // Get and display the result
          $('.loader').hide();
          $('#result').fadeIn(600);
          $('#result').text('Prediction: '+data);
          console.log('Success!');
       },
     });
  });
});
Final.css:
.img-preview {
  width: 256px;
  height: 256px;
  position: relative;
  border: 5px solid #F8F8F8;
  box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);
  margin-top: 1em;
  margin-bottom: 1em;
.img-preview>div {
  width: 100%;
  height: 100%;
  background-size: 256px 256px;
  background-repeat: no-repeat;
  background-position: center;
}
input[type="file"] {
  display: none;
.upload-label{
  display: inline-block;
  padding: 12px 30px;
  background: #28272c;
  color: #fff;
  font-size: 1em:
  transition: all .4s;
  cursor: pointer;
}
```

```
.upload-label:hover{
  background: #C2C5A8;
  color: #39D2B4;
}
.loader {
  border: 8px solid #f3f3f3; /* Light grey */
  border-top: 8px solid #28272c; /* Blue */
  border-radius: 50%;
  width: 50px;
  height: 50px;
  animation: spin 1s linear infinite;
@keyframes spin {
  0% { transform: rotate(0deg); }
  100% { transform: rotate(360deg); }
Python – app.py:
import os
import numpy as np
import pandas as pd
from tensorflow.keras.models import load_model
# from tensorflow.keras.preprocessing import image
from werkzeug.utils import secure_filename
from flask import Flask, render_template, request
app = Flask(__name__)
#load both the vegetable and fruit models
model = load model("vegetable.h5")
model1=load_model("fruit.h5")
#home page
@app.route('/')
def home():
  return render_template('home.html')
#prediction page
@app.route('/prediction')
def prediction():
  return render_template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
  if request.method == 'POST':
    # Get the file from post request
    f = request.files['image']
    # Save the file to ./uploads
    basepath = os.path.dirname(__file__)
    file_path = os.path.join(
```

```
basepath, 'uploads', secure_filename(f.filename))
     f.save(file_path)
     img = image.load img(file path, target size=(128, 128))
     x = image.img to array(img)
     x = np.expand\_dims(x, axis=0)
     plant=request.form['plant']
     print(plant)
     if(plant=="vegetable"):
       preds = model.predict(x)
       preds=np.argmax(preds)
       print(preds)
       df=pd.read excel('precautions - veg.xlsx')
       print(df.iloc[preds]['caution'])
       preds = model1.predict(x)
       preds=np.argmax(preds)
       df=pd.read_excel('precautions - fruits.xlsx')
       print(df.iloc[preds]['caution'])
     return df.iloc[preds]['caution']
if __name__ == "__main__":
  app.run(debug=False)
```

DEPLOYMENT MODEL CODE:

Fruit model:

```
sample_data/
pwd
'/home/wsuser/work'
!pip install keras==2.7.0
!pip install tensorflow==2.5.0
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab
wheels/public/simple/
Requirement already satisfied: keras==2.7.0 in /usr/local/lib/python3.7/dist-packages (2.7.0)
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab
wheels/public/simple/
Requirement already satisfied: tensorflow==2.5.0 in /usr/local/lib/python3.7/dist-packages
(2.5.0)
Requirement already satisfied: h5py~=3.1.0 in /usr/local/lib/python3.7/dist-packages (from
tensorflow==2.5.0) (3.1.0)
Requirement already satisfied: protobuf>=3.9.2 in /usr/local/lib/python3.7/dist-packages (from
tensorflow == 2.5.0) (3.19.6)
Requirement already satisfied: typing-extensions~=3.7.4 in /usr/local/lib/python3.7/dist packages
(from tensorflow==2.5.0) (3.7.4.3)
```

Requirement already satisfied: keras-nightly~=2.5.0.dev in /usr/local/lib/python3.7/dist packages (from tensorflow==2.5.0) (2.5.0.dev2021032900)

Requirement already satisfied: flatbuffers~=1.12.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12)

Requirement already satisfied: gast==0.4.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.4.0)

Requirement already satisfied: absl-py \sim =0.10 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.15.0)

Requirement already satisfied: astunparse~=1.6.3 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.6.3)

Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in

/usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0) Requirement already satisfied: tensorboard~=2.5 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.9.1)

Requirement already satisfied: opt-einsum~=3.3.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.3.0)

Requirement already satisfied: six~=1.15.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.15.0)

Requirement already satisfied: google-pasta~=0.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.2.0)

Requirement already satisfied: grpcio~=1.34.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.34.1)

Requirement already satisfied: wrapt~=1.12.1 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12.1)

Requirement already satisfied: termcolor~=1.1.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.1.0)

Requirement already satisfied: keras-preprocessing~=1.1.2 in /usr/local/lib/python3.7/dist packages (from tensorflow==2.5.0) (1.1.2)

Requirement already satisfied: wheel \sim =0.35 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.38.3)

Requirement already satisfied: numpy~=1.19.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.19.5)

Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-packages (from h5py~=3.1.0->tensorflow==2.5.0) (1.5.2)

Requirement already satisfied: google-auth<3,>=1.6.3 in /usr/local/lib/python3.7/dist packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.14.1)

Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.6.1)

Requirement already satisfied: tensorboard-plugin-wit>=1.6.0 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.8.1)

Requirement already satisfied: google-auth-oauthlib<0.5,>=0.4.1 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.4.6)

Requirement already satisfied: werkzeug>=1.0.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.0.1)

Requirement already satisfied: markdown>=2.6.8 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (3.4.1)

```
Requirement already satisfied: requests<3,>=2.21.0 in /usr/local/lib/python3.7/dist packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.23.0)
Requirement already satisfied: setuptools>=41.0.0 in /usr/local/lib/python3.7/dist-packages
```

(from tensorboard~=2.5->tensorflow==2.5.0) (57.4.0)

Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (4.9) Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.7/dist packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.2.8) Requirement already satisfied: cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (5.2.0) Requirement already satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist packages (from google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0) (1.3.1)

Requirement already satisfied: importlib-metadata>=4.4 in /usr/local/lib/python3.7/dist packages (from markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (4.13.0) Requirement already

satisfied: zipp>=0.5 in /usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4->markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (3.10.0)

Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in /usr/local/lib/python3.7/dist packages (from pyasn1-modules>=0.2.1->google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.4.8)

Requirement already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (1.24.3)

Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2.10)

Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (3.0.4) Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2022.9.24) Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-packages (from requests-oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0) (3.2.2)

Image Augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,v ertical_flip=False) test datagen=ImageDataGenerator(rescale=1./255)

test_datagen=ImageDataGenerator(
ls
pwd
/content
import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3
def __iter__(self): return 0

```
#@hidden cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your crede
ntials.
# You might want to remove those credentials before you share the notebook.
client_4ff9f1114db24196a9abd4f5c1f0b60a = ibm_boto3.client(service_name='s3',
ibm_api_key_id='j4lNXssktSSxQiDx3pbNR_eFi1SMCDE6MFnBQ_EmNCDM',
ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
config=Config(signature_version='oauth'),
endpoint url='https://s3.private.us.cloud-object-storage.appdomain.cloud')
streaming_body_1 = client_4ff9f1114db24196a9abd4f5c1f0b60a.get_object(Bucket='trainm
odel-donotdelete-pr-cbqe37eh8gzesa', Key='fruit-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object. # Please read the
documentation of ibm_boto3 and pandas to learn more about the possibil ities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/ # pandas documentation:
http://pandas.pydata.org/
from io import BytesIO
import zipfile
unzip = zipfile.ZipFile(BytesIO(streaming_body_1.read()), "r")
file paths = unzip.namelist()
for path in file_paths:
unzip.extract(path)
pwd
'/home/wsuser/work'
import os
filenames = os.listdir('/home/wsuser/work/fruit-dataset/train')
x train=train datagen.flow from directory("/home/wsuser/work/fruit
dataset/train",target_size=(128,128),class_mode='categorical',batch_size=24) Found 5384
images belonging to 6 classes.
x_test=test_datagen.flow_from_directory(r"/home/wsuser/work/fruit
dataset/test",target size=(128,128),
class_mode='categorical',batch_size=24)
Found 1686 images belonging to 6 classes.
x train.class indices
('Apple Black rot': 0, 'Apple healthy': 1, 'Corn (maize) Northern Leaf Blight': 2,
'Corn_(maize) healthy': 3, 'Peach Bacterial_spot': 4, 'Peach healthy': 5}
CNN
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense, Convolution 2D, Max Pooling 2D, Flatten
model=Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
model.add(MaxPooling2D(pool size=(2,2)))
model.add(Flatten())
model.summary()
Model: "sequential_1"
```

```
Layer (type)
Output Shape Param #
______
conv2d_1 (Conv2D) (None, 126, 126, 32) 896
max_pooling2d (MaxPooling2D (None, 63, 63, 32) 0
flatten (Flatten) (None, 127008) 0
Total params: 896
Trainable params: 896
Non-trainable params: 0
32*(3*3*3+1)
896
#Hidden Layers
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
Output Layers
model.add(Dense(6,activation='softmax'))
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
len(x_train)
225
1238/24
51.58333333333333
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validatio
n_steps=len(x_test),epochs=10)
/tmp/wsuser/ipykernel_164/1582812018.py:1: UserWarning: `Model.fit_generator` is
deprecated and will be removed in a future version. Please use `Model.fit`, which supports
generators.
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation
steps=len(x test),epochs=10)
Epoch 1/10
accuracy: 0.8094 - val_loss: 0.2273 - val_accuracy: 0.9235
Epoch 2/10
accuracy: 0.9179 - val_loss: 0.2056 - val_accuracy: 0.9324
Epoch 3/10
```

accuracy: 0.9337 - val_loss: 0.4972 - val_accuracy: 0.8754

Epoch 4/10

```
225/225 [=============] - 117s 521ms/step - loss: 0.1688 -
accuracy: 0.9422 - val_loss: 0.2279 - val_accuracy: 0.9217
Epoch 5/10
accuracy: 0.9487 - val_loss: 0.1685 - val_accuracy: 0.9484
Epoch 6/10
accuracy: 0.9556 - val_loss: 0.1176 - val_accuracy: 0.9662
Epoch 7/10
accuracy: 0.9590 - val loss: 0.5466 - val accuracy: 0.8387
Epoch 8/10
accuracy: 0.9597 - val loss: 0.1194 - val accuracy: 0.9620
Epoch 9/10
accuracy: 0.9616 - val_loss: 0.1478 - val_accuracy: 0.9508
Epoch 10/10
accuracy: 0.9695 - val_loss: 0.0772 - val_accuracy: 0.9751
<keras.callbacks.History at 0x7f71e8184070>
```

Saving Model

ls
fruit-dataset/
model.save('fruit.h5')
!tar -zcvf Train-model_new.tgz fruit.h5
fruit.h5
ls -1
fruit-dataset/
fruit.h5
Train-model_new.tgz

IBM Cloud Deployment Model

!pip install watson-machine-learning-client –upgrade
Collecting watson-machine-learning-client
Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl (538 kB)

| 538 kB 21.2 MB/s eta 0:00:01
Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site packages
(from watson-machine-learning-client) (4.62.3)
Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site packages
(from watson-machine-learning-client) (2022.9.24)

Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (2.26.0)

Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (0.8.9)

Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.11.0) Requirement already satisfied: pandas in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.3.4)

Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (0.3.3)

Requirement already satisfied: boto3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.18.21)

Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.26.7)

Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.10.0) Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.5.0) Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (1.21.41) Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python

learning-client) (2.8.2) Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (1.15.0)

3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto3->watson machine-

Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0) Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0) Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (2.0.4) Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (3.3) Requirement already satisfied: pytz>=2017.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-learning-client) (2021.3) Requirement already satisfied: numpy>=1.17.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-learning-client) (1.19.5) Installing collected packages: watson-machine-learning-client Successfully installed watson-machine-learning-client-1.0.391 from ibm_watson_machine_learning import APIClient wml_credentials = {

```
"url": "https://us-south.ml.cloud.ibm.com",

"apikey": "0P3XkyCFYqABnc48BNG2ReoGAJy-oDXDRuULl4Y_zFxa"
}
client = APIClient(wml_credentials)
def guid_from_space_name(client, space_name):
```

```
space = client.spaces.get_details()
return(next(item for item in space['resources'] if item['entity']["name"]==space_name)['m
etadata']['id'])
space_uid = guid_from_space_name(client, 'Trainmodel')
print("Space UID = " + space_uid)
Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0
client.set.default_space(space_uid)
'SUCCESS'
client.software specifications.list()
NAME ASSET_ID TYPE
default py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-scala2.12
020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx_1.3-py3.7-edt 069ea134-3346-
5748-b513-49120e15d288 base scikit-learn_0.20-py3.6 09c5a1d0-9c1e-4473-a344-
eb7b665ff687 base spark-mllib 3.0-scala 2.12 09f4cff0-90a7-5899-b9ed-1ef348aebdee base
pytorch-onnx_rt22.1-py3.9 0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function_0.1-py3.6
0cdb0f1e-5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-
62dcc2148306 base
tensorflow_2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base pytorch_1.1-
py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base tensorflow_1.15-py3.6-ddl 111e41b3-
de2d-5422-a4d6-bf776828c4b7 base runtime-22.1-py3.9 12b83a17-24d8-5082-900f-
0ab31fbfd3cb base scikit-learn 0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base
default r3.6 1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx 1.3-py3.6 1bc6029a-
cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-a20e-
474a5cdf5988 base pytorch-onnx rt22.1-py3.9-edt 1d362186-7ad5-5b59-8b6c-9d0880bde37f
base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-3fbdf1665666 base spark-mllib_3.2
20047f72-0a98-58c7-9ff5-a77b012eb8f5 base tensorflow 2.4-py3.8-horovod 217c16f6-178f-
56bf-824a-b19f20564c49 base runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0-
da66306ce658 base do py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts 3.8-py3.8
2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-7cbf-420b-
a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-a491-482c8368839a base
pytorch 1.2-py3.6 2c8ef57d-2687-4b7d-acce-01f94976dac1 base spark-mllib 2.3 2e51f700-
bca0-4b0d-88dc-5c6791338875 base pytorch-onnx_1.1-py3.6-edt 32983cea-3f32-4400-8965-
dde874a8d67e base spark-mllib_3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-
mllib 2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base xgboost 0.82-py3.6 39e31acd-5f30-
41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt 40589d0e-7019-4e28-8daa-
fb03b6f4fe12 base default r36py38 41c247d3-45f8-5a71-b065-8580229facf0 base
autoai-ts_rt22.1-py3.9 4269d26e-07ba-5d40-8f66-2d495b0c71f7 base autoai-obm_3.0
42b92e18-d9ab-567f-988a-4240ba1ed5f7 base pmml-3.0 4.3 493bcb95-16f1-5bc5-bee8-
81b8af80e9c7 base spark-mllib 2.4-r 3.6 49403dff-92e9-4c87-a3d7-a42d0021c095 base
xgboost 0.90-py3.6 4ff8d6c2-1343-4c18-85e1-689c965304d3 base pytorch-onnx 1.1-py3.6
50f95b2a-bc16-43bb-bc94-b0bed208c60b base autoai-ts_3.9-py3.8 52c57136-80fa-572e-8728-
a5e7cbb42cde base spark-mllib_2.4-scala_2.11 55a70f99-7320-4be5-9fb9-9edb5a443af5 base
spark-mllib 3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base autoai-obm 2.0 5c2e37fa-80b8-
5e77-840f-d912469614ee base spss-modeler 18.1 5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b base
cuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base autoai-kb_3.1-py3.7 632d4b22-10aa-
5180-88f0-f52dfb6444d7 base pytorch-onnx 1.7-py3.8 634d3cdc-b562-5bf9-a2d4-
```

```
ea90a478456b base spark-mllib_2.3-r_3.6 6586b9e3-ccd6-4f92-900f-0f8cb2bd6f0c base
tensorflow_2.4-py3.7 65e171d7-72d1-55d9-8ebb-f813d620c9bb base spss-modeler_18.2
687eddc9-028a-4117-b9dd-e57b36f1efa5 base ------
Note: Only first 50 records were displayed. To display more use 'limit' parameter.
software_space_uid = client.software_specifications.get_uid_by_name("tensorflow_rt22.1-
py3.9")
software_spec_uid
'1eb25b84-d6ed-5dde-b6a5-3fbdf1665666'
fruit-dataset/ fruit.h5 Train-model_new.tgz
model_details = client.repository.store_model(model= 'Train-model_new.tgz', meta_props={
client.repository.ModelMetaNames.NAME:"CNN",
client.repository.ModelMetaNames.TYPE:"tensorflow_2.7",
client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_space_uid} )
model id = client.repository.get model id(model details)
model id
'd0aeb6a2-e89c-4f8d-bf2f-a28ca4ea3cca'
fruit-dataset/ fruit.h5 Train-model_new.tgz
Test The Model
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load_model('fruit.h5')
#@title
img=image.load_img(r"C:\Users\LENOVO\Desktop\fruit-dataset\fruit dataset\test\00fca0da-
2db3-481b-b98a
9b67bb7b105c___RS_HL 7708.JPG",target_size=(128,128))
img=image.load_img(r"C:\Users\LENOVO\Desktop\ibm\Dataset Plant Disease\fruit
dataset\fruit-dataset\test\Apple___healthy\0adc1c5b-8958-47c0-a152-f28078c214f1___RS_HL
7825.JPG",target_size=(128,128))
img
x=image.img_to_array(img)
array([[[ 99., 86., 106.],
```

[101., 88., 108.], [118., 105., 125.],

```
[ 92., 83., 102.],
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[88., 79., 98.],
[89., 80., 99.],
[83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]], dtype=float32) x=np.expand_dims(x,axis=0)
array([[[ 99., 86., 106.],
[101., 88., 108.],
[118., 105., 125.],
[ 92., 83., 102.],
```

```
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[88., 79., 98.],
[89., 80., 99.],
[ 83., 74., 93.]],
[[ 86., 73., 93.],
[88., 75., 95.],
[ 98., 85., 105.],
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
                                        =====] - 0s 105ms/step
1/1 [=====
x_train.class_indices
{'Apple___Black_rot': 0, 'Apple___healthy': 1, 'Corn_(maize)___Northern_Leaf_Blight': 2,
'Corn_(maize) healthy': 3, 'Peach Bacterial_spot': 4, 'Peach healthy': 5}
index=['Apple___Black_rot','Apple___healthy','Corn_(maize)___Northern_Leaf_Blight','Corn
_(maize) __healthy','Peach __Bacterial_spot','Peach __healthy']
index[y[0]]
```

```
'Apple healthy'
img=image.load_img(r"C:\LENOVO\Desktop\ibm\Dataset Plant Disease\fruit-dataset\fruit
dataset\test\Peach_healthy\0a2ed402-5d23-4e8d-bc98-
b264aea9c3fb___Rutg._HL 2471.JPG",target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Apple___Black_rot','Apple___healthy"Peach___Bacterial_spot','Peach___healthy']
index[y[0]]
                   1/1 [=====
'Peach healthy'
import os
from tensorflow.keras.models import load model
from tensorflow.keras.preprocessing import image
from flask import Flask,render_template,request
app=Flask( name )
model=load_model("fruit.h5")
@app.route('/')
def index():
return render_template("index.html")
@app.route('/predict',methods=['GET','POST'])
def upload():
if request.method=='POST':
f=request.files['image']
basepath=os.path.dirname('__file__')
filepath=os.path.join(basepath,'uploads',f.filename)
f.save(filepath)
img=image.load img(filepath,target size=(128,128))
x=image.img_to_array(img)
x=np.expand dims(x,axis=0)
pred=np.argmax(model.predict(x),axis=1)
index=['Apple___Black_rot','Apple___healthy',
,'Peach___Bacterial_spot','Peach___healthy']
text="The Classified Fruit disease is: " +str(index[pred[0]])
return text
if name ==' main ':
app.run(debug=False)
```

vegetable model:

```
ls
sample_data/
pwd
'/home/wsuser/work'
!pip install keras==2.7.0
```

!pip install tensorflow==2.5.0

Looking in indexes: https://us-python.pkg.dev/colab wheels/public/simple/

Requirement already satisfied: keras==2.7.0 in /usr/local/lib/python3.7/dist-packages (2.7.0)

Looking in indexes: https://us-python.pkg.dev/colab wheels/public/simple/

Requirement already satisfied: tensorflow==2.5.0 in /usr/local/lib/python3.7/dist-packages (2.5.0)

Requirement already satisfied: h5py~=3.1.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.1.0)

Requirement already satisfied: protobuf>=3.9.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.19.6)

Requirement already satisfied: typing-extensions~=3.7.4 in /usr/local/lib/python3.7/dist packages (from tensorflow==2.5.0) (3.7.4.3)

Requirement already satisfied: keras-nightly~=2.5.0.dev in /usr/local/lib/python3.7/dist packages (from tensorflow==2.5.0) (2.5.0.dev2021032900)

Requirement already satisfied: flatbuffers~=1.12.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12)

Requirement already satisfied: gast==0.4.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.4.0)

Requirement already satisfied: absl-py~=0.10 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.15.0)

Requirement already satisfied: astunparse~=1.6.3 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.6.3)

Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in

/usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0) Requirement already satisfied: tensorboard~=2.5 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.9.1)

Requirement already satisfied: opt-einsum~=3.3.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.3.0)

Requirement already satisfied: six~=1.15.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.15.0)

Requirement already satisfied: google-pasta~=0.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.2.0)

Requirement already satisfied: grpcio = 1.34.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.34.1)

Requirement already satisfied: wrapt~=1.12.1 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12.1)

Requirement already satisfied: termcolor = 1.1.0 in /usr/local/lib/python 3.7/dist-packages (from tensorflow == 2.5.0) (1.1.0)

Requirement already satisfied: keras-preprocessing~=1.1.2 in /usr/local/lib/python3.7/dist packages (from tensorflow==2.5.0) (1.1.2)

Requirement already satisfied: wheel $\sim = 0.35$ in /usr/local/lib/python3.7/dist-packages (from tensorflow == 2.5.0) (0.38.3)

Requirement already satisfied: numpy~=1.19.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.19.5)

```
Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-packages (from h5py~=3.1.0->tensorflow==2.5.0) (1.5.2)
```

Requirement already satisfied: google-auth<3,>=1.6.3 in /usr/local/lib/python3.7/dist packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.14.1)

Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.6.1)

Requirement already satisfied: tensorboard-plugin-wit>=1.6.0 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.8.1)

Requirement already satisfied: google-auth-oauthlib<0.5,>=0.4.1 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.4.6)

Requirement already satisfied: werkzeug>=1.0.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.0.1)

Requirement already satisfied: markdown>=2.6.8 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (3.4.1)

Requirement already satisfied: requests<3,>=2.21.0 in /usr/local/lib/python3.7/dist packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.23.0)

Requirement already satisfied: setuptools>=41.0.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (57.4.0)

Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (4.9) Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.7/dist packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.2.8) Requirement already satisfied: cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (5.2.0) Requirement already satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist packages (from google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0) (1.3.1)

Requirement already satisfied: importlib-metadata>=4.4 in /usr/local/lib/python3.7/dist packages (from markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (4.13.0) Requirement already satisfied: zipp>=0.5 in /usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4->markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (3.10.0)

Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in /usr/local/lib/python3.7/dist packages (from pyasn1-modules>=0.2.1->google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.4.8)

Requirement already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (1.24.3)

Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2.10)

Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (3.0.4) Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2022.9.24) Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-packages (from requests-oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0)

(3.2.2)

Image Augmentation

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train datagen=ImageDataGenerator(rescale=1./255,zoom range=0.2,horizontal flip=True,v
ertical flip=False)
test_datagen=ImageDataGenerator(rescale=1./255)
ls
pwd
/content
import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3
def __iter__(self): return 0
#@hidden cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your crede
ntials.
# You might want to remove those credentials before you share the notebook.
client 4ff9f1114db24196a9abd4f5c1f0b60a = ibm boto3.client(service name='s3',
ibm_api_key_id='j4lNXssktSSxQiDx3pbNR_eFi1SMCDE6MFnBQ_EmNCDM',
ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
config=Config(signature_version='oauth'),
endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')
streaming body 1 = client 4ff9f1114db24196a9abd4f5c1f0b60a.get object(Bucket='trainm
odel-donotdelete-pr-cbge37eh8gzesa', Key='vegetable-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object. # Please read the
documentation of ibm boto3 and pandas to learn more about the possibil ities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/ # pandas documentation:
http://pandas.pydata.org/
from io import BytesIO
import zipfile
unzip = zipfile.ZipFile(BytesIO(streaming_body_1.read()), "r")
file_paths = unzip.namelist()
for path in file_paths:
unzip.extract(path)
pwd
'/home/wsuser/work'
import os
filenames = os.listdir('/home/wsuser/work/vegetable-dataset/train')
x_train=train_datagen.flow_from_directory("/home/wsuser/work/vegetable
dataset/train",target_size=(128,128),class_mode='categorical',batch_size=24) Found 5384
images belonging to 6 classes.
x_test=test_datagen.flow_from_directory(r"/home/wsuser/work/vegetable
dataset/test",target size=(128,128),
class_mode='categorical',batch_size=24)
Found 1686 images belonging to 6 classes.
x train.class indices
```

```
{'Tomato___Blight': 0, 'Tomato___healthy': 1, 'Corn_(maize)___Northern_Leaf_Blight': 2, 'Corn_(maize)___healthy': 3, 'Potato___Blight': 4, 'Potato___healthy': 5}
```

CNN

```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense, Convolution 2D, Max Pooling 2D, Flatten
model=Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten())
model.summary()
Model: "sequential_1"
                                                            _____Layer (type)
Output Shape Param #
                   ______
conv2d_1 (Conv2D) (None, 126, 126, 32) 896
max_pooling2d (MaxPooling2D (None, 63, 63, 32) 0
flatten (Flatten) (None, 127008) 0
Total params: 896
Trainable params: 896
Non-trainable params: 0
32*(3*3*3+1)
896
#Hidden Layers
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
```

Output Layers

```
model.add(Dense(6,activation='softmax'))
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
len(x_train)
225
1238/24
51.583333333333336
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validatio
n_steps=len(x_test),epochs=10)
```

/tmp/wsuser/ipykernel_164/1582812018.py:1: UserWarning: `Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit`, which supports generators.

```
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation
_steps=len(x_test),epochs=10)
Epoch 1/10
accuracy: 0.8094 - val loss: 0.2273 - val accuracy: 0.9235
Epoch 2/10
accuracy: 0.9179 - val_loss: 0.2056 - val_accuracy: 0.9324
Epoch 3/10
accuracy: 0.9337 - val_loss: 0.4972 - val_accuracy: 0.8754
Epoch 4/10
accuracy: 0.9422 - val_loss: 0.2279 - val_accuracy: 0.9217
Epoch 5/10
accuracy: 0.9487 - val loss: 0.1685 - val accuracy: 0.9484
Epoch 6/10
accuracy: 0.9556 - val loss: 0.1176 - val accuracy: 0.9662
Epoch 7/10
accuracy: 0.9590 - val_loss: 0.5466 - val_accuracy: 0.8387
Epoch 8/10
accuracy: 0.9597 - val loss: 0.1194 - val accuracy: 0.9620
Epoch 9/10
accuracy: 0.9616 - val loss: 0.1478 - val accuracy: 0.9508
Epoch 10/10
accuracy: 0.9695 - val loss: 0.0772 - val accuracy: 0.9751
<keras.callbacks.History at 0x7f71e8184070>
```

Saving Model

ls
vegetable-dataset/
model.save('vegetable.h5')
!tar -zcvf Train-model_new.tgz vegetable.h5
vegetable.h5

ls -1 vegetable-dataset/ vegetable.h5 Train-model_new.tgz

IBM Cloud Deployment Model

!pip install watson-machine-learning-client –upgrade Collecting watson-machine-learning-client

Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl (538 kB) | 538 kB 21.2 MB/s eta 0:00:01

Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (4.62.3)

Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (2022.9.24)

Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (2.26.0)

Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (0.8.9)

Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.11.0) Requirement already satisfied: pandas in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.3.4)

Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (0.3.3)

Requirement already satisfied: boto3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.18.21)

Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.26.7)

Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python

3.9/lib/python 3.9/site-packages~(from~boto 3-> watson-machine-learning-client)~(0.10.0)

Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python

3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.5.0)

Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python

3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (1.21.41)

Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python

3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (2.8.2)

Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (1.15.0)

Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0) Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)

```
Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (2.0.4)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python 3.9/lib/python3.9/site-
packages (from requests->watson-machine-learning-client) (3.3) Requirement already satisfied:
pytz>=2017.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-
machine-learning-client) (2021.3) Requirement already satisfied: numpy>=1.17.3 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-
learning-client) (1.19.5) Installing collected packages: watson-machine-learning-client
Successfully installed watson-machine-learning-client-1.0.391
from ibm_watson_machine_learning import APIClient
wml credentials = {
"url": "https://us-south.ml.cloud.ibm.com",
"apikey":"0P3XkyCFYqABnc48BNG2ReoGAJy-oDXDRuULl4Y_zFxa"
client = APIClient(wml_credentials)
def guid from space name(client, space name):
space = client.spaces.get_details()
return(next(item for item in space['resources'] if item['entity']["name"]==space_name)['m
etadata']['id'])
space_uid = guid_from_space_name(client, 'Trainmodel')
print("Space UID = " + space uid)
Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0
client.set.default_space(space_uid)
'SUCCESS'
client.software_specifications.list()
NAME ASSET ID TYPE
default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-scala2.12
020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx 1.3-py3.7-edt 069ea134-3346-
5748-b513-49120e15d288 base scikit-learn_0.20-py3.6 09c5a1d0-9c1e-4473-a344-
eb7b665ff687 base spark-mllib 3.0-scala 2.12 09f4cff0-90a7-5899-b9ed-1ef348aebdee base
pytorch-onnx rt22.1-py3.9 0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function 0.1-py3.6
0cdb0f1e-5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-
62dcc2148306 base
tensorflow 2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base pytorch 1.1-
py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base tensorflow_1.15-py3.6-ddl 111e41b3-
de2d-5422-a4d6-bf776828c4b7 base runtime-22.1-py3.9 12b83a17-24d8-5082-900f-
0ab31fbfd3cb base scikit-learn_0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base
default r3.6 1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx 1.3-py3.6 1bc6029a-
cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-a20e-
474a5cdf5988 base pytorch-onnx_rt22.1-py3.9-edt 1d362186-7ad5-5b59-8b6c-9d0880bde37f
base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-3fbdf1665666 base spark-mllib_3.2
20047f72-0a98-58c7-9ff5-a77b012eb8f5 base tensorflow_2.4-py3.8-horovod 217c16f6-178f-
56bf-824a-b19f20564c49 base runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0-
da66306ce658 base do py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts 3.8-py3.8
2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-7cbf-420b-
a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-a491-482c8368839a base
```

```
pytorch 1.2-py3.6 2c8ef57d-2687-4b7d-acce-01f94976dac1 base spark-mllib 2.3 2e51f700-
bca0-4b0d-88dc-5c6791338875 base pytorch-onnx_1.1-py3.6-edt 32983cea-3f32-4400-8965-
dde874a8d67e base spark-mllib_3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-
mllib 2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base xgboost 0.82-py3.6 39e31acd-5f30-
41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt 40589d0e-7019-4e28-8daa-
fb03b6f4fe12 base default_r36py38 41c247d3-45f8-5a71-b065-8580229facf0 base
autoai-ts_rt22.1-py3.9 4269d26e-07ba-5d40-8f66-2d495b0c71f7 base autoai-obm_3.0
42b92e18-d9ab-567f-988a-4240ba1ed5f7 base pmml-3.0_4.3 493bcb95-16f1-5bc5-bee8-
81b8af80e9c7 base spark-mllib 2.4-r 3.6 49403dff-92e9-4c87-a3d7-a42d0021c095 base
xgboost_0.90-py3.6 4ff8d6c2-1343-4c18-85e1-689c965304d3 base pytorch-onnx_1.1-py3.6
50f95b2a-bc16-43bb-bc94-b0bed208c60b base autoai-ts 3.9-py3.8 52c57136-80fa-572e-8728-
a5e7cbb42cde base spark-mllib_2.4-scala_2.11 55a70f99-7320-4be5-9fb9-9edb5a443af5 base
spark-mllib_3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base autoai-obm_2.0 5c2e37fa-80b8-
5e77-840f-d912469614ee base spss-modeler_18.1 5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b base
cuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base autoai-kb_3.1-py3.7 632d4b22-10aa-
5180-88f0-f52dfb6444d7 base pytorch-onnx 1.7-py3.8 634d3cdc-b562-5bf9-a2d4-
ea90a478456b base spark-mllib_2.3-r_3.6 6586b9e3-ccd6-4f92-900f-0f8cb2bd6f0c base
tensorflow_2.4-py3.7 65e171d7-72d1-55d9-8ebb-f813d620c9bb base spss-modeler_18.2
687eddc9-028a-4117-b9dd-e57b36f1efa5 base ------
-----
Note: Only first 50 records were displayed. To display more use 'limit' parameter.
software_space_uid = client.software_specifications.get_uid_by_name("tensorflow_rt22.1-
py3.9")
software spec uid
'1eb25b84-d6ed-5dde-b6a5-3fbdf1665666'
ls
vegetable-dataset/vegetable.h5 Train-model_new.tgz
model details = client.repository.store model(model= 'Train-model new.tgz', meta props={
client.repository.ModelMetaNames.NAME:"CNN",
client.repository.ModelMetaNames.TYPE:"tensorflow 2.7",
client.repository.ModelMetaNames.SOFTWARE SPEC UID:software space uid} )
model_id = client.repository.get_model_id(model_details)
model id
'd0aeb6a2-e89c-4f8d-bf2f-a28ca4ea3cca'
vegetable-dataset/vegetable.h5 Train-model new.tgz
Test The Model
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load_model('vegetable.h5')
#@title
img=image.load img(r"C:\Users\LENOVO\Desktop\vegetable-dataset\vegetable
dataset\test\00fca0da-2db3-481b-b98a
9b67bb7b105c___RS_HL 7708.JPG",target_size=(128,128))
img
```



 $img=image.load_img(r"C:\Users\LENOVO\Desktop\ibm\Dataset\ Plant\ Disease\vegetable\ dataset\vegetable-dataset\test\Tomato__healthy\Oadc1c5b-8958-47c0-a152-f28078c214f1__RS_HL\ 7825.JPG",target_size=(128,128))$

img



x=image.img_to_array(img) X array([[[99., 86., 106.], [101., 88., 108.], [118., 105., 125.], [92., 83., 102.], [93., 84., 103.], [89., 80., 99.]], [[96., 83., 103.], [87., 74., 94.], [102., 89., 109.], [88., 79., 98.], [89., 80., 99.], [83., 74., 93.]], [[86., 73., 93.], [88., 75., 95.], [98., 85., 105.],

```
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]], dtype=float32) x=np.expand_dims(x,axis=0)
X
array([[[ 99., 86., 106.],
[101., 88., 108.],
[118., 105., 125.],
[ 92., 83., 102.],
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[88., 79., 98.],
[89., 80., 99.],
[ 83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
[107., 98., 117.],
```

```
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
1/1 [======] - 0s 105ms/step
x_train.class_indices
{'Tomato Blight': 0, 'Tomato healthy': 1, 'Corn (maize) Northern Leaf Blight': 2,
'Corn_(maize) healthy': 3, 'Potato Blight': 4, 'Potato healthy': 5}
index=['Tomato___Blight','Tomato___healthy','Corn_(maize)___Northern_Leaf_Blight','Cor
n_(maize)___healthy','Potato___Blight','Potato___healthy']
index[y[0]]
'Tomato healthy'
img=image.load img(r"C:\LENOVO\Desktop\ibm\Dataset Plant Disease\vegetable
dataset\vegetable-dataset\test\Potato___healthy\0a2ed402-5d23-4e8d-bc98-
b264aea9c3fb Rutg. HL 2471.JPG",target size=(128,128))
x=image.img_to_array(img)
x=np.expand dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Tomato___Blight','Tomato___healthy''Potato___Blight','Potato___healthy'] index[y[0]]
1/1 [======] - 0s 26ms/step
'Potato healthy'
import os
from tensorflow.keras.models import load model
from tensorflow.keras.preprocessing import image
from flask import Flask, render template, request
```

```
app=Flask(__name__)
model=load_model("vegetable.h5")
@app.route('/')
def index():
return render_template("index.html")
@app.route('/predict',methods=['GET','POST'])
def upload():
if request.method=='POST':
f=request.files['image']
basepath=os.path.dirname('__file__')
filepath=os.path.join(basepath,'uploads',f.filename)
f.save(filepath)
img=image.load_img(filepath,target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=np.argmax(model.predict(x),axis=1)
index=['Tomato___Blight','Tomato___healthy', ,'Potato___Blight','Potato___healthy']
text="The Classified Vegetable disease is: " +str(index[pred[0]]) return text
if name ==' main ':
app.run(debug=False)
ibmapp.py
import requests
from tensorflow.keras.preprocessing import image from tensorflow.keras.models import
load model
import numpy as np
import pandas as pd
import tensorflow as tf
from flask import Flask, request, render_template, redirect, url_for import os
from werkzeug.utils import secure_filename
app = Flask(\_name\_)
#load both the vegetable and fruit models
model = load model("IBM-vegetable.h5")
model1=load_model("IBM-fruit.h5")
#home page
@app.route('/')
def home():
return render_template('home.html')
#prediction page
@app.route('/prediction')
def prediction():
return render_template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
if request.method == 'POST':
# Get the file from post request
f = request.files['image']
```

```
# Save the file to ./uploads
basepath = os.path.dirname(_file_)
file_path = os.path.join(
basepath, 'uploads', secure_filename(f.filename)) f.save(file_path)
img = image.load_img(file_path, target_size=(128, 128))
x = image.img\_to\_array(img)
x = np.expand\_dims(x, axis=0)
plant=request.form['plant']
print(plant)
if(plant=="vegetable"):
preds = model.predict(x)
preds=np.argmax(preds)
print(preds)
df=pd.read_excel('precautions - veg.xlsx') print(df.iloc[preds]['caution'])
preds = model1.predict(x)
preds=np.argmax(preds)
df=pd.read_excel('precautions - fruits.xlsx') print(df.iloc[preds]['caution']
return df.iloc[preds]['caution']
if _name_ == "_main_":
app.run(debug=False)
```

GitHub Link:

https://github.com/IBM-EPBL/IBM-Project-26043-1659982093

Project Demo Link:

https://drive.google.com/drive/folders/10xn2beJM17IZi7 MjCGkuTFTUQHNkf3nM?usp=sharing