

Real-Time Communication System Powered by AI

For Specially Abled

A Project Report

Submitted by

P.Sakthipriya (953719106037)

N.Dhanas Sree (953719106009)

S.Kalaivani (953719106020)

C.Lalitha (953719106026)

P.Navitha (953719106029)

In partial fulfillment for the award of the degree

Of

BACHELOR OF ENGINEERING

IN

ELECTRONICS AND COMMUNICATION ENGINEERING

AAA COLLEGE OF ENGINEERING AND TECHNOLOGY, SIVAKASI

ANNA UNIVERSITY: CHENNAI-600 025

NOVEMBER 2022

ANNA UNIVERSITY: CHENNAI 600 025

TABLE OF CONTENTS

- 1. INTRODUCTION**
 - 1.1 Project Overview
 - 1.2 Purpose
- 2. LITERATURE SURVEY**
 - 2.1 Existing problem
 - 2.2 References
 - 2.3 Problem Statement Definition
- 3. IDEATION & PROPOSED SOLUTION**
 - 3.1 Empathy Map Canvas
 - 3.2 Ideation & Brainstorming
 - 3.3 Proposed Solution
 - 3.4 Problem Solution fit
- 4. REQUIREMENT ANALYSIS**
 - 4.1 Functional requirement
 - 4.2 Non-Functional requirements
- 5. PROJECT DESIGN**
 - 5.1 Data Flow Diagrams
 - 5.2 Solution & Technical Architecture
 - 5.3 User Stories
- 6. PROJECT PLANNING & SCHEDULING**
 - 6.1 Sprint Planning & Estimation
 - 6.2 Sprint Delivery Schedule
 - 6.3 Reports from JIRA
- 7. CODING & SOLUTIONING (Explain the features added in the project along with code)**
 - 7.1 Feature 1
 - 7.2 Feature 2
 - 7.3 Database Schema (if Applicable)
- 8. TESTING**
 - 8.1 Test Cases
 - 8.2 User Acceptance Testing
- 9. RESULTS**
 - 9.1 Performance Metrics
- 10. ADVANTAGES & DISADVANTAGES**
- 11. CONCLUSION**
- 12. FUTURE SCOPE**
- 13. APPENDIX**
 - Source Code
 - GitHub & Project

1.INTRODUCTION

In our society, we have people with disabilities. The technology is developing day by day but no significant developments are undertaken for the betterment of these people. Communications between deaf-mute and a normal person has always been a challenging task. It is very difficult for mute people to convey their message to normal people. Since normal people are not trained on hand sign language. In emergency times conveying their message is very difficult. The human hand has remained a popular choice to convey information in situations where other forms like speech cannot be used. Voice Conversion System with Hand Gesture Recognition and translation will be very useful to have a proper conversation between a normal person and an impaired person in any language.

The project aims to develop a system that converts the sign language into a human hearing voice in the desired language to convey a message to normal people, as well as convert speech into understandable sign language for the deaf and dumb. We are making use of a convolution neural network to create a model that is trained on different hand gestures. An app is built which uses this model. This app enables deaf and dumb people to convey their information using signs which get converted to human-understandable language and speech is given as output.

1.1.PROJECT OVERVIEW

Our goal is to design a human computer interface system that can accurately identify the language of the deaf and dumb. With the use of image processing and artificial intelligence, many techniques and algorithms have been developed in this area. Each character speech recognition system is trained to recognize the characters and convert them into the required pattern. The proposed system aims to give speech speechless, a real-time character language is captured as a series of images, and it is processed and then converted into speech and text .

Key Words: Sign Language, Communication aid, Sign Recognition, Image Processing, Text Language.

1.2.PURPOSE

- Proposed systems scope is related with education of dumb peoples. Dumb people faces many problems when normal person could not understand their language. They were facing communication gap with normal peoples
- For communication between deaf person and a second person, a mediator is required to translate sign language of deaf person. But a mediator is required to know the sign language used by deaf person. But this is not always possible since there are multiple sign languages for multiple languages.
- For communication between deaf person and a second person, a mediator is required to translate sign language of deaf person. But a mediator is required to know the sign language used by deaf person. But this is not always possible since there are multiple sign languages for multiple languages.

2.LITERATURE SURVEY

2.1.EXISTING PROBLEM

Dumb people are usually face some problems on normal communication with other people in society. It has been observed that they sometimes find it difficult to interact with normal people with their gestures. Because people with hearing problems or deaf people cannot speak like normal people, they have to depend on a kind of visual communication in most cases. To overcome these problems, we have proposed a system that uses cameras to capture and convert videos of hand gestures from dumb people who turn into speech for understanding normal people.

2.2.REFERENCES AND PROBLEM STATEMENT DEFINITIONS

A. Two Way Communicator between Deaf and Dumb People and Normal People. [1] This system consists mainly of two modules, the first module is Indian Sign Language (ISL) gestures from real-time video and mapping it with human-Understandable speech. Accordingly, the second module is the natural language as Input and card with equivalent Indian Sign Language animated gestures.

B. Sign Language Recognition System to aid Deaf-dumb People Using PCA.

[2] This paper presents design and implementation of real-time sign language recognition system, to 26 gestures from the Indian sign language with MATLAB.

C. Sign Language to Text and Vice Versa Recognition using Computer Vision in Marathi.

[3] In this system edge detection algorithm is used to recognize the input character image gray scale and recognition of the edges of the hand gesture. The system is able to handle the different input records images of alphabets, words, sentences, and translates them in text and vice versa. The system is designed to translate the Marathi sign language to text

.

D. Sign Language Learning based on Android for Deaf and Speech Impaired People. [4]

This research makes an Android-based application that can directly interpret Sign language presented by deaf people in written language. Translation process Starts with the detection of hands with OpenCV and translation of and signals The K-NN classification. Tutorial features added in this application with the goal to train intensively to guide the user when using the sign language.

E. Real-time Communication System for the Deaf and Dumb[5]

This project aims to aid the deaf-mute by creation of a new system that helps convert sign language to text and speech for easier communication with audience. The system consists of a gesture recognizer hand-glove which converts gestures into electrical signals using flex sensors. These electrical signals are then processed using an Arduino microcontroller and a Python-based backend for text-to speech conversion. The glove includes two modes of operation – phrase fetch mode and letter fetch mode. The phrase fetch mode speaks out words at once, while the letter fetch mode speaks out individual letters.


F. A communication aid application for the physically handicapped[6]

The project mainly deals on application which helps the physical challenged people to communicate between them and the common people. Communications between deafmute and a normal person have always been a challenging task. This application describes a way to reduce barrier of communication by developing an assistive application for deaf-mute persons.

3.IDEATHON AND PROPOSED SOLUTION


3.1.EMPATHY MAP CANVAS

Our project Empathymap:



3.2.IDEATHON&PROPOSED SOLUTION


Step-1: Team Gathering, Collaboration and Select the Problem Statement



Step-2: Brainstorm, Idea Listing and Grouping

The screenshot displays a digital brainstorming tool interface with two main panels. The left panel, titled '2 Brainstorm', instructs users to 'Write down any ideas that come to mind that address your problem statement.' It includes a 10-minute timer and three sticky notes: 'live video conference conversation', 'Realtime detection of IOT', and 'A telepresent mobile robot controlling'. The right panel, titled '3 Group Ideas', instructs users to 'Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.' It includes a 20-minute timer and several clusters of sticky notes, including 'exchange multimedia and audio communication', 'Realtime detection of IOT', 'A telepresent mobile robot controlling', and 'live video conference conversation'. The bottom of the screen shows a Windows taskbar with various application icons.

Step-3: Idea Prioritization



3.3.PROPOSED SOLUTION

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Real time communication system for specially aided peoples
2.	Idea / Solution description	Solving problem through AI and Python programming
3.	Novelty / Uniqueness	Provide accurate results
4.	Social Impact / Customer Satisfaction	Good communication interface between specially aided people and normal people
5.	Business Model (Revenue Model)	This product will get higher acceptance in market and among people of this generation.
6.	Scalability of the Solution	10 out of 10

3.4.PROBLEM SOLUTION FIT

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) <small>Who is your customer?</small> CS <p>OUR CUSTOMER ARE SPECIALLY AIDED PEOPLE WHO CAN'T COMMUNICATE WITH NORMAL PEOPLE</p>	6. CUSTOMER CONSTRAINTS <small>What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network, connection, available devices</small> CC <p>THERE IS NO NEED TO CHANGE ANYONE'S COMMUNICATING WAY. HUMAN-THEIR OWN LANGUAGE SPECIALLY AIDED PEOPLE-SIGN LANGUAGE</p>	5. AVAILABLE SOLUTIONS <small>Which solutions are available to the customers when they face the problem?</small> AS <p>AVAILABLE SOLUTIONS ARE NOT SO EFFICIENT AND IT HAS SOME LATENCY TO RESPONSE</p>	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS <small>Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explore different sides.</small> J&P <p>ONLY SIGN LANGUAGE KNOWLEDGE HAVING PEOPLE CAN COMMUNICATE WITH THESE TYPE OF PEOPLES</p>	9. PROBLEM ROOT CAUSE <small>What is the real reason that this problem exists? What is the back story behind the need to do this job? i.e. customers have to do it because of the change in regulations.</small> RC <p>BECAUSE OF THEIR IN ABILITY THEY CAN'T COMMUNICATE WITH OTHERS.</p>	7. BEHAVIOUR <small>What does your customer do to address the problem and get the job done?</small> BE <p>ANALYSE THE SIGN CORRECTLY AND PROVIDE TRUSTWORTHY COMMUNICATION /INFORMATION</p>	

<p>3. TRIGGERS</p> <p><small>What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news.</small></p> <p>SOME OF THE TRIGGERS ARE WE ARE ADVERTISING THIS PRODUCT IN HOSPITAL, HEALTH CHECK UP AREAS AND POPULAR COMMON PLACES</p>	<p>10. YOUR SOLUTION</p> <p><small>If you are working on an existing business, write down your current solution first. Fill in the canvas, and check how much it fits reality.</small></p> <p><small>If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.</small></p> <p>WE ARE CREATE AI POWERED APPLICATION TO INTERFACE BETWEEN SPECIALLY AIDED PEOPLE AND NORMAL PEOPLE</p>	<p>8. CHANNELS of BEHAVIOUR</p> <p>8.1 ONLINE</p> <p><small>What kind of actions do customers take online? Extract online channels from #7</small></p> <p>8.2 OFFLINE</p> <p><small>What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development.</small></p> <p>ONLY IN ONLINE WE CAN USE THIS APPLICATION EFFICIENTLY AND ACCURATELY BECAUSE OF UPDATED VERSIONS AND SIGN.</p>
<p>4. EMOTIONS: BEFORE / AFTER</p> <p><small>How do customers feel when they face a problem or a job and afterwards? i.e. loss, insecure > confident, in control - use it in your communication strategy & design.</small></p> <p>SPECIALLY AIDED PEOPLE HESITATE TO COMMUNICATE WITH OTHERS BUT AFTER THEY ARE KNOWING THIS PRODUCT THEY EASILY COMMUNICATE WITH THEM</p>		

4.REQUIREMENT ANALYSIS

4.1.FUNCTIONAL REQUIREMENTS:

S.NO	FUNCTIONAL REQUIREMENT(EPIC)	SUB REQUIREMENT
1	User Registration	Registration through form
2	User Confirmation	Confirmation through password
3	User Login	Login through form
4	Image Confirmation	Image confirmation through webcam

4.2.NON FUNCTIONAL REQUIREMENTS:


S.NO	NON-FUNCTIONAL REQUIREMENTS	DESCRIPTION
1	Usability	Interactive User Interface is easy to use.
2	Security	Personal information can access only by the own user and not by other users.
3	Reliability	The interaction between the normal people and specially aided is trustworthy.
4	Performance	The results has to be shown immediately.
5	Availability	The server will be available to users all the time.

5.PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

FLOW CHART:



5.2 SOLUTION AND TECHNICAL ARCHITECTURE

The Deliverable shall include the architectural diagram as below and the information as per the table1 & table 2




TABLE 1:COMPONENTS AND TECHNOLOGIES:

S.No	Component	Description	Technology
1.	User Interface	How user interacts with application e.g. Web UI, Mobile App, Chatbot etc.	HTML, CSS, JavaScript / Angular Js / React Js etc.
2.	Application Logic-1	It deals with variety of frameworks, libraries and supports required to develop the project	Java / Python
3.	Application Logic-2	Helps in converting human voice into written words, In simple it is used to convert speech to text.	IBM Watson STT service
4.	Application Logic-3	Provides fast ,consistent and accurate answers during the execution phase of the project	IBM Watson Assistant
5.	Database	It can be numerical, categorical or time-series data	MySQL, NoSQL, etc.
6.	Cloud Database	Enables the user to use host database without buying the additional hardware	IBM DB2, IBM Cloudant etc.
7.	File Storage	File storage should be highly flexible, scalable and effective	IBM Block Storage or Other Storage Service or Local Filesystem
8.	External API-1	Used to access the information in the cloud	IBM Weather API, etc.
9.	External API-2	Used to access the information for data driven decision making	Aadhar API, etc.
10.	Machine Learning Model	Machine Learning Model deals with various algorithms that are needed for the implementation	Real time communication using AI for specially abled
11.	Infrastructure (Server / Cloud)	Application Deployment on Local System / Cloud Local Server Configuration: Install the windows version and execute the installer Select APACHE to install web server Cloud Server Configuration : This server deals with the additional storage	Local, Cloud Foundry, Kubernetes, etc.

TABLE 2:APPLICATION CHARACTERISTICS:

S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	The frameworks used are	Tensor flow PyTorch, OpenCV
2.	Security Implementations	the security / access controls implemented, use of firewalls etc.	Identify, Prevent and Respond
3.	Scalable Architecture	the scalability of architecture (3 – tier, Micro-services)	Data , models, operate at size, speed and complexity
4.	Availability	the availability of application (e.g. use of load balancers, distributed servers etc.)	Image and facial recognition, lip reading, text summarization, real time captioning
5.	Performance	Design consideration for the performance of the application (number of requests per sec, use of Cache, use of CDN's) etc.	Full and effective participation , equality of opportunity, accessibility

5.3 USER STORIES:

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint - 1
	Authentication	USN-2	As a user, I will receive confirmation email once I have registered for the application.	I can receive confirmation email & click confirm	Low	Sprint - 1
	Login	USN-3	As a user, I can log into the application by entering email & password.	I am able to get into the Dashboard	High	Sprint - 2
	Dashboard	USN-4	One place to explore all available features.	I can access my dashboard	High	Sprint - 2
Customer (Web user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint - 1
	Authentication	USN-2	As a user, I will receive confirmation email once I have registered for the application.	I can receive confirmation email & click confirm.	Low	Sprint - 1
	Login	USN-3	As a user, I can log into the application by entering email & password	I am able to get into the Dashboard	Low	Sprint - 2
	Dashboard	USN-4	One place to explore all available features	I can access my dashboard	Low	Sprint - 2
	Upload image	USN-5	As a user, I can upload the sign language image for translating into text format	I can be able to see the appropriate text for the sign language	High	Sprint - 3
Administrator	Manage	USN-6	Do-it-yourself service for delivering Everything.	Set of predefined requirements that must be met to mark a user story complete	High	Sprint - 4

6.PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATATION:

Product Backlog, Sprint Schedule, and Estimation:

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Data collection	USN-1	Collect and create the data set related to the objective	2	High	P.NAVITHA
Sprint-1	Image processing	USN-2	Do image processing in this step	1	high	C.Lalitha
Sprint-2	Adding layers	USN-3	Adding layers in the model by import layer libraries	1	high	P.Sakthipriya
Sprint-2	Model building	USN-4	Build the model	1	medium	N.Dhanas sree
Sprint-3	Test the model	USN-5	Testing the build model	1	medium	P.Sakthipriya
Sprint-3	Preprocess and predict	USN-6	User can recognize the gesture , User can predict the image	1	medium	S.Kalaivani
Sprint-4	Application development	USN-7	Develop the application for user interface	1	high	P.Sakthipriya


Project Tracker, Velocity & Burndown Chart:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day).

$$AV = \frac{\text{sprint duration}}{\text{velocity}} = \frac{20}{10} = 2$$





6.2 SPRINT DELIVERY SCHEDULE:

Activity number	Activity name	Activity description	Assigned to
1	Preparation Phase	<ul style="list-style-type: none"> • Access the resources(courses) in project dashboard • Access the guided project workspace • Create GitHub account & collaborate with Project Repository in project workspace • Set-up the Laptop / Computers based on the prerequisites for each technology track 	P.Sakthipriya, N.Dhanas sree, C.Lalitha
2	Ideation Phase		
2.1	Literature survey	Literature survey on the selected project & Information Gathering	P.Navitha, S.Kalaivani, P.Sakthipriya
2.2	Define a problem statement	Prepare the list of problem statements to understand the user needs	P.Sakthipriya, N.Dhanas sree, C.Lalitha
2.3	Empathy Map	Preparation of Empathy Map Canvas to capture the user Pains & Gains	P.Navitha, S.Kalaivani, P.Sakthipriya
2.4	Brainstorm & idea prioritization	List the ideas by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility & importance	P.Sakthipriya, N.Dhanas sree, C.Lalitha
3	Project Design Phase I		
3.1	Proposed Solution	Preparation of proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution	P.Navitha, S.Kalaivani, P.Sakthipriya
3.2	Problem Solution Fit	Prepared problem is analyze and make effective solutions for the problem	P.Sakthipriya, N.Dhanas sree, C.Lalitha
3.3	Solution Architecture	Prepare an architecture for solution	P.Navitha, S.Kalaivani, P.Sakthipriya
4	Project Design Phase II		

4.1	Requirement Analysis	Prepare the Functional Requirement and Non- Functional Document	P.Sakthipriya, N.Dhanas sree, C.Lalitha
4.2	Customer Journey	Preparation of customer journey mapsto understand the user interactions & experiences with the application (entry to exit)	P.Navitha, S.Kalaivani, P.Sakthipriya
4.3	Data Flow Diagrams	Prepare a Data Flow Diagram for Project use level 0 (Industry Standard)	P.Sakthipriya, N.Dhanas sree, C.Lalitha
4.4	Technology Architecture	Prepare Technology Architecture of the solution	P.Navitha, S.Kalaivani, P.Sakthipriya
5	Project Planning Phase		
5.1	Milestones & Tasks	Prepare Milestone & Activity List	P.Sakthipriya, N.Dhanas sree, C.Lalitha
5.2	Sprint Schedules	Prepare Sprint Delivery Plan	P.Navitha, S.Kalaivani, P.Sakthipriya
6	Project Development Phase		
6.1	Coding & Solutioning	Sprint-1 Delivery: Develop the Code, Test and push it to GitHub.	P.Sakthipriya, N.Dhanas sree, C.Lalitha
6.2	Acceptance Testing	Sprint-2 Delivery: Develop the Code, Test and push it to GitHub. Sprint-3 Delivery: Develop the Code, Test and push it to GitHub	P.Navitha, S.Kalaivani, P.Sakthipriya
6.3	Performance Testing	Sprint-4 Delivery: Develop the Code, Test and push it to GitHub.	P.Sakthipriya, N.Dhanas sree, C.Lalitha

6.3.REPORTS FROM JIRA



JIRA LINK:

<https://sakthipriya02.atlassian.net/jira/software/projects/CSFSAP/boards/2/roadmap>

7.CODING AND SOLUTIONING

7.1 FEATURE 1

Easily Accessible:

Responsive website design. Modern web applications have higher user expectations and greater demands than ever before. Today's web apps are expected to be available 24/7 from anywhere in the world, and usable from virtually any device or screen size. Web applications must be secure, flexible, and scalable to meet spikes in demand.

7.2 FEATURE 2

Image Quality:

Images matter because studies show that people remember 80% what they see and only 20% what they read. In fact, there's research that suggests that 65% of people are visual learners. MIT also found that the human brain can process images in as little as 13 milliseconds. These and many other statistics favor the idea that images are powerful means of communication. So providing a high resolution image is necessary.

7.3 DATA SCHEME:

Watson Studio provides you with the environment and tools to solve your business problems by collaboratively working with data. You can choose the tools you need to analyze and visualize data, to cleanse and shape data, or to create and train machine learning models.

8.TESTING

8.1 TEST CASES:

Test case ID	Feature Type	Component	Test Scenario	Pre-conditions	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Comments	% the Automation/TC	Pass/Fail	Executed By
AutoMap_TC_001	Automatic	Home Page	Verify user is able to see the home page or not.		1. Enter URL and click go 2. Verify whether the user is able to see the home page.	Enter URL and click go	User able to see the home page.	Working as expected	Pass		100	Pass	BAKE-10
AutoMap_TC_002	UI	Home Page	Verify the all elements in Home Page		1. Enter URL and click go 2. Verify the all elements in Home Page.	Enter URL and click go	Application should show details of elements. Enter Title & Product Page.	Working as expected	Pass		100	Pass	Prashant C
ProductMap_TC_003	Automatic	Product Page	Verify user is able to return to product page or not.		1. Enter URL and click go 2. Click on Product button 3. Verify whether the user is return to product page or not.	Click the product button on home page	User should be navigated to Product page	Working as expected	Pass		100	Pass	Highamand David C
ProductMap_TC_004	UI	Product Page	Verify the all elements in Product Page		1. Enter URL and click go 2. Verify the all elements in Product Page.	Click the product button and select to add to cart page	Application should show details of elements. Download List. Related For Product. Product button	Working as expected	Pass		100	Pass	Deep Parth A. Prashant C
ProductMap_TC_005	Automatic	Product Page	Verify user is able to select the shipping mode or not.		1. Enter URL and click go 2. Click on Product button 3. Verify whether the user is return to product page or not 4. Verify user is able to select the shipping mode or not.	Push or upgrade	Application should show user to choose fast or cheapest option in product list	Working as expected	Pass		100	Pass	Deep Parth A. Prashant C
ProductMap_TC_006	Automatic	Product Page	Verify user is able to select the image or not.		1. Enter URL and click go 2. Click on Product button 3. Verify whether the user is return to product page or not 4. Verify user is able to select the shipping mode or not 5. Verify user is able to select the image or not.	Image view selected	Application should show the selected image	Working as expected	Pass		100	Pass	Deep Parth A. Prashant C
ProductMap_TC_007	Automatic	Product Page	Verify whether the image is predicted correctly or not.		1. Enter URL and click go 2. Click on Product button 3. Verify whether the user is return to product page or not 4. Verify user is able to select the shipping mode or not 5. Verify user is able to select the image or not 6. Verify whether the image is predicted correctly or not.	Click the Product button	Application should show the predicted image	Working as expected	Pass		100	Pass	Deep Parth A

8.2 USER ACCEPTANCE TESTING:

1. Purpose of Document :

The purpose of this document is to briefly explain the test coverage and open issues of the [ProductName] project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis :

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	10	4	2	3	20
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
Totals	24	14	13	26	77


3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	7	0	0	7
Client Application	23	0	0	67
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Exception Reporting	2	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

9.RESULTS

9.1 PERFORMANCE METRICES:



PERFORMANCE ACCURACY:

The screenshot shows a Jupyter Notebook interface with a code cell containing the following Python code:

```
In [17]: model.fit(xtrain, steps_per_epoch=len(xtrain), epochs=20, validation_data=(xtest, validation_steps=len(xtest)))
```

The output of the code cell displays the training progress for epochs 1 through 9. Each epoch's output includes the time taken, steps per epoch, loss, accuracy, validation loss, and validation accuracy. The accuracy generally increases over the first 9 epochs, starting at 0.7561 and reaching 0.9982 by epoch 9.

Epoch	Time	Steps	Loss	Accuracy	Val Loss	Val Accuracy
1/20	449s	3s/step	0.0439	0.7561	0.0066	0.9676
2/20	167s	1s/step	0.0023	0.9072	0.0059	0.9707
3/20	165s	1s/step	9.7036e-04	0.9950	0.0057	0.9700
4/20	175s	1s/step	5.8128e-04	0.9968	0.0051	0.9760
5/20	278s	2s/step	4.2848e-04	0.9977	0.0052	0.9764
6/20	236s	1s/step	2.5589e-04	0.9987	0.0050	0.9760
7/20	223s	1s/step	2.8742e-04	0.9987	0.0046	0.9787
8/20	1104s	8s/step	3.3162e-04	0.9982	0.0039	0.9818
9/20	178s	1s/step	3.4941e-04	0.9982	0.0054	0.9818

The screenshot shows the continuation of the Jupyter Notebook output from epoch 10 to epoch 20. The accuracy continues to improve, reaching a final accuracy of 0.9992 by epoch 20.

Epoch	Time	Steps	Loss	Accuracy	Val Loss	Val Accuracy
10/20	205s	1s/step	2.6106e-04	0.9987	0.0050	0.9773
11/20	224s	1s/step	2.0397e-04	0.9990	0.0054	0.9689
12/20	222s	1s/step	1.5863e-04	0.9991	0.0050	0.9760
13/20	217s	1s/step	2.2415e-04	0.9988	0.0050	0.9773
14/20	262s	2s/step	1.7302e-04	0.9989	0.0050	0.9769
15/20	230s	1s/step	2.5752e-04	0.9984	0.0050	0.9773
16/20	176s	1s/step	1.5972e-04	0.9990	0.0050	0.9764
17/20	172s	1s/step	2.2151e-04	0.9987	0.0050	0.9773
18/20	167s	1s/step	1.2325e-04	0.9992	0.0049	0.9778

MODEL SUMMARY:

```
In [41]: model.summary()
```

Model: "sequential_2"

Layer (type)	Output Shape	Param #
conv2d_5 (Conv2D)	(None, 126, 126, 32)	896
max_pooling2d_2 (MaxPooling 2D)	(None, 63, 63, 32)	0
flatten_2 (Flatten)	(None, 127008)	0
dense_6 (Dense)	(None, 40)	5080360
dense_7 (Dense)	(None, 70)	2870
dense_8 (Dense)	(None, 6)	426

Total params: 5,084,552

Trainable params: 5,084,552

Non-trainable params: 0

10.ADVANTAGES AND DISADVANTAGES

ADVANTAGES:

- 1.Communication become feasible between normal person and specially aided person.
2. Easily accessible.
3. High bandwidth and network speed.
4. Bugs free.
- 5.User friendly enviroment.

DISADVANTAGES:

- 1.Image captured in dim light gives unappropriate results.
- 2.Limited mobile experience.
- 3.Loss and miscommunication of information.

11.CONCLUSION

The proposed communication system between Deaf and Dumb people and ordinary people are aiming for it when bridging the communication gap between two societies. Several work is done earlier in this area, but this paper adds in complete two - sided communication in an efficient manner because the system is implemented as one Handy mobile application. So, it really serves its needs in all aspects. The above strategies prove to be efficient in terms of time and accuracy. Further improvements can be done in the implementation of the communicator with other sign language such as American Sign Language, Accent recognition for different accents throughout Globe, recognition of emotions in sign language and language Translation.

12.FUTURE SCOPE

1. Proposed systems scope is related with education of dumb peoples. Dumb people faces many problems when normal person could not understand their language. They were facing communication gap with normal peoples.

2. For communication between deaf person and a second person, a mediator is required to translate sign language of deaf person. But a mediator is required to know the sign language used by deaf person. But this is not always possible since there are multiple sign languages for multiple languages. So to understand all sign languages, Hand gestures of deaf peoples by normal peoples this system is proposed. System gives output in the form of sound.

13.APPENDIX

SOURCE CODE:

Code For Home Page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>outright.com</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">

  <link rel="stylesheet" href="../../static/style.css">

</head>
<body>
  <header class="header">
    <a href="#" class="logo"><i class="fa fa-sign-language" aria-
hidden="true"></i>OutRight</a>
    <nav class="navbar">
      <a href="#Home" class="btn">Home</a>
      <a href="/Login" class="btn">Login</a>
      <a href="/AboutUs" class="btn">AboutUs</a>
      <a href="/Reviews" class="btn">Reviews</a>
    </nav>
    <div id="menu-btn" class="fa fa-american-sign-language-interpreting"
aria-hidden="true" title="menu bar"></div>
  </header>
  <section id="Home">
    <div class="container">
      <div class="image">
        
      </div>
      <div class="text">
        <br>
        <h3>WELCOME ALL</h3>
        <h4>THE UNIQUE BEINGS OF EARTH</h4>
        <p>We are specialized in providing feasible communication interface
specially for deaf cum dumb peoples.</p>
        <a href="/start" class="btn">START NOW<span class="fas fa-chevron-
right"></span></a>
      </div>
    </div>
  </section>
</body>
</html>
```

Code For Login Page:

```
<!DOCTYPE html>
<!-- Coding By CodingNepal - youtube.com/codingnepal -->
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>outright.com</title>
    <link rel="stylesheet" href="../static/style1.css">
  </head>
  <body>
    <div class="center">
      <h1>Login</h1>
      <form method="post">
        <div class="txt_field">
          <input type="text" required>
          <span></span>
          <label>Username</label>
        </div>
        <div class="txt_field">
          <input type="password" required>
          <span></span>
          <label>Password</label>
        </div>

        <div class="signup_link">
          Now you are a member <a href="login/signup">DONE</a>
        </div>
      </form>
    </div>

  </body>
</html>
```

Code for Camera Page:

```
<!doctype html>

<head>
  <style>
    /* CSS comes here */
    #video {
      border: 1px solid black;
      width: 340px;
      height: 220px;
    }

    #photo {
      border: 1px solid black;
      width: 340px;
      height: 220px;
    }

    #canvas {
      display: none;
    }

    .camera {
      width: 340px;
      display: inline-block;
    }

    .output {
      width: 340px;
      display: inline-block;
    }

    #startbutton {
      display: block;
      position: relative;
      margin-left: auto;
      margin-right: auto;
      bottom: 36px;
      padding: 5px;
      background-color: #6a67ce;
      border: 1px solid rgba(255, 255, 255, 0.7);
      font-size: 14px;
      color: rgba(255, 255, 255, 1.0);
      cursor: pointer;
    }

    .contentarea {
      font-size: 16px;
      font-family: Arial;
      text-align: center;
    }
  }
  body{
    background:url('../static/background.webp');
    height:100%;
```

```

    }
    .credentials{
        padding:0% 47%;
        align-items:center ;
    }
</style>
<title>outright.com</title>
</head>

<body>
    <div class="contentarea">
        <h1>
            Capture your gesture
        </h1>
        <div class="camera">
            <video id="video">Video stream not available.</video>
        </div>
        <div><button id="startbutton">Take photo</button></div>
        <canvas id="canvas"></canvas>
        <div class="output">
            <img id="photo" alt="The screen capture will appear in this
box.">
        </div>
    </div>

    <div class="credentials">
        <a href="photo.jpg" download>Download</a>
        <form action="/action_page.php">
            <input type="file" id="myFile" name="filename">
            </form>
            <br>
            <a href="/submit123">submit</a>

    </div>
    <script>
        /* JS comes here */
        (function() {

            var width = 320; // We will scale the photo width to this
            var height = 0; // This will be computed based on the input stream

            var streaming = false;

            var video = null;
            var canvas = null;
            var photo = null;
            var startbutton = null;

            function startup() {
                video = document.getElementById('video');
                canvas = document.getElementById('canvas');
                photo = document.getElementById('photo');
                startbutton = document.getElementById('startbutton');

                navigator.mediaDevices.getUserMedia({
                    video: true,
                    audio: false

```

```

    })
    .then(function(stream) {
        video.srcObject = stream;
        video.play();
    })
    .catch(function(err) {
        console.log("An error occurred: " + err);
    });

video.addEventListener('canplay', function(ev) {
    if (!streaming) {
        height = video.videoHeight / (video.videoWidth / width);

        if (isNaN(height)) {
            height = width / (4 / 3);
        }

        video.setAttribute('width', width);
        video.setAttribute('height', height);
        canvas.setAttribute('width', width);
        canvas.setAttribute('height', height);
        streaming = true;
    }
}, false);

startbutton.addEventListener('click', function(ev) {
    takepicture();
    ev.preventDefault();
}, false);

clearphoto();
}

function clearphoto() {
    var context = canvas.getContext('2d');
    context.fillStyle = "#AAA";
    context.fillRect(0, 0, canvas.width, canvas.height);

    var data = canvas.toDataURL('image/png');
    photo.setAttribute('src', data);
}

function takepicture() {
    var context = canvas.getContext('2d');
    if (width && height) {
        canvas.width = width;
        canvas.height = height;
        context.drawImage(video, 0, 0, width, height);

        var data = canvas.toDataURL('image/png');
        photo.setAttribute('src', data);
    } else {
        clearphoto();
    }
}
}

```



```
window.addEventListener('load', startup, false);
    }) ();
</script>
</body>

</html>
```

Code For Result Page:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>outright.com</title>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fome/5.15.4/css/all.min.css">
    <link rel="stylesheet" href="../static/style6.css">
</head>
<body>
<form action="/action_page.php">
    <input type="file" id="myFile" name="filename">
    <a href="/submit123">submit</a>
</form>
<section class="result">
<div class="text">
<h2>They tries to say{{text}}</h2>
</div>
<div class="link">
<a href ="/thank" >ok</a>
</div>
</section>
</body>
</html>
```

Code For Thank You Page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>outright.com</title>
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fome/5.15.4/css/all.min.css">
  <link rel="stylesheet" href="../static/style5.css">
</head>
<body>

  <section id="Greetings">
    <div class="container">
      <div class="image">
        
      </div>
      <div class="text">
        <br>
        <p ><b>We are so grateful to provide benefits for you!</b></p>
        <p><b>Wishing you to meet again....</b></p>
      </div>
    </div>
  </section>
</body>
</html>
```

Python Code:

```
from flask import Flask, render_template, request
import os
os.environ['TF_CPP_MIN_LOG_LEVEL'] = '2'
import numpy as np
import tensorflow as tf
from tensorflow.python import keras
from tensorflow.python.keras.models import load_model
from tensorflow import image
from skimage.transform import resize
global graph
graph=tf.get_default_graph()
from werkzeug.utils import secure_filename
from event.pywsgi import WSGIServer

create_app = Flask(__name__, template_folder='templates')

model=load_model('aslpng1.h5')
vals=['A','B','C','D','E','F','G','H']
pred=" "

@create_app.route('/')
@create_app.route('/home')
def hello_world():    # put application's code here
    return render_template('index.html')

@create_app.route('/start')
def start():
    return render_template('camera.html')

@create_app.route('/start/submit123',methods=['POST','GET'])
def detect():
    if request.methods == 'POST':
        f = request.files['file']
        print("current path")
        basepath = os.path.dirname(__file__)
        filepath = os.path.join(basepath, "uploads", f.filename)
        f.save(filepath)

        img = image.load_img(filepath, target_size=(64, 64))
        x = image.img_to_array(img)
        x = np.expand_dims(x, axis=0)

        with graph.as_default():
            preds=model.predict_classes(x)
            4
    print("prediction",preds)

    index=['a','b','c','d','e','f','g','h']
    text=index[preds[0]]
    return text
```

```
print(text)
return render_template('result.html',text=text)

@create_app.route('/Login')
def login():
    return render_template('login.html')

@create_app.route('/login/signup')
def signup():
    return render_template('index.html')

if __name__ == '__main__':
    create_app().run(debug=True)
```

GITHUB AND PROJECT LINK:

<https://github.com/IBM-EPBL/IBM-Project-30021-1660138394>

<https://youtu.be/AZNwF7STjdo>