

TEAM ID	PNT2022TMID18589
PROJECT NAME	PERSONAL ASSISTANCE FOR SENIORS WHO ARE SELF RELIANT
TOPIC	CLOUDANT DB

Service Details - IBM Cloud

Cloudant Dashboard - database/

Client libraries | IBM Cloud Docs

Node-RED : 159.122.187.35

+

cloud.ibm.com/docs/Cloudant?topic=Cloudant-client-libraries

Gmail YouTube Maps

IBM Cloud Products Solutions Pricing Docs Support Explore more

Cloudant

IBM Cloudant

Observability

High availability and disaster recovery

Best practices for IBM Cloudant

Sample apps

Client libraries

Apache CouchDB

Other offerings

API & SDK reference docs

CLI

Terraform reference docs

...

Expand all | Collapse all

←

Client libraries

Last updated 2022-06-23

Client libraries are the tools that you use to develop your own applications to work with IBM® Cloudant® for IBM Cloud® databases.

The following client libraries are formally supported by IBM Cloudant: Java™, Node.js, Python, and Go.

A supported library is one where you can contact IBM Cloudant if you come across a specific, reproducible problem in the current version of the library.

Java

The IBM Cloudant SDK for Java™ is the official IBM Cloudant library for Java™.

To install the IBM Cloudant SDK for the Java™ library, see [Installation](#) about installing the library by adding it as a dependency to your Maven or Gradle builds. You can also see details and examples of how to use the library in the guide.

On this page

Java

Library for Java

Node.js

Python

Go

Useful tools

Feedback

Service Details - IBM Cloud

Cloudant Dashboard - database/

Node-RED : 159.122.187.35

+

a47c359d-0ebe-4eb7-8deb-fe8e010bef45-bluemix.cloudant.com/dashboard.html#database/nodered/_all_docs

Gmail YouTube Maps

←

nodered

Document ID

Options

{ } JSON

Create Document

All Documents

Query

Permissions

Changes

Design Documents

library

id

key

value

☐

_design/library

_design/library

{ "rev": "1-c93136490a0976308f8b3...

☐

f683f90f0dca7bc46a62081515577f16

f683f90f0dca7bc46a62081515577f16

{ "rev": "1-0ed6727ac69e7f5dc331fd...

☐

nodered/flow

nodered/flow

{ "rev": "1-547734d298a28baf22e7d...


☐

nodered/settings

nodered/settings

{ "rev": "6-5fe4d7cfe63f0da665a94fd...

Showing document 1 - 4. Documents per page: 20



The screenshot shows a web browser window with the URL `a47c359d-0ebe-4eb7-8deb-fe8e010bef45-bluemix.cloudant.com/dashboard.html#database/nodered/_new`. The page title is "nodered > New Document". On the left is a dark sidebar with icons for navigation. The main content area has a "Create Document" button and a "Cancel" link. Below this is a JSON editor with the following content:

```
1 {
2   "_id": "f683f90f0dca7bc46a62081515577f16",
3   "name": "abcd",
4   "Password": "1234"
5 }
```

At the bottom left of the sidebar is a "Log Out" button.

