#### **Project Devlopment Phase**

#### Sprint 1

#### MNIST Dataset pre\_processing

Date	5 November 2022
Team ID	PNT2022TMID25508
Project Name	A Noval Method For Handwritten Digit
	Recognition System
Maximum Marks	4 Marks

# **Understanding the Data**

# Importing the required libraries

import numpy as np import tensorflow from tensorflow.keras.datasets import mnist from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense, Flatten from tensorflow.keras.layers import Conv2D from keras.optimizers import Adam from keras.utils import np\_utils

## loading data

## Input:

(X train,y train), (X test,y test)=mnist.load data()

#### Output:

# Analyzing the data

#### Input:

#### X\_train[0] Output:


```
0, 0],
[0,0,0,0,0,0,0,0,0,0,0,0,0,0]
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0,0,0,0,0,0,0,0,0,0,0,0,0,0,3,
18, 18, 18, 126, 136, 175, 26, 166, 255, 247, 127, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 30, 36, 94, 154, 170,
253, 253, 253, 253, 253, 225, 172, 253, 242, 195, 64, 0,
                                                     0,
0, 01,
253, 253, 253, 253, 251, 93, 82, 82, 56, 39, 0, 0, 0,
0, 01,
253, 198, 182, 247, 241, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 80, 156, 107, 253, 253,
205, 11, 0, 43, 154, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 14, 1, 154, 253,
90, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0,0,0,0,0,0,0,0,0,0,0,139,253,
190, 2, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0,0,0,0,0,0,0,0,0,0,0,11,190,
253, 70, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0.01.
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 35,
241, 225, 160, 108, 1, 0, 0, 0, 0, 0, 0, 0, 0,
0, 01,
81, 240, 253, 253, 119, 25, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 0,
0, 45, 186, 253, 253, 150, 27, 0, 0, 0, 0, 0, 0,
0, 0],
[0,0,0,0,0,0,0,0,0]
                         0, 0, 0, 0, 0,
0, 0, 16, 93, 252, 253, 187, 0, 0, 0, 0, 0, 0,
0, 01,
[0,0,0,0,0,0,0,0,0,0,0,0,0,0]
0, 0, 0, 0, 249, 253, 249, 64, 0, 0, 0, 0, 0,
0, 0],
0, 46, 130, 183, 253, 253, 207, 2, 0, 0, 0, 0, 0,
0, 0],
[0,0,0,0,0,0,0,0,0,0,0,39,
148, 229, 253, 253, 253, 250, 182, 0, 0, 0, 0, 0, 0,
0, 0],
[0,0,0,0,0,0,0,0,0,0,24,114,221,
```

253, 253, 253, 253, 201, 78, 0, 0, 0, 0, 0, 0, 0,

```
0, 0],
  [0, 0, 0, 0, 0, 0, 0, 0, 23, 66, 213, 253, 253,
  253, 253, 198, 81, 2, 0, 0, 0, 0, 0, 0, 0, 0,
  0, 0],
  [0, 0, 0, 0, 0, 0, 18, 171, 219, 253, 253, 253, 253,
  195, 80, 9, 0, 0, 0, 0, 0, 0, 0, 0, 0,
  [ 0, 0, 0, 0, 55, 172, 226, 253, 253, 253, 253, 244, 133,
  11, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
  0, 0],
  [0, 0, 0, 0, 136, 253, 253, 253, 212, 135, 132, 16, 0,
  0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
  0, 0],
  [0,0,0,0,0,0,0,0,0,0,0,0,0,0,0]
  0, 0],
  [0,0,0,0,0,0,0,0,0,0,0,0,0,0,0]
  0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
  0, 0],
  [0,0,0,0,0,0,0,0,0,0,0,0,0,0,0]
  dtype=uint8) Input:
  y_train[0]
  Output:
  5
```

## Input:


**Import** matplotlib.pyplot **as**plt plt.imshow(X\_train[0])



## Input:

plt.imshow(X\_train[12])

## Output:



# Reshaping the data

X\_train=X\_train.reshape(60000, 28, 28, 1).astype('float32') X\_test=X\_test.reshape(10000, 28, 28, 1).astype('float32')

# **Apply one-Hot Encoding**

number\_of\_classes= 10
y\_train=np\_utils.to\_categorical(y\_train, number\_of\_classes)
y\_test=np\_utils.to\_categorical(y\_test, number\_of\_classes)
Input:

y\_train[0]

## Output:

 $array([0.,\,0.,\,0.,\,0.,\,0.,\,1.,\,0.,\,0.,\,0.,\,0.],\,dtype = float32)$