


Assignment - 4 Docker and Kubernetes

Assignment Date	5 November 2022
Student Name	M. Deepika
Student Roll Number	910619106012
Maximum Marks	2 Marks

Pull an image from docker hub and run it in docker Playground



Explore [uifd/ui-for-docker](#)

uifd/ui-for-docker ☆

By [uifd](#) • Updated 6 years ago

A web interface for Docker, formerly known as DockerUI. Deprecated, use Portainer for new features.

Other [Image](#)

Pulls: 10M+

Overview Tags

UI For Docker


This repo is deprecated. Development continues at: [portainer/portainer](#)

[about](#) [see other](#)

UI For Docker is a web interface for the Docker Remote API. The goal is to provide a pure client side implementation so it is effortless to connect and manage docker.

Docker Pull Command

```
docker pull uifd/ui-for-docker
```



03:42:30

[CLOSE SESSION](#)

Instances [+](#) [ADD NEW INSTANCE](#)

192.168.0.13 node1

cd9an2u3_cd9av060qau0008hbjs0

IP: 192.168.0.13 [OPEN PORT](#)


Memory CPU

SSH: [ssh ip172-18-0-4-cd9an2u3tccg00fgf6k0@direct.labs.play-w](#)

[DELETE](#) [EDITOR](#)

```
This is a sandbox environment. Using personal credentials
is HIGHLY discouraged. Any consequences of doing so are
completely the user's responsibilities.
The FWD team.
=====
[localhost] (localhost) root@192.168.0.13 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
#41194d080c8: Pull complete
Digest: sha256:fe371ff5a49549269b24073a5ab1244dd4c0b834cbad244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[localhost] (localhost) root@192.168.0.13 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
c590dd163101ae795bdcea0eb1ddd98f6fe549cb3f24dab9ff7c1931923fcd0d
[localhost] (localhost) root@192.168.0.13 ~
```

UI For Docker



[illegible]

create a docker file for the job portal application and deploy it in Docker desktop application

