Student Roll No	812819205007
Student Name	ARTHY A
Team ID	26586-1660030073
Maximum Marks	2 Marks

```
"nbformat": 4,
  "nbformat minor": 0,
  "metadata": {
    "colab": {
      "private outputs": true,
      "provenance": [],
      "toc visible": true
    "kernelspec": {
      "name": "python3",
      "display name": "Python 3"
    "language info": {
      "name": "python"
  },
  "cells": [
    {
      "cell type": "code",
      "execution count": null,
      "metadata": {
        "id": "xPmjSeP6ztWI"
      } ,
      "outputs": [],
      "source": [
        "import pandas as pd n,
        "import numpy as np\n",
        "from sklearn.model selection import train test split\n",
        "from sklearn.preprocessing import LabelEncoder\n",
        "from keras.models import Model\n",
        "from keras.layers import LSTM, Activation, Dense, Dropout,
Input, Embedding\n",
        "from keras.optimizers import RMSprop\n",
        "from keras.preprocessing.text import Tokenizer\n",
        "from keras preprocessing import sequence\n",
        "from keras.utils import to categorical\n",
        "from keras.models import load model"
    },
      "cell type": "code",
      "source": [
        "import csv\n",
        "import tensorflow as tf\n",
        "import pandas as pd\n",
        "import numpy as np\n",
        "import matplotlib.pyplot as plt\n",
        "from tensorflow.keras.preprocessing.text import Tokenizer\n",
        "from tensorflow.keras.preprocessing.sequence import
pad sequences\n",
        "import nltk\n",
        "nltk.download('stopwords')
```

```
"from nltk.corpus import stopwords\n",
        "STOPWORDS = set(stopwords.words('english'))"
      ],
      "metadata": {
        "id": "Gn4V67q0z0eT"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "from google.colab import drive\n",
        "drive.mount('/content/drive')"
      "metadata": {
        "id": "E9MGSQZNz6Qp"
      } ,
      "execution count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "cd/content/drive/MyDrive/Colab Notebooks"
      ],
      "metadata": {
        "id": "3e8BhX8m0Dyf"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "df =
pd.read csv('/content/drive/MyDrive/spam.csv',delimiter=',',encoding='lat
in-1')\n",
        "df.head()"
      ],
      "metadata": {
        "id": "635W4rCX0Lq5"
      "execution count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "df.drop(['Unnamed: 2','Unnamed: 3', 'Unnamed:
4'],axis=1,inplace=True) \n",
        "df.info()"
      ],
      "metadata": {
```

```
"id": "JZ69G7024Zsg"
      } ,
      "execution count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "df.groupby(['v1']).size()"
      ],
      "metadata": {
        "id": "F47AuS5v4e2X"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "#Label Encoding Required Column\n",
        "X = df.v2 n",
        "Y = df.v1\n",
        "le = LabelEncoder()\n",
        "Y = le.fit transform(Y)\n",
        "Y = Y.reshape(-1,1)"
      ],
      "metadata": {
        "id": "n46sH3zT4ieg"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "# Test and train data split \n",
        "X train, X test, Y train, Y test =
train test split(X,Y,test size=0.15)"
      ],
      "metadata": {
        "id": "jQ1vSLxw4mbB"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "# Tokenisation function\n",
        "max words = 1000 \n",
        "max len = 150\n",
        "tok = Tokenizer(num words=max words)\n",
        "tok.fit_on_texts(X_train)\n",
        "sequences = tok.texts to sequences(X train) \n",
```

```
"sequences matrix =
sequence.pad sequences(sequences, maxlen=max len)"
      "metadata": {
        "id": "EouGpOLE4pt-"
      "execution count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "\n",
        "#LSTM model\n",
        "inputs = Input(name='InputLayer', shape=[max len]) \n",
        "layer = Embedding(max words, 50, input length=max len)(inputs)\n",
        "layer = LSTM(64)(layer)\n",
        "layer = Dense(256, name='FullyConnectedLayer1')(layer)\n",
        "layer = Activation('relu')(layer)\n",
        "layer = Dropout (0.5) (layer) \n",
        "layer = Dense(1, name='OutputLayer')(layer) \n",
        "layer = Activation('sigmoid')(layer)"
      ],
      "metadata": {
        "id": "iiDknBZl4tNi"
      "execution count": null,
      "outputs": []
    } ,
      "cell type": "code",
      "source": [
        "model = Model(inputs=inputs,outputs=layer)\n",
        "model.summary()\n",
"model.compile(loss='binary crossentropy',optimizer=RMSprop(),metrics=['a
ccuracy'])"
      ],
      "metadata": {
        "id": "dV2169IR4wqU"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
"model.fit(sequences matrix, Y train, batch size=128, epochs=10, validation s
plit=0.2)"
      1,
      "metadata": {
        "id": "hLG5kG4240A0"
      } ,
```

```
"execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "model.save(\"Ai Spam Identifier\")"
      "metadata": {
        "id": "Tg4RnViS5WJp"
      "execution_count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "test sequences = tok.texts to sequences(X test)\n",
        "test sequences matrix =
sequence.pad sequences(test sequences, maxlen=max len)"
      "metadata": {
        "id": "NfRE9Xky5oq7"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "accuracy = model.evaluate(test sequences matrix,Y test)\n",
        "print('Accuracy: {:0.3f}'.format(accuracy[1]))"
      "metadata": {
        "id": "MmkiG2Ms5syq"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
        "y pred = model.predict(test sequences matrix) \n",
        "print(y pred[25:40].round(3)) \n"
      ],
      "metadata": {
        "id": "hF RFQt95zC9"
      "execution count": null,
      "outputs": []
    },
    {
      "cell type": "code",
      "source": [
```

```
"print(Y_test[25:40])"
],
    "metadata": {
        "id": "puWIeYkr58Xb"
     },
        "execution_count": null,
        "outputs": []
     }
]
```