



# Project Development – Sprint 4

Iot Based Safety For Child Safety Monitoring & Notification

TEAM ID: PNT2022TMID30207

Creating Cloudant DB and integrating Node-Red with the Web UI


Create Cloudant DB:




The screenshot shows the IBM Cloudant Tracker interface. On the left is a sidebar with navigation options: All Documents, Query, Permissions, Changes, and Design Documents. The main area displays a table of documents. The table has three columns: id, key, and value. There are 8 documents listed, each with a checkbox, a document icon, and a truncated id, key, and value. At the bottom right, it says 'Showing document 1 - 8. Documents per page: 30'.

	id	key	value
<input type="checkbox"/>	243c8d3c82321d4d52d973b3850c5...	243c8d3c82321d4d52d973b3850c5...	{ "rev": "1-3b28f38f38f1cb71781bb8...
<input type="checkbox"/>	3c5831168a309478f6583271ee4f7a3	3c5831168a309478f6583271ee4f7a3	{ "rev": "1-d29f8b3aa06ac3dbc505a6...
<input type="checkbox"/>	4cc89929b024a4c89952d4e2b22a93...	4cc89929b024a4c89952d4e2b22a93...	{ "rev": "1-4b8d15522b93488c03a80...
<input type="checkbox"/>	441c9642039d888de745638b166f8...	441c9642039d888de745638b166f8...	{ "rev": "1-4b8d15522b93488c03a80...
<input type="checkbox"/>	59701335fb58f8a32a115d07cc637fa	59701335fb58f8a32a115d07cc637fa	{ "rev": "1-0f1586e4d4d987b0d9a3c...
<input type="checkbox"/>	a540a8c2aa76492b3f8f53aad920aa7a	a540a8c2aa76492b3f8f53aad920aa7a	{ "rev": "1-2c477f2934593ca3f89ba...
<input type="checkbox"/>	d930687c4a21e27f6d40b7257aa278...	d930687c4a21e27f6d40b7257aa278...	{ "rev": "1-e658b3d050c511e717aa...
<input type="checkbox"/>	f293c3bd36e052d89fb1b8320526b2...	f293c3bd36e052d89fb1b8320526b2...	{ "rev": "1-9aee2456f9e918af2281c5...

## Node-Red Service IN Area:




## Node-Red Service OUT Area:



## Node-Red Dashboard(Web UI):

### IN Area



## OUT Area

