Team ID	PNT2022TMID07312
Project Name	Smart Fashion Recommender Application
Team Members	Bathina Madhuri Anandha kumar P Keerthana S Harish Kumar S

# Sprint-3

1.Create a Bucket in IBM object storage.

2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Assignment3.html

```html
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <title></title>
  <link rel="stylesheet" href="https://passion.s3.us-east.cloud-object-
storage.appdomain.cloud/anand.css">
</head>
<body>

<header>
  <center>
          <h2>Assignment 3</h2>
    </center>
<ol>
<li>Create a Bucket in IBM object storage.</li>
<li>
Upload an 5 images to ibm object storage and make it public. write html
code to displaying all the 5 images.
</li>
<li>
Upload a css page to the object storage and use the same page in your
HTML code.
</li>
```

```html
<li>
Design a chatbot using IBM Watson assistant for hospital. Ex: User comes
with query to know the branches for that hospital in your city. Submit
the web URL of that chat bot as a assignment.
</li>
<li>
Create Watson assistant service with 10 steps and use 3 conditions in
it. Load that script in HTML page.
</li>
</ol>
</header>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

<div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">
    <ol class="carousel-indicators">
        <li data-target="#carouselExampleIndicators" data-slide-to="0"
class="active"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="3"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="4"></li>
    </ol>
    <div class="carousel-inner">
        <div class="carousel-item active">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-
object-storage.appdomain.cloud/ibm%20img-1.jpeg" alt="First slide">
        </div>
        <div class="carousel-item">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-
object-storage.appdomain.cloud/ibm%20img-2.jpeg" alt="Second slide">
        </div>
        <div class="carousel-item">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-
object-storage.appdomain.cloud/ibm%20img-3.jpeg" alt="Third slide">
        </div>
        <div class="carousel-item">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-
object-storage.appdomain.cloud/ibm%20img-4.jpeg" alt="Fourth slide">
        </div>
        <div class="carousel-item">
```

```html
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-object-storage.appdomain.cloud/ibm%20img-5.jpeg" alt="Fifth slide">
        </div>
    </div>
    <a class="carousel-control-prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="sr-only">Previous</span>
    </a>
    <a class="carousel-control-next" href="#carouselExampleIndicators" role="button" data-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="sr-only">Next</span>
    </a>

</div>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "7eefc494-e066-467e-aa12-d44dcf3508ae", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "3d4d5a93-923e-44de-a779-2821aca60708", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</body>
</html>
```

3. Upload a css page to the object storage and use the same page in your HTML code.

Style.css

```css
header{
  background: rgb(64,116,225);
  background: linear-gradient(0deg, rgba(64,116,225,1) 3%, rgba(0,0,0,0) 100%);
  padding: 20px 0;
}
img{
  width: 1080px;
  height: 500px;
}
@media (max-width:670px){

  html{
      font-size:70%;
  }
  img{
    width: 540px;
    height: 250px;
  }
  header{
    padding: 10px 0;
  }
}

}
```

Assignment3.html

```html
<!DOCTYPE html>

<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <title></title>
  <link rel="stylesheet" href="https://passion.s3.us-east.cloud-object-
storage.appdomain.cloud/anand.css">
</head>
<body>

<header>
```

```html
  <center>
            <h2>Assignment 3</h2>
    </center>
<ol>
<li>Create a Bucket in IBM object storage.</li>
<li>
Upload an 5 images to ibm object storage and make it public. write html
code to displaying all the 5 images.
</li>
<li>
Upload a css page to the object storage and use the same page in your
HTML code.
</li>
<li>
Design a chatbot using IBM Watson assistant for hospital. Ex: User comes
with query to know the branches for that hospital in your city. Submit
the web URL of that chat bot as a assignment.
</li>
<li>
Create Watson assistant service with 10 steps and use 3 conditions in
it. Load that script in HTML page.
</li>
</ol>
</header>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

<div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">
    <ol class="carousel-indicators">
        <li data-target="#carouselExampleIndicators" data-slide-to="0"
class="active"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="3"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="4"></li>
    </ol>
    <div class="carousel-inner">
        <div class="carousel-item active">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-
object-storage.appdomain.cloud/ibm%20img-1.jpeg" alt="First slide">
        </div>
        <div class="carousel-item">
```

```html
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-object-storage.appdomain.cloud/ibm%20img-2.jpeg" alt="Second slide">
        </div>
        <div class="carousel-item">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-object-storage.appdomain.cloud/ibm%20img-3.jpeg" alt="Third slide">
        </div>
        <div class="carousel-item">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-object-storage.appdomain.cloud/ibm%20img-4.jpeg" alt="Fourth slide">
        </div>
        <div class="carousel-item">
            <img class="d-block w-100" src="https://passion.s3.us-east.cloud-object-storage.appdomain.cloud/ibm%20img-5.jpeg" alt="Fifth slide">
        </div>
    </div>
    <a class="carousel-control-prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="sr-only">Previous</span>
    </a>
    <a class="carousel-control-next" href="#carouselExampleIndicators" role="button" data-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="sr-only">Next</span>
    </a>

</div>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "7eefc494-e066-467e-aa12-d44dcf3508ae", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "3d4d5a93-923e-44de-a779-2821aca60708", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</body>
</html>
```

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city.

Submit the web URL of that chat bot as a assignment.

5.Create Watson assistant service with 10 steps and use 3 conditions in it.
Load that script in HTML page.