### **IBM ASSIGNMENT 4**

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from pandas.api.types import is_numeric_dtype
sns.set()
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from sklearn.preprocessing import StandardScaler
sns.set_style("darkgrid")
from sklearn.linear_model import LinearRegression
from sklearn.svm import SVR
from sklearn.tree import DecisionTreeRegressor
from sklearn import metrics
%matplotlib inline
```

### LOADING DATASET

```
abalone = pd.read_csv('abalone.csv', sep=',')
abalone.head()
```

|   | Sex | Length | Diameter | Height | Whole<br>weight | Shucked<br>weight | Viscera<br>weight | Shell<br>weight | Rings |
|---|-----|--------|----------|--------|-----------------|-------------------|-------------------|-----------------|-------|
| 0 | М   | 0.455  | 0.365    | 0.095  | 0.5140          | 0.2245            | 0.1010            | 0.150           | 15    |
| 1 | М   | 0.350  | 0.265    | 0.090  | 0.2255          | 0.0995            | 0.0485            | 0.070           | 7     |
| 2 | F   | 0.530  | 0.420    | 0.135  | 0.6770          | 0.2565            | 0.1415            | 0.210           | 9     |
| 3 | M   | 0.440  | 0.365    | 0.125  | 0.5160          | 0.2155            | 0.1140            | 0.155           | 10    |

### UNIVARIATE ANALYSIS

```
rows = 2
cols = 2
i = 0

plt.figure(figsize=(cols * 5, rows * 5))


i += 1
plt.subplot(rows, cols, i)
plt.xticks(range(0, 31, 4))
plt.xlim(0, 30)
_ = sns.distplot(abalone['Rings'], kde=False, bins=range(0, 31, 2))
```

```
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Rings'])

i += 1
plt.subplot(rows, cols, i)
plt.xticks(range(0, 31, 4))
plt.xlim(0, 30)
_ = sns.boxplot(abalone['Rings'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning



### 2. Size attributes

```
# removing outliers
abalone = abalone[abalone['Height'] < 0.4]</pre>
```

```
plt.figure(figsize=(15, 15))
colors = sns.color palette()
lines = 3
rows = 3
i = 0
i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Length'], color=colors[i % 3])
i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Diameter'], color=colors[i % 3])
i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Height'], color=colors[i % 3])
i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Length'], kde=False, bins=np.arange(0.0, 0.9, 0.05), color=color
i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Diameter'], kde=False, bins=np.arange(0.0, 0.7, 0.05), color=col
i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Height'], kde=False, bins=10, color=colors[i % 3])
i += 1
plt.subplot(lines, rows, i)
_ = sns.boxplot(abalone['Length'], color=sns.color_palette()[i % 3])
i += 1
plt.subplot(lines, rows, i)
_ = sns.boxplot(abalone['Diameter'], color=colors[i % 3])
i += 1
plt.subplot(lines, rows, i)
_ = sns.boxplot(abalone['Height'], color=colors[i % 3])
```

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)


/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning



### 3. Weight Attributes

```
colors = sns.color palette()
rows = 3
cols = 4
i = 0
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Whole weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shucked weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Viscera weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
= sns.distplot(abalone['Shell weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Whole weight'], kde=False, bins=14, color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shucked weight'], kde=False, bins=14, color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Viscera weight'], kde=False, bins=16, color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shell weight'], kde=False, bins=20, color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Whole weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Shucked weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Viscera weight'], color=colors[i % cols])
i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Shell weight'], color=colors[i % cols])
```


/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning


/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning



4. Sex attribute

```
plt.figure(figsize=(5,5))
_ = sns.countplot(abalone.Sex)
```


/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning



### **BIVARATE ANALYSIS**


1. (sex,ring) attribute

```
plt.figure(figsize=(7, 7))
_ = sns.boxplot(data=abalone, x='Sex', y='Rings')
```



2. (Sex,height) attribute


```
plt.figure(figsize=(7, 7))
_ = sns.boxplot(data=abalone, x='Sex', y='Height')
```



```
g = sns.FacetGrid(abalone, col='Sex', margin_titles=True, size=5)
_ = g.map(sns.distplot, 'Height', kde=False, bins=10)
```


/usr/local/lib/python3.7/dist-packages/seaborn/axisgrid.py:337: UserWarning: The `si warnings.warn(msg, UserWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)



### 3. (Sex, shell weight) attribute


```
plt.figure(figsize=(7, 7))
_ = sns.boxplot(data=abalone, x='Sex', y='Shell weight')
```



```
g = sns.FacetGrid(abalone, col='Sex', margin_titles=True, size=5)
_ = g.map(sns.distplot, 'Height', kde=False, bins=10)
```

/usr/local/lib/python3.7/dist-packages/seaborn/axisgrid.py:337: UserWarning: The `si warnings.warn(msg, UserWarning)


/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: warnings.warn(msg, FutureWarning)



### **MULTIVARIATE ANALYSIS**


Correlation matrix in Heatmap:

```
plt.figure(figsize=(10, 10))
corr = abalone.corr()
_ = sns.heatmap(corr, annot=True)
```



Multivariate analysis on the correlation of these two attributes with Rings:

## <Figure size 1440x360 with 0 Axes>



## **DESCRIPTIVE STATISTICS**

0808

# abalone.describe().T

|                | count  | mean     | std      | min    | 25%     | 50%    | 75%      | max     |
|----------------|--------|----------|----------|--------|---------|--------|----------|---------|
| Length         | 4175.0 | 0.523965 | 0.120084 | 0.0750 | 0.45000 | 0.5450 | 0.61500  | 0.8150  |
| Diameter       | 4175.0 | 0.407856 | 0.099230 | 0.0550 | 0.35000 | 0.4250 | 0.48000  | 0.6500  |
| Height         | 4175.0 | 0.139189 | 0.038489 | 0.0000 | 0.11500 | 0.1400 | 0.16500  | 0.2500  |
| Whole weight   | 4175.0 | 0.828468 | 0.490027 | 0.0020 | 0.44150 | 0.7995 | 1.15300  | 2.8255  |
| Shucked weight | 4175.0 | 0.359195 | 0.221713 | 0.0010 | 0.18600 | 0.3360 | 0.50175  | 1.4880  |
| Viscera weight | 4175.0 | 0.180536 | 0.109534 | 0.0005 | 0.09325 | 0.1710 | 0.25275  | 0.7600  |
| Shell weight   | 4175.0 | 0.238791 | 0.139162 | 0.0015 | 0.13000 | 0.2340 | 0.32875  | 1.0050  |
| Rings          | 4175.0 | 9.934132 | 3.224802 | 1.0000 | 8.00000 | 9.0000 | 11.00000 | 29.0000 |

## HANDLING WITH MISSING DATA

df = pd.DataFrame(abalone)
df.isnull()

|   | Sex   | Length | Diameter | Height | Whole<br>weight | Shucked<br>weight | Viscera<br>weight | Shell<br>weight | Rings |
|---|-------|--------|----------|--------|-----------------|-------------------|-------------------|-----------------|-------|
| 0 | False | False  | False    | False  | False           | False             | False             | False           | False |
| 1 | False | False  | False    | False  | False           | False             | False             | False           | False |
| 2 | False | False  | False    | False  | False           | False             | False             | False           | False |
| 3 | False | False  | False    | False  | False           | False             | False             | False           | False |
| 4 | False | False  | False    | False  | False           | False             | False             | False           | False |
|   |       |        |          |        |                 |                   |                   |                 |       |

df.fillna(0)

|      | Sex | Length | Diameter | Height | Whole<br>weight | Shucked<br>weight | Viscera<br>weight | Shell<br>weight | Rings |
|------|-----|--------|----------|--------|-----------------|-------------------|-------------------|-----------------|-------|
| 0    | M   | 0.455  | 0.365    | 0.095  | 0.5140          | 0.2245            | 0.1010            | 0.1500          | 15    |
| 1    | M   | 0.350  | 0.265    | 0.090  | 0.2255          | 0.0995            | 0.0485            | 0.0700          | 7     |
| 2    | F   | 0.530  | 0.420    | 0.135  | 0.6770          | 0.2565            | 0.1415            | 0.2100          | 9     |
| 3    | M   | 0.440  | 0.365    | 0.125  | 0.5160          | 0.2155            | 0.1140            | 0.1550          | 10    |
| 4    | 1   | 0.330  | 0.255    | 0.080  | 0.2050          | 0.0895            | 0.0395            | 0.0550          | 7     |
|      |     |        |          |        |                 |                   |                   |                 |       |
| 4172 | F   | 0.565  | 0.450    | 0.165  | 0.8870          | 0.3700            | 0.2390            | 0.2490          | 11    |
| 4173 | M   | 0.590  | 0.440    | 0.135  | 0.9660          | 0.4390            | 0.2145            | 0.2605          | 10    |
| 4174 | M   | 0.600  | 0.475    | 0.205  | 1.1760          | 0.5255            | 0.2875            | 0.3080          | 9     |
| 4175 | F   | 0.625  | 0.485    | 0.150  | 1.0945          | 0.5310            | 0.2610            | 0.2960          | 10    |
| 4176 | M   | 0.710  | 0.555    | 0.195  | 1.9485          | 0.9455            | 0.3765            | 0.4950          | 12    |

4175 rows x 9 columns

Replacing the missing values with 0 using fillna

## **OUTLIERS IN EACH ATTRIBUTES**

sns.boxplot(df['Length'],data=df)


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60ab1801d0>



sns.boxplot(df['Diameter'],data=df)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a9167d50>



sns.boxplot(df['Height'],data=df)


/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60ab0c41d0>



sns.boxplot(df['Whole weight'],data=df)


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60aaf51050>



sns.boxplot(df['Shucked weight'],data=df)


/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a917f850>



sns.boxplot(df['Viscera weight'],data=df)


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60ac431450>



sns.boxplot(df['Shell weight'],data=df)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60ab0c27d0>



sns.boxplot(df['Rings'],data=df)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60aada63d0>



Q1 = abalone.quantile(0.25)

Q3 = abalone.quantile(0.75)

IQR = Q3-Q1

print(IQR)

```
Length
                  0.16500
Diameter
                  0.13000
Height
                  0.05000
Whole weight
                  0.71150
Shucked weight
                  0.31575
Viscera weight
                  0.15950
Shell weight
                  0.19875
Rings
                  3.00000
dtype: float64
```

### Removing outliers using IQR


```
abalone = abalone[\sim((abalone < (Q1 - 1.5 * IQR)) |(abalone > (Q3 + 1.5 * IQR))).any(axis=1 abalone.shape
```

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:1: FutureWarning: Autom
"""Entry point for launching an IPython kernel.
(3781, 9)

sns.boxplot(abalone['Rings'],data=abalone)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60aad70190>



sns.boxplot(abalone['Length'],data=abalone)


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a9136b50>



sns.boxplot(abalone['Height'],data=abalone)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a90c9410>




0.050 0.075 0.100 0.125 0.150 0.175 0.200 0.225 0.250 Height

.

sns.boxplot(abalone['Diameter'],data=abalone)


/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a9284610>



sns.boxplot(abalone['Whole weight'],data=abalone)


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60aaece190>



sns.boxplot(abalone['Shucked weight'],data=abalone)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60ab08ce90>



sns.boxplot(abalone['Shell weight'],data=abalone)


<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a936f610>



sns.boxplot(abalone['Viscera weight'],data=abalone)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pas FutureWarning

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f60a94d0e50>



### LABEL ENCODING OF CATEGORICAL DATA

```
le=LabelEncoder()
abalone['Sex']=le.fit_transform(abalone['Sex'])
```

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:2: SettingWithCopyWarni A value is trying to be set on a copy of a slice from a DataFrame.

Try using .loc[row\_indexer,col\_indexer] = value instead

See the caveats in the documentation: <a href="https://pandas.pydata.org/pandas-docs/stable/u">https://pandas.pydata.org/pandas-docs/stable/u</a>

abalone

|   | Sex | Length | Diameter | Height | Whole<br>weight | Shucked<br>weight | Viscera<br>weight | Shell<br>weight | Rings |
|---|-----|--------|----------|--------|-----------------|-------------------|-------------------|-----------------|-------|
| 0 | 2   | 0.455  | 0.365    | 0.095  | 0.5140          | 0.2245            | 0.1010            | 0.1500          | 15    |
| 1 | 2   | 0.350  | 0.265    | 0.090  | 0.2255          | 0.0995            | 0.0485            | 0.0700          | 7     |
| 2 | 0   | 0.530  | 0.420    | 0.135  | 0.6770          | 0.2565            | 0.1415            | 0.2100          | 9     |
| 3 | 2   | 0.440  | 0.365    | 0.125  | 0.5160          | 0.2155            | 0.1140            | 0.1550          | 10    |
| 4 | 1   | 0.330  | 0.255    | 0.080  | 0.2050          | 0.0895            | 0.0395            | 0.0550          | 7     |
|   |     |        |          |        |                 |                   |                   |                 |       |

8. Spliting the Data into dependent and Independent Variables

```
X = abalone.iloc[:, :-1].values
y = abalone.iloc[:, -1].values
```

9. Scaling independent variables

```
scaler = StandardScaler()
scaler.fit(abalone)
```

StandardScaler()

10. Spliting training and test data

```
\label{eq:train_X} train_X, val_X, train_y, val_y = train_test_split(X, y, test_size = 0.2, random_state = 0)
```

```
print("Shape of Training X :",train_X.shape)
print("Shape of Validation X :",val_X.shape)
```

Shape of Training X: (3024, 8) Shape of Validation X: (757, 8)

```
print("Shape of Training y :",train_y.shape)
print("Shape of Validation y :",val_y.shape)
```

Shape of Training y : (3024,) Shape of Validation y : (757,)

### LINEAR REGRESSION

```
lr = LinearRegression()
lr.fit(train_X,train_y)
```

```
LinearRegression()
```

```
%%time
y_pred_val_lr = lr.predict(val_X)
print('MAE on Validation set :',metrics.mean_absolute_error(val_y, y_pred_val_lr))
print("\n")
print('MSE on Validation set :',metrics.mean_squared_error(val_y, y_pred_val_lr))
print("\n")
print('RMSE on Validation set :',np.sqrt(metrics.mean absolute error(val y, y pred val lr)
print("\n")
print('R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_lr))
print("\n")
     MAE on Validation set: 1.2719689486359298
     MSE on Validation set: 2.7606215450501024
     RMSE on Validation set: 1.127816008325795
     R2 Score on Validation set: 0.5119499107890585
     CPU times: user 5.68 ms, sys: 0 ns, total: 5.68 ms
     Wall time: 6.73 ms
SUPPORT VECTOR MACHINE
svm = SVR()
svm.fit(train_X,train_y)
     SVR()
%%time
y_pred_val_svm = svm.predict(val_X)
print('MAE on Validation set :',metrics.mean absolute error(val y, y pred val svm))
print("\n")
print('MSE on Validation set :',metrics.mean_squared_error(val_y, y_pred_val_svm))
print("\n")
print('RMSE on Validation set :',np.sqrt(metrics.mean_absolute_error(val_y, y_pred_val_svm)
print("\n")
```

MAE on Validation set : 1.2208952787270895

print("\n")

print('R2 Score on Validation set :',metrics.r2\_score(val\_y, y\_pred\_val\_svm))

MSE on Validation set : 2.7012620714060267

RMSE on Validation set : 1.1049413010323623

R2 Score on Validation set : 0.5224440679687887

CPU times: user 140 ms, sys: 4.84 ms, total: 145 ms

Wall time: 144 ms

### **DECISION TREE REGRESSOR**

```
dc = DecisionTreeRegressor(random_state = 0)
dc.fit(train_X,train_y)
```

DecisionTreeRegressor(random\_state=0)

```
%%time
y_pred_val_dc = dc.predict(val_X)
print('MAE on Validation set :',metrics.mean_absolute_error(val_y, y_pred_val_dc))
print('\n")
print('MSE on Validation set :',metrics.mean_squared_error(val_y, y_pred_val_dc))
print("\n")
print('RMSE on Validation set :',np.sqrt(metrics.mean_absolute_error(val_y, y_pred_val_dc))
print('\n")
print('R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_dc))
print('\n")
```

MAE on Validation set : 1.6393659180977542

MSE on Validation set : 4.88110964332893

RMSE on Validation set : 1.2803772561623212

R2 Score on Validation set: 0.13706896870869845

CPU times: user 7.61 ms, sys: 1.06 ms, total: 8.67 ms

Wall time: 10.2 ms

#### OVERVIEW OF R2 SCORES OF ALL MODELS

```
print('Logistic Regression R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_print('SVR R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_svm))
print('Decision Tree Regressor R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_svm))
```

Logistic Regression R2 Score on Validation set : 0.5119499107890585

SVR R2 Score on Validation set : 0.5224440679687887

Decision Tree Regressor R2 Score on Validation set: 0.13706896870869845