PROJECT DEVELOPMENT PHASE

SPRINT-III

Date	19 November 2022
Team ID	PNT2022TMID28260
Project Name	Natural Disaster Intensity Analysis and Classification using Artificial Intelligence

DETECTION AND ANALYSIS OF DATA:

After Testing and Training the model, data which given in dataset are analysed and visualised effectively to detect the Disaster Type. Using webcam, it can capture image or video stream of Disaster, to detect and analyse the type of Disaster.

```
print(x_train.class_indices)#checking the number of classes
```

```
print(x_test.class_indices)#checking the number of classes
```

```
from collections import Counter as c
c(x_train .labels)
```

IMAGE PREPROCESSING:

Image Pre-processing was done for Disaster intensity analysis and classification with three main tasks which includes for pre-processing of Images,

- Import ImageDataGenerator Library.
- Configure ImageDataGenerator Class.
- Applying ImageDataGenerator functionality to the trainset and test set.

Image Data Augumentation

In [ ]:
```
#setting parameter for Image Data agumentation to the training data
train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)
#Image Data agumentation to the testing data
test_datagen=ImageDataGenerator(rescale=1./255)
```

IMPORTING THE IMAGEDATAGENERATOR LIBRARY:

By importing the ImageDataGenerator Library can expand the train_set data size using modified versions of dataset.

ImageDataGenerator class were importing from keras.

```
from keras.preprocessing.image import ImageDataGenerator
```

```
Using TensorFlow backend.
```

CONFIGURE IMAGEDATAGENERATOR CLASS:

ImageDataGenerator class is instantiated and the configuration for the types of data augmentation.

An instance of the ImageDataGenerator class can be constructed for train and test dataset by ImageDataGenerator class.

```
# Image Data Augumentation
```

```
In [ ]: #setting parameter for Image Data agumentation to the training data
train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)
#Image Data agumentation to the testing data
test_datagen=ImageDataGenerator(rescale=1./255)
```

APPLYING IMAGEDATAGENERATOR FUNCTIONALITY TO TRAINSET AND TESTSET :

ImageDataGenerator functionality was applied to Trainset and Testset by using the following code,

“For Training set using flow_from_directory function”.

Loading our data and performing Data Augumentation

```
In [5]: #performing data agumentation to train data
x_train = train_datagen.flow_from_directory(r'C:\Users\ELCOT\Downloads\projest\ibm\dataset\train_set',target_size=(64, 64),batch_
                                            color_mode='rgb',class_mode='categorical')
#performing data agumentation to test data
x_test = test_datagen.flow_from_directory(r'C:\Users\ELCOT\Downloads\projest\ibm\dataset\test_set',target_size=(64, 64),batch_si
                                          color_mode='rgb',class_mode='categorical')
```

```
Found 742 images belonging to 4 classes.
Found 198 images belonging to 4 classes.
```

MODEL BUILDING:

Building a Model with web application named “FLASK”, model building process consist several steps like,

- Import the model building Libraries
- Initializing the model
- Adding CNN Layers
- Adding Hidden Layer
- Adding Output Layer
- Configure the Learning Process
- Training and testing the model all the above processes are done and saved in a model.

Creating the Model

In [ ]:
```
# Initializing the CNN
classifier = Sequential()

# First convolution layer and poolingo
classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))
classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))
# Second convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), activation='relu'))
# input_shape is going to be the pooled feature maps from the previous convolution layer
classifier.add(MaxPooling2D(pool_size=(2, 2)))
classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))

 # Flattening the layers
classifier.add(Flatten())

# Adding a fully connected layer
classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=4, activation='softmax')) # softmax for more than 2
```

In [ ]:
```
classifier.summary()#summary of our model
```

Saving the Model

In [ ]:
```
# Save the model
classifier.save('disaster.h5')
```

In [ ]:
```
model_json = classifier.to_json()
with open("model-bw.json", "w") as json_file:
    json_file.write(model_json)
```

CREATING app.py:

```
# import the necessary packages
from flask import Flask,render_template,request
# Flask-It is our framework which we are going to use to run/serve our application.
#request-for accessing file which was uploaded by the user on our application.
#import operator
import cv2 # opencv library
from tensorflow.keras.models import load_model#to load our trained model
import numpy as np
#import os
from werkzeug.utils import secure_filename
#from playsound import playsound
#from gtts import gTTS
'''
def playaudio(text):
    speech=gTTS(text)
    print(type(speech))
    speech.save("output1.mp3")
    playsound("output1.mp3")
    return
'''
app = Flask(__name__,template_folder="templates") # initializing a flask app
# Loading the model
model=load_model(r'C:\Users\user\Desktop\IBM\Flask\templates\disaster.h5')
print("Loaded model from disk")


app=Flask(__name__,template_folder="templates")
@app.route('/', methods=['GET'])
def index():
    return render_template('home.html')
@app.route('/home', methods=['GET'])
def home():
    return render_template('home.html')
@app.route('/intro', methods=['GET'])
def about():
    return render_template('intro.html')
@app.route('/upload', methods=['GET', 'POST'])
```