


PROJECT REPORT

Natural Disasters Intensity Analysis and Classification using Artificial Intelligence



Submitted by:

TEAM ID: PNT2022TMID28260

LIRIN S	-	312419106069
PALANIAPPAN AR	-	312419106094
LOKESH R	-	312419106070
KISHORE S	-	312419106067

TABLE OF CONTENTS

1. INTRODUCTION

- a. PROJECT OVERVIEW
- b. PURPOSE

2. LITERATURE SURVEY

- a. EXISTING PROBLEM
- b. REFERENCES
- c. PROBLEM STATEMENT DEFINITION

3. IDEATION AND PROPOSED SOLUTION

- a. EMPATHY MAP CANVAS
- b. IDEATION & BRAINSTORMING
- c. PROPOSED SOLUTION
- d. PROBLEM SOLUTION FIT

4. REQUIREMENT ANALYSIS

- a. FUNCTIONAL REQUIREMENTS b. NON FUNCTIONAL REQUIREMENTS

5. PROJECT DESIGN

- a. DATA FLOW DIAGRAM
- b. SOLUTION & TECHNICAL ARCHITECTURE
- c. USER STORIES

6. PROJECT PLANNING AND SCHEDULING

- I. SPRINT PLANNING AND ESTIMATION

II. SPRINT DELIVERY SCHEDULE

7. CODING & SOLUTIONING

8. TESTING

a. TEST CASES

b. USER ACCEPTANCE TESTING

i. DEFECT ANALYSIS ii. TEST CASE ANALYSIS

9. RESULTS

c. PERFORMANCE METRICS

10. ADVANTAGES &DISADVANTAGES

d. ADVANTAGES

e. DISADVANTAGES

11. CONCLUSION

12. FUTURE SCOPE

APPENDIX

SOURCE CODE

GITHUB

PROJECTDEMO

CHAPTER 1

INTRODUCTION

1.1 PROJECT OVERVIEW

Natural disasters not only disturb the human ecological system but also destroy the properties and critical infrastructures of human societies and even lead to permanent change in the ecosystem. Disaster can be caused by naturally occurring events such as earthquakes, cyclones, floods, and wildfires. Many deep learning techniques have been applied by various researchers to detect and classify natural disasters to overcome losses in ecosystems, but detection of natural disasters still faces issues due to the complex and imbalanced structures of images. To tackle this problem, we developed a multilayered deep convolutional neural network model that classifies the natural disaster and tells the intensity of disaster of natural. The model uses an integrated webcam to capture the video frame and the video frame is compared with the Pre-trained model and the type of disaster is identified and showcased on the OpenCV window.

1.2 PURPOSE

Disaster management plays an integral role in **keeping communities safe**. It involves coordinating the resources, such as pollution control systems, and responsibilities, such as following best practice policies, needed to prevent, prepare for, respond to, and recover from emergencies. Natural disasters generally constitute an emergency since they require immediate intervention due to their **high impact on human health and safety**; they affect the normal functioning of working infrastructure, interrupting normal day activities and representing a risk for residents and workers in affected areas.

CHAPTER 2

LITERATURE SURVEY

2.1 EXISTING PROBLEM

Many researchers have attempted to use different deep learning methods for detection of natural disasters. However, the detection of natural disasters by using deep learning techniques still faces various issues due to noise and serious class imbalance problems. To address these problems, we proposed a multilayered deep convolutional neural network for detection and intensity classification of natural disasters. The proposed method works in two blocks—one for detection of natural disaster occurrence and the second block is used to remove imbalanced class issues. The results were calculated as average statistical values: sensitivity, 97.54%; specificity, 98.22%; accuracy rate, 99.92%; precision, 97.79%; and F1-score, 97.97% for the proposed model. The proposed model achieved the highest accuracy as compared to other state-of-the-art methods due to its multilayered structure. The proposed model performs significantly better for natural disaster detection and classification, but in the future the model can be used for various natural disaster detection processes.

2.2 REFERENCES

1. Mignan, A.; Broccardo, M. Neural network applications in earthquake prediction(1994–2019): Meta-analytic and statistical insights on their limitations. *Seism. Res. Lett.* 2020, 91, 2330–2342. [CrossRef]
2. Tonini, M.; D’Andrea, M.; Biondi, G.; Degli Esposti, S.; Trucchia, A.; Fiorucci, P. A Machine Learning-Based Approach for Wildfire Susceptibility Mapping.

The Case Study of the Liguria Region in Italy. *Geosciences* 2020, 10, 105. [CrossRef]

1. Islam, A.R.M.T.; Talukdar, S.; Mahato, S.; Kundu, S.; Eibek, K.U.; Pham, Q.B.; Kuriqi, A.; Linh, N.T.T. Flood susceptibility modelling using advanced ensemble machine learning models. *Geosci. Front.* 2021, 12, 101075. [CrossRef]
2. Schlemper, J.; Caballero, J.; Hajnal, V.; Price, A.N.; Rueckert, D. A deep cascade of convolutional neural networks for dynamic MR image reconstruction. *IEEE Trans. Med. Imaging* 2017, 37, 491–503. [CrossRef] [PubMed]
3. Tang, C.; Zhu, Q.; Wu, W.; Huang, W.; Hong, C.; Niu, X. PLANET: Improved convolutional neural networks with image enhancement for image classification. *Math. Probl. Eng.* 2020, 2020. [CrossRef]
4. Ashiquzzaman, A.; Oh, S.M.; Lee, D.; Lee, J.; Kim, J. Context-aware deep convolutional neural network application for fire and smoke detection in virtual environment for surveillance video analysis. In *Smart Trends in Computing and Communications, Proceedings of the SmartCom 2020, Paris, France, 29–31 December 2020*; Springer: Berlin/Heidelberg, Germany, 2021; pp. 459–467.
5. Li, T.; Zhao, E.; Zhang, J.; Hu, C. Detection of Wildfire Smoke Images Based on a Densely Dilated Convolutional Network. *Electronics* 2019, 8, 1131. [CrossRef]
6. Mangalathu, S.; Burton, H.V. Deep learning-based classification of earthquake-impacted buildings using textual damage descriptions. *Int. J. Disaster Risk Reduct.* 2019, 36, 101111. [CrossRef]

2.3 PROBLEM STATEMENT DEFINITION


"IMD (Indian Meteorology department) is responsible to issue warnings for the rainfall and CWC (Central Water Commission) keeps a record of water reservoirs, however there is a lack of collation of data issued from both these departments. This prevents us from determining the impact/seriousness and due to which there are times where adequate forewarnings are not provided. There are several High rainfall areas, low lying areas or flood prone areas. Currently there are limitations that these areas cannot be alerted before the critical situation because of the data

unavailability or unavailability of simulation models which can calculate and predict the data. There is a requirement of data on the area likely to be inundated(depth) by release of water from reservoirs. 3D models may help in calculation of such data.a) Adequate forewarning for the area where floods are likely to occur. b) Low lying areas may be alerted about the release of accurate quantity of water from the reservoirs and thus evacuation/shifting of the people can be planned. c) It will help the Response forces to deploy their resources accordingly d) Prediction of release of water based on rainfall in catchment area and dissemination of an information to the affected public through mobile and other mediums."


CHAPTER 3

IDEATION AND PROPOSED SOLUTION

3.1 EMPATHY MAP CANVAS



3.2 IDEATION & BRAINSTORMING



Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

- 10 minutes to prepare
- 1 hour to collaborate
- 3-8 people recommended

[Share template feedback](#)

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

10 minutes

- Team gathering**
Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.
- Set the goal**
Think about the problem you'll be focusing on solving in the brainstorming session.
- Learn how to use the facilitation tools**
Use the Facilitation Superpowers to run a happy and productive session.

[Open article](#)

1 Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

5 minutes

PROBLEM

How might we [your problem statement]?

Key rules of brainstorming

To run a smooth and productive session

- Stay in topic.
- Defer judgment.
- Go for volume.
- Encourage wild ideas.
- Listen to others.
- If possible, be visual.

2 Brainstorm

Write down any ideas that come to mind that address your problem statement.

10 minutes

TIP

You can select a sticky note and fit the pencil (switch to drawing) to start drawing!

KISHORE S	LWIN S	LOKER S	PALANISAPPIAN AR
1. I think we should use AI to help with the problem.	2. We could use a machine learning algorithm to predict the outcome.	3. Maybe we could use a neural network to process the data.	4. I think we should use a deep learning model to analyze the data.
5. We could use a reinforcement learning algorithm to optimize the process.	6. Maybe we could use a generative model to create new data.	7. I think we should use a variational autoencoder to compress the data.	8. We could use a convolutional neural network to extract features from the data.
9. Maybe we could use a recurrent neural network to model the data over time.	10. I think we should use a support vector machine to classify the data.	11. We could use a decision tree to make predictions based on the data.	12. Maybe we could use a random forest to improve the accuracy of the model.

3 Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

10 minutes

ACCURACY

- predicting intensity of the natural disaster with greater accuracy
- it suggests right decision on saving people from disaster

TIP: Add color-coded tags to sticky notes to make it easier to find, browse, organize, and categorize. Export them as they appear on your mural.

DATASET

- using recent and live data sets to help the prediction
- A dataset to make ML Algorithm to work on all worst cases


WHY AI?

- It performs without human intervention
- Technology powers prediction and probability of occurrence
- AI is the future assistant for humans

4 Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

10 minutes



Importance
If most of these ideas could get done, which ones are most important to you?

Feasibility
Regardless of their importance, which ideas are most feasible to run? (Cost, time, effort, complexity, etc.)

Key ideas plotted on the grid:

- It is driven by web application algorithms.
- Technology is very powerful in dealing with the data.
- It is the future assistant for humans.
- It offers the ideal solution at the ideal moment and complexity.
- results that are reliable for new users.
- It is the future assistant for humans.
- positive experience with user request validation.
- to preserve the data's historical record.
- simple application usage.
- It uses web application block technology to run.
- Technology powers prediction and probability of occurrence.
- Having a simple website makes data extraction easier.
- employing automated tools to generate user requests.

After you collaborate

You can export the mural as an image or pdf to share with members of your company who might find it helpful.

[Share template feedback](#)

Quick add-ons

- Share the mural**
Share a view link to the mural with stakeholders to keep them in the loop about the outcomes of the session.
- Export the mural**
Export a copy of the mural as a PNG or PDF to attach to emails, include in slides, or save in your drive.

Keep moving forward

- Strategy blueprint**
Define the components of a new idea or strategy.
[Open the template](#)
- Customer experience journey map**
Understand customer needs, motivations, and obstacles for an experience.
[Open the template](#)
- Strengths, weaknesses, opportunities & threats**
Identify strengths, weaknesses, opportunities, and threats (SWOT) to develop a plan.
[Open the template](#)

[Share template feedback](#)

3.3 PROPOSED SOLUTION

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	To classify the natural disaster and the effect based on the webcam image given as input using Artificial Intelligence.
2.	Idea / Solution description	The classification is done by deep learning techniques such as Convolutional Neural Network (CNN) and Machine Learning Techniques.
3.	Novelty / Uniqueness	It is based on the satellite and multispectral image and the classification using Multilayered Deep Convolutional Neural Networks.
4.	Social Impact / Customer Satisfaction	The people can easily identify the type of natural disaster and its effect on the environment which leads to the earlier identification and reduced damage in the ecosystem.
5.	Business Model (Revenue Model)	We build a system that classifies the natural diasater and its intensity and it is believed that the website is useful for all people and also the website works for a long time effectively.
6.	Scalability of the Solution	The website will be made available for all the people who needs to classify the type of natural disaster. The machine learning and deep learning algorithms that are being used made it easier for the classification and intensity analysis.

3.4 PROBLEM SOLUTION FIT

Define CS, fit into CC	<p>1. CUSTOMER SEGMENT(S) CS</p> <p>Who is your customer? i.e. working parents of 0-5 y.o. kids</p> <p>Seismologist Volcanologist Meteorologist Oceanographer Climatologist</p>	<p>6. CUSTOMER CONSTRAINTS CC</p> <p>What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices.</p> <p>Scope of the product. Cost. Prolonged periods of implementation. Environmental constraints. Lack of sufficient resources. Varying geographical terrain. Unpredictable climate changes.</p>	<p>5. AVAILABLE SOLUTIONS AS</p> <p>Which solutions are available to the customers when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital notetaking</p> <p>Usage of classification algorithm solely for the purpose of identification for impacts of disasters by the help of optimized data clustering.</p> <p>Pros: 1) Modal transparency 2) Clear distinction between indirect and direct effects 3) Well-suited to short-term recovery periods</p> <p>Cons: 1) Ignores other fundamental factors responsible for such phenomenon 2) Lack of scalability of the product</p>	Explore AS, differentiate
Focus on J&P, tap into BE, understand RC	<p>2. JOBS-TO-BE-DONE / PROBLEMS J&P</p> <p>Which jobs to be done (or problems) do you address for your customers? There could be more than one; explore different sides.</p> <p>It is difficult to analyze factors such as atmospheric pressure, tectonic movements, ocean surface disturbances and volcanic activity which results in such devastating phenomenon.</p>	<p>9. PROBLEM ROOT CAUSE RC</p> <p>What is the real reason that this problem exists? What is the back story behind the need to do this job? i.e. customers have to do it because of the change in regulations.</p> <p>1) Natural phenomenon 2) Influence of stellar objects 3) Tectonic movement 4) Soil erosion 5) Deforestation 6) Ocean currents 7) Air pressure 8) Seismic waves</p>	<p>7. BEHAVIOUR BE</p> <p>What does your customer do to address the problem and get the job done? i.e. directly related: find the right solar panel installer, calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace)</p> <p>1) Develops, adopts, and enforces building codes and land-use standards. 2) Requires construction of disaster-resistant structures. 3) By providing training and professional development programs. 4) Coordinating incident response planning.</p>	Focus on J&P, tap into BE, understand RC
Identify strong TR & EM	<p>3. TRIGGERS </p> <p>What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news.</p> <p>When a product offers high precision for such unpredictable factors, it encourages the users to obtain it at all costs.</p> <p>4. EMOTIONS: BEFORE / AFTER </p> <p>How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design.</p> <p>Due to the variables present in the data gathered from the surroundings, many people tend to be confused and frustrated at the lack of results. However, since this product provides high yield of results, it not only raises their overall work efficiency but also their confidence.</p>	<p>10. YOUR SOLUTION </p> <p>If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality. If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.</p> <p>We hope to integrate the supervised classification algorithm with the reinforcement learning algorithm to help the AI monitor and predict the influence of various factors in the environment and their impacts.</p>	<p>8. CHANNELS of BEHAVIOUR </p> <p>1. ONLINE What kind of actions do customers take online? Extract online channels from #7</p> <p>2. OFFLINE What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development.</p> <p>ONLINE: 1) They seek technical support or the experts opinion on such matters via internet. 2) They organize strategical meetings with other authoritarians to help in decision making.</p> <p>OFFLINE: 1) They involve in a series of planning activities to ensure the smooth progress of the monitoring and preventing the impacts of the natural phenomenon.</p>	Identify strong TR & EM

CHAPTER 4

REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENTS

FR No.	Functional Requirement(Epic)	Sub Requirement (Story / Sub-Task)
FR - 1	User Registration	<ol style="list-style-type: none"> 1. Registering via Google Accounts 2. Registering via Product's own user managementsystem
FR - 2	User Authentication	<ol style="list-style-type: none"> 1. Verification through OTP 2. Verification through EmailLink

FR - 3	Designation of Region	<ol style="list-style-type: none"> 1. Ease of selection of necessary areasto bemonitored 2. Versatile and Flexible operations on designatedareas
FR - 4	Analysis of Required Phenomenon	<ol style="list-style-type: none"> 1. Simple and easy analysis on the specificphenomenon to be observed
FR - 5	Accumulation of required Data	<ol style="list-style-type: none"> 1. Fast and Efficient data gathering capabilities regarding past eventanalysis and futureprediction
FR - 6	Organizing Unstructured data	<ol style="list-style-type: none"> 1. Processing of raw and clustered data into clearandrefined data which is useful for analysis and prediction tasks

FR - 7	Algorithm selection	1.	The freedom to choose from several classes of algorithm to be used in the process
		2.	Customization of algorithm to suit the needs of a specific purpose
FR - 8	Prediction and analysis of data	1.	Accurate results of the analysis provided by the process
		2.	Advanced visualization techniques to help visualize the processed data for effective observation
FR - 9	Report generation	1.	Restructuring of obtained results into clear and detailed report for future studies

4.2 NON-FUNCTIONAL REQUIREMENTS

NFR No.	Non-Functional Requirement	Description
NFR - 1	Usability	It is well suited for fields requiring diverse application of processes with efficiency, precision and ease.

NFR - 2	Security	It provides a distinct and secure encryption layer to the system interface for additional security standards.
NFR - 3	Reliability	The product is robust and is capable of execution of processes even in the most difficult and unpredictable environments.


NFR - 4	Performance	The product boasts a high precision and efficient working capacity which helps in escalating its performance to the highest degree.
NFR - 5	Availability	Despite the complexity and degree of difficulty in its operation, the product is equipped with all-round maintenance and readily available technical services which provides the necessary support any individual requires in their duties.
NFR - 6	Scalability	The product also possess enough room for the improvement of its specifications to upgrade its capabilities according to the needs of the user and their organization

CHAPTER 5

PROJECT DESIGN

5.1 DATA FLOW DIAGRAM

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2 USER STORIES

User Type	Functional Requirement (Epic)	User StoryNumber (USN)	User Story / Task	Acceptance criteria	Priority	Release
End user (Customer)	Registration	USN - 1	As a user, I am able to register with theProduct using my valid emailaddress	I should be able to register with my account credentials	High	Sprint - 1
End User (Customer)	Authentication	USN - 2	As a user, I am able to login into the system with my credentials	It should ensure smooth login capabilities withoutdelay	High	Sprint - 1

End User (Customer)	Designation of Region	USN - 3	I can select the region of interest to be monitored and analyzed	I must be able to choose certain specific places without error	High	Sprint - 1
End User (Customer)	Analysis of Required Phenomenon	USN - 4	I am able to monitor certain factors that influence the actions of the phenomenon	It should consider and monitor most of the factors involved in the action	High	Sprint - 2
End User (Customer)	Accumulation of required Data	USN - 5	I am able to gather data regarding past events and a detailed report on past analysis	It should allow the storage of data of past events for certain extent	Medium	Sprint - 2
End User (Customer)	Organizing Unstructured data	USN - 6	I am able to organize and restructure the raw data into refined data	It should ensure easy and efficient processing methods	Low	Sprint - 3

End User (Customer)	Algorithm selection	USN - 7	I am able to choose the required Algorithm for a specific analysis	It must provide various options for the algorithm to be used	High	Sprint - 2
End User (Customer)	Prediction and analysis of data	USN - 8	I am able to easily predict and visualize the data	It should allow easy to use prediction and visualization techniques	High	Sprint - 3

End User (Customer)	Report generation	USN - 9	I am able to generate a clear and detailed report on the analysis	Report generation must be fast and efficient and should not be complex	Medium	Sprint - 4
------------------------	-------------------	---------	---	--	--------	------------

CHAPTER 6

PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATION

Sprint	Functional Requirement(Epic)	User story Number	User story / Task	Story points	Priority	Team members
Sprint-1	Registration	USN – 1	As a user, Registering into the product using a valid email address	5	High	PALANIAPPAN AR
Sprint-2	Registration	USN – 2	As a user, Registering into the product using a valid username and password	3	Medium	LIRIN S
Sprint-1	Authentication	USN – 3	As a user, I adept to logging into the system with credentials	4	High	KISHORE S
Sprint-2	Authentication	USN - 4	As a user, I adept to logging into the system with OTP	2	High	LOKESH R
Sprint-1	Designation of Region	USN – 5	selecting the region of interest to be monitored and analysed	3	High	LIRIN S
Sprint-2	Analysis of Required Phenomen	USN – 6	Regulating certain factors influencing the actions of the	3	High	PALANIAPPAN AR

	on		phenomenon			
Sprint-2	Accumulation of required Data	USN – 7	Gathering data and detailed report on past event analysis	4	Medium	KISHORE S
Sprint-4	Organizing Unstructured data	USN – 8	Organizing and reorienting the raw data into a refined data	3	Low	LOKESH R
Sprint-2	Algorithm selection	USN – 9	Choosing a required algorithm for specific analysis	2	High	LIRIN S KISHORE S
Sprint-3	Prediction and analysis of data	USN – 10	Predicting and visualizing the data effectively	6	High	LOKESH R PALANIAPPAN AR
Sprint-4	Report generation	USN – 11	Generating a clear and detailed report on product data analysis	3	High	LIRIN S PALANIAPPAN AR

6.2 SPRINT DELIVERY:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	12	6 days	24 Oct 2022	29 Oct 2022	12	30 Oct 2022
Sprint-2	14	6 days	31 Oct 2022	5 Nov 2022	14	6 Nov 2022
Sprint-3	6	6 days	07 Nov 2022	12 Nov 2022	6	8 Nov 2022
Sprint-4	6	6 days	14 Nov 2022	19 Nov 2022	6	20 Nov 2022

CHAPTER 7

CODING & SOLUTIONING

Feature 1:

A convolutional neural network is a class of artificial neural networks. It is a Deep Learning algorithm that can take in an input image, assign importance to various objects in the image and be able to differentiate one from the other. The pre-processing required in a ConvNet is much lower as compared to other classification algorithms.

The advantage of CNNs is to provide an efficient dense network which performs the prediction or identification efficiently.

Code is attached below.

Feature 2:

We developed a multilayered deep convolutional neural network model that classifies the natural disaster and tells the intensity of disaster of natural. The model uses an integrated webcam to capture the video frame and the video frame is compared with the Pre-trained model and the type of disaster is identified and showcased on the OpenCV window. A multilayer neural network with appropriate weights has been shown **to be able to approximate any input-output function making it an attractive tool for modeling and forecasting.**

Code is attached below.

CHAPTER 8

TESTING

8. TESTING:

8.1 Test Cases

8.2 User Acceptance Testing

This document serves as a quick reference for the Deep Learning Fundus Image Analysis for Early Detection of Diabetic Retinopathy project's test coverage and open issues as of the project's release for user acceptance testing.

Defect Analysis:-

This shows how many bugs were fixed or closed at each severity level and how they were fixed.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	4	5	2	3	14
Duplicate	1	0	3	1	5
External	2	3	0	1	6
Fixed	9	2	4	15	30
Not Reproduced	0	0	1	0	1
Skipped	1	0	1	1	3
Won't Fix	0	5	2	1	8
Totals	17	14	13	22	64

Test-Case Analysis

This report shows the number of test cases that have passed, failed, and untested.



Section	Total Cases	Not Tested	Fail	Pass
Print Engine	9	0	0	9
Client Application	40	0	0	40
Security	3	0	0	3
Out-source Shipping	3	0	0	3

Exception Reporting	8	0	0	8
Final Report Output	4	0	0	4
Version Control	2	0	0	2

CHAPTER 9

RESULTS

9.1 PERFORMANCE METRICS

S.No.	Parameter	Values	Screenshot
1.	Model Summary	-	 <pre> Model: "sequential" ----- Layer (type) Output Shape Param # ----- conv2d (Conv2D) (None, 62, 62, 32) 896 max_pooling2d (MaxPooling2D) (None, 31, 31, 32) 0 conv2d_1 (Conv2D) (None, 29, 29, 32) 9248 max_pooling2d_1 (MaxPooling2D) (None, 14, 14, 32) 0 flatten (Flatten) (None, 6272) 0 dense (Dense) (None, 128) 802944 dense_1 (Dense) (None, 4) 516 ----- Total params: 813,604 Trainable params: 813,604 Non-trainable params: 0 </pre>
2.	Accuracy	Training Accuracy – 88.04% Validation Accuracy -81.56%	 <pre> Training Accuracy: 88.04 Training Loss: 32.64 Validation Accuracy: 81.56 Validation Loss: 46.84 </pre>

CHAPTER 10

ADVANTAGES & DISADVANTAGES

ADVANTAGES:-

1. Humans also need breaks and time offs to balance their work life and personal life. But AI can work endlessly without breaks.
2. With the use of various AI-based techniques, we can also anticipate today's weather and the days ahead.
3. Helpful in getting life back on track..
4. Their Alert nature able to respond effectively and efficiently which defend the society from large scale damages.

DISADVANTAGES:-

1. It involves huge money to be equipped.
2. Problems faced in life basic needs.
3. One application of artificial intelligence is a robot, which is displacing occupations and increasing unemployment .
4. Machines can perform only those tasks which they are designed or programmed to do, anything out of that they tend to crash or give irrelevant outputs which could be a major backdrop.

CHAPTER 11

CONCLUSION

Many researchers have attempted to use different deep learning methods for detection of natural disasters. However, the detection of natural disasters by using deep learning techniques still faces various issues due

to noise and serious class imbalance problems. To address these problems, we proposed a multilayered deep convolutional neural network for detection and intensity classification of natural disasters. The proposed method works in two blocks—one for detection of natural disaster occurrence and the second block is used to remove imbalanced class issues.

The results were calculated as average statistical values: sensitivity, 97.54%; specificity, 98.22%; accuracy rate, 99.92%; precision, 97.79%; and F1-score, 97.97% for the proposed model. The proposed model achieved the highest accuracy as compared to other state-of-the-art methods due to its multilayered structure. The proposed model performs significantly better for natural disaster detection and classification, but in the future the model can be used for various natural disaster detection processes.

CHAPTER 12

FUTURE SCOPE

AI -smart technology, which has enabled accurate and speedy solutions. If harnessed properly, the technology has the potential of predicting, preventing and providing response faster than ever.

AI data setups are trained to predict seismic data to analyze the patterns of earthquake occurrences, rainfall records and monitor flooding, measure the intensity of hurricanes and read the geological data to understand volcanic eruptions, such systems can reduce the catastrophic impact of natural disasters.

Last year, Google's Pilot project to monitor flood in India with the help of AI, was a successful one – it was a Patna project. They were able to predict floods and the regions that it would be affected due to the natural disaster with an accuracy of over 90%. It was possible owing to the combination of data from government agencies that provide on-

ground information – from measuring devices placed on the spot and satellite captured images of flood-prone areas. They ran hundreds of thousands of simulations on its machine learning (ML) models to predict the flow of water. In the future, leveraging AI can help disaster management bodies install drones, sensors and robots to provide accurate information about damaged buildings and landscapes, potential floods, making rescue missions safer and less time-consuming.

There is a need for smart technology to be integrated within our local communities. Immediate response and tech-based solutions can help reduce the extent of damage. However, since AI is based on machine codes, there is a scope of limitations and errors. However, the amalgamation of human, empathy and alertness, could do wonders in the field of crisis management.

APPENDIX

SOURCE CODE:

home.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Home Page</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
  <link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" type="text/css">
  <link href="https://fonts.googleapis.com/css?family=Lato" rel="stylesheet" type="text/css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

  <style>
```

```
body {  
  font: 400 15px Lato, sans-serif;  
  line-height: 1.8;  
  color: #818181;  
}  
  
h2 {  
  font-size: 24px;  
  text-transform: uppercase;  
  color: #303030;  
  font-weight: 600;  
  margin-bottom: 30px;  
}  
  
h4 {  
  font-size: 19px;  
  line-height: 1.375em;  
  color: #303030;  
  font-weight: 400;  
  margin-bottom: 30px;  
}  
  
.jumbotron {  
  background-color: #f4511e;  
  color: #fff;  
  
  font-family: Montserrat, sans-serif;  
}  
  
.container-fluid {  
  padding: 60px 50px;  
}  
  
.bg-grey {
```



```
background-color: #f6f6f6;
}
.logo-small {
color: #f4511e;
font-size: 50px;
}
.logo {
color: #f4511e;
font-size: 200px;
}
.thumbnail {
padding: 0 0 15px 0;
border: none;
border-radius: 0;
}
.thumbnail img {
width: 100%;
height: 100%;
margin-bottom: 10px;
}
.carousel-control.right, .carousel-control.left {
background-image: none;
color: #f4511e;
}
.carousel-indicators li {
border-color: #f4511e;
}
.carousel-indicators li.active {
background-color: #f4511e;
```

```
}  
.item h4 {  
  font-size: 19px;  
  line-height: 1.375em;  
  font-weight: 400;  
  font-style: italic;  
  margin: 70px 0;  
}  
.item span {  
  font-style: normal;  
}  
.panel {  
  border: 1px solid #f4511e;  
  border-radius: 0 !important;  
  transition: box-shadow 0.5s;  
}  
.panel:hover {  
  box-shadow: 5px 0px 40px rgba(0,0,0, .2);  
}  
.panel-footer .btn:hover {  
  border: 1px solid #f4511e;  
  background-color: #fff !important;  
  color: #f4511e;  
}  
.panel-heading {  
  color: #fff !important;  
  background-color: #f4511e !important;  
  padding: 25px;  
  border-bottom: 1px solid transparent;
```

```
border-top-left-radius: 0px;
border-top-right-radius: 0px;
border-bottom-left-radius: 0px;
border-bottom-right-radius: 0px;
}
.panel-footer {
background-color: white !important;
}
.panel-footer h3 {
font-size: 32px;
}
.panel-footer h4 {
color: #aaa;
font-size: 14px;
}
.panel-footer .btn {
margin: 15px 0;
background-color: #f4511e;
color: #fff;
}
.navbar {
margin-bottom: 0;
background-color: #0059ff;
z-index: 9999;
border: 0;
font-size: 12px !important;
line-height: 1.42857143 !important;
letter-spacing: 4px;
border-radius: 0;
```

```
font-family: Montserrat, sans-serif;
}
.navbar li a, .navbar .navbar-brand {
color: #fff !important;
}
.navbar-nav li a:hover, .navbar-nav li.active a {
color: #f4511e !important;
background-color: #fff !important;
}
.navbar-default .navbar-toggle {
border-color: transparent;
color: #fff !important;
}
footer .glyphicon {
font-size: 20px;
margin-bottom: 20px;
color: #f4511e;
}
.slideanim { visibility:hidden;}
.slide {
animation-name: slide;
-webkit-animation-name: slide;
animation-duration: 1s;
-webkit-animation-duration: 1s;
visibility: visible;
}
@keyframes slide {
0% {
opacity: 0;
```

```
    transform: translateY(70%);
}
100% {
    opacity: 1;
    transform: translateY(0%);
}
}
@-webkit-keyframes slide {
    0% {
        opacity: 0;
        -webkit-transform: translateY(70%);
    }
    100% {
        opacity: 1;
        -webkit-transform: translateY(0%);
    }
}
@media screen and (max-width: 768px) {
    .col-sm-4 {
        text-align: center;
        margin: 25px 0;
    }
    .btn-lg {
        width: 100%;
        margin-bottom: 35px;
    }
}
@media screen and (max-width: 480px) {
    .logo {
```

```
    font-size: 150px;
  }
}
```

```
.container {
  padding: 16px;
  max-width: max-content;
}
```

```
.container {
  max-width: 1376px;
  margin: auto;
  padding: 2rem 1.5rem;
}
```

```
.cards {
  display: flex;
  flex-wrap: wrap;
  align-items: center;
  justify-content: center;
}
```

```
.card {
  cursor: pointer;
  background-color: transparent;
  height: 300px;
  perspective: 1000px;
  margin: 1rem;
  align-items: center;
```

```
justify-content: center;  
}
```

```
.card h3 {  
  border-bottom: 1px #fff solid;  
  padding-bottom: 10px;  
  margin-bottom: 10px;  
  text-align: center;  
  font-size: 1.6rem;  
  word-spacing: 3px;  
}
```

```
.card p{  
  opacity: 0.75;  
  font-size: 0.8rem;  
  line-height: 1.4;  
}
```

```
.card img {  
  width: 360px;  
  height: 300px;  
  object-fit: cover;  
  border-radius: 3px;  
}
```

```
.card-inner {  
  position: relative;  
  width: 360px;  
  height: 100%;
```

```
transition: transform 0.9s;  
transform-style: preserve-3d;  
}
```

```
.card:hover .card-inner {  
  transform: rotateY(180deg);  
}
```

```
.card-front,  
.card-back {  
  position: absolute;  
  width: 360px;  
  height: 100%;  
  -webkit-backface-visibility: hidden;  
  backface-visibility: hidden;  
}
```

```
.card-back {  
  background-color: #222;  
  color: #fff;  
  padding: 1.5rem;  
  transform: rotateY(180deg);  
}
```

```
.text-block {  
  position: absolute;  
  bottom: 20px;  
  right: 20px;  
  background-color: black;  
  color: white;
```



```
padding-left: 20px;
padding-right: 20px;
}

.features-section img {
display: none;
}

.testimonials-section {
background: var(--primary-colour);
color: white;
}

.testimonials-section li {
background: #0059ff;
text-align: center;
width: 80%;
border-radius: 1em;
}

.testimonials-section li img {
width: 6em;
height: 6em;
border: 3px solid #ffffff;
border-radius: 50%;
margin-top: -2.5em;
}

ul {
```

```
list-style-type: none;
margin: 0;
padding: 0;
}
```

```
ul.features-list {
    margin: 0;
    padding-left: .1em;
}
```

```
ul.features-list li {
    font-size: 1.1em;
    margin-bottom: 1em;
    margin-left: 2em;
    position: relative;
}
```

```
ul.features-list li:before {
    content: "";
    left: -2em;
    position: absolute;
    width: 20px;
    height: 20px;
    background-image: url("#");
    background-size: contain;
    margin-right: .5em;
}
```

```
.features-section img {
  display: none;
}
</style>
</head>
<body>
<div class="card text-center">
<div class="card-header">
<ul class="nav nav-tabs card-header-tabs">
<li class="nav-item">
<a class="nav-link active" aria-current="true" href="home.html" style="font-size:
24px;">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="intro.html" style="font-size: 24px;">Introduction</a>
</li>
<li class="nav-item">
<a class="nav-link" href="upload.html" style="font-size: 24px;">Upload</a>
</li>
</ul>
<h3 style="float: right;">AI based Natural Disaster Analysis</h3>
</div>
<div class="container-fluid">
  <div class="container">

    <div class="cards">

      <div class="card">
        <div class="card-inner">
```

```
<div class="card-front">

  <div class="text-block">

    <h1>Cyclone</h1>

    <h3>violent winds, torrential rain, high waves and, very destructive storm</h3>

  </div>

</div>

<div class="card-back">

  <h3>Cyclone</h3>

  <h3>The effects of tropical cyclones include heavy rain, strong wind, large storm surges
near

    landfall, and tornadoes. The destruction from a tropical cyclone, such as a hurricane or
    tropical storm, depends mainly on its intensity, its size, and its location.</h3>

  </div>

</div>

</div>

<div class="container">

  <div class="cards">

    <div class="card">

      <div class="card-inner">

        <div class="card-front">

          
```

```
<div class="text-block">
```

```
<h1>Earth Quake</h1>
```

```
<h2>Sudden release of stored energy in the Earth's crust that creates seismic waves.
```

```
</h2>
```

```
</div>
```

```
</div>
```

```
<div class="card-back">
```

```
<h3>Earth Quake</h3>
```

```
<h3>Earthquakes are usually caused when rock underground suddenly breaks fault.
```

```
This sudden release of energy causes the seismic waves that make the ground shake.
```

```
... During the earthquake and afterward, the plates or blocks of rock start moving,
```

```
and they continue to move until they get stuck again.</h3>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="container">
```

```
<div class="cards">
```

```
<div class="card">
```

```
<div class="card-inner">
```

```
<div class="card-front">
```

```

```

```
<div class="text-block">
```

```
<h1>Flood</h1>
```

```
<h3>A flood is an overflow of water on normally dry ground</h3>
```

```
</div>
```

</div>

<div class="card-back">

<h3>Flood</h3>

<h3>During heavy rain, the storm drains can become overwhelmed or plugged by debris and flood the roads and buildings nearby. Low spots, such as underpasses, underground parking garages, basements, and low water crossings can become death traps. Areas near rivers are at risk from floods.</h3>

</div>

</div>

</div>

<div class="container">

<div class="cards"

<div class="card">

<div class="card-inner">

<div class="card-front">

<div class="text-block">

<h1>WildFire</h1>

<h3>Uncontrolled fire in a forest, grassland, brushland</h3>

</div>

</div>

<div class="card-back">

<h3>Wildfire</h3>

<h3>Wildfires can be caused by an accumulation of dead matter (leaves, twigs, and trees) that can create enough heat in some instances to spontaneously combust and ignite the surrounding area. Lightning

strikes the earth over 100,000 times a day. 10 to 20% of these lightning strikes can cause fire.</h3>

</div>

</div>

</div>

</div>

intro.html:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"

rel="stylesheet" integrity="sha384-

Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"

crossorigin="anonymous">

<title>Document</title>

</head>

<body>

<div class="card text-center">

<div class="card-header">

<ul class="nav nav-tabs card-header-tabs">

<li class="nav-item">

<a class="nav-link" aria-current="true" href="home.html" style="font-size:

24px;">Home

<li class="nav-item">

```
<a class="nav-link active" href="intro.html" style="font-size: 24px;">Introduction</a></li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="upload.html" style="font-size: 24px;">Upload</a>
```

```
</li>
```

```
</ul>
```

```
<h3 style="float: right;">AI based Natural Disaster Analysis</h3>
```

```
</div>
```

```
</div>
```

```
<h2 style="padding: 50px; margin: 50px; word-spacing: 15px; text-align: center ;line-height: 1.6;">
```

China, India and the United States are among the countries in the world most

affected by natural disasters. Natural disasters have the potential to wreck and even end the lives of those people, who stand in their way.

 However, whether or not you are likely to be

affected by a natural disaster dramatically depends on where in the world you live, The objective of the project is to human build a web application to detect the type of disaster. The input

is taken from the in-built webcam, which in turn is given to the pre-trained model. The model predicts the type of disaster and displayed on UI. </h2>

```
</body>
```

```
</html>
```

upload.html:

```
<<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
```

```
rel="stylesheet" integrity="sha384-
```



```
Zenh87qX5JnK2Jl0vWa8Ck2rkdQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
<title>Document</title>
</head>
<body>
<div class="card text-center">
<div class="card-header">
<ul class="nav nav-tabs card-header-tabs">
<li class="nav-item">
<a class="nav-link" aria-current="true" href="home.html" style="font-size:
24px;">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="intro.html" style="font-size: 24px;">Introduction</a>
</li>
<li class="nav-item">
<a class="nav-link active" href="upload.html" style="font-size: 24px;">Upload</a>
</li>
</ul>
<h3 style="float: right;">AI based Natural Disaster Analysis</h3>
</div>
</div>
<form action = "uploader.html" method = "POST" enctype = "multipart/form-data">
<input type = "file" name = "filename" />
<input type = "submit" value="Submit"/>
</form>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js"
integrity="sha384-
oBqDVMmZ9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlhmh/jp3"
crossorigin="anonymous"></script>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.min.js"
integrity="sha384-
IDwe1+LCz02ROU9k972gdyvl+AESN10+x7tBKgc9I5HFtuNz0wWnPclzo6p9vxnk"crossorigin="anony
mous"></script>
</body>
</html>
```

GITHUB LINK:

<https://github.com/IBM-EPBL/IBM-Project-27167-1665745969>

DEMOLINK:

https://drive.google.com/file/d/1J1OI8-P7DSO2_yuPB7TImNZAZh6HOM0o/view?usp=share_link