

SPRINT-3

TEAM ID	PNT2022TMID04517
Project Title	Inventory Management System for Retailers
DATE	08-11-2022
MARK	20 Points

Functional Requirement:


- **Employee Dashboard**
 - Adding New Employee
 - Managing the Employees
- **Sell Report Dashboard**
 - Adding Materials
 - Maintaining Materials
 - Alert Message on Stock Out Materials
- **Suppliers Dashboard**
 - Adding New Suppliers
 - Maintaining Bill on the Supplier's Account

OUTPUT:

The screenshot displays a web browser window with multiple tabs. The active tab is 'Inventory_M...' showing a web application running on 'localhost:4200/addcustomer'. The application has a blue header with 'Home', 'Staff', 'Contact us', and 'Log Out' links. A left sidebar contains navigation options: Dashboard, Products, Add Products, Add sell (highlighted), Sell Report, Suppliers, Add Suppliers, Employees, and New Employees. The main content area is titled 'Sell Products' and includes a breadcrumb 'Dashboard > Reports > Sell Products'. The form contains the following fields:

- Customer Name:
- Email:
- Mobile:
- Material:
- price:
- Quantity:
- Discount:
- Shipping Address:
- Total:

A green 'Sell Product' button is located at the bottom of the form. The footer of the application states 'TCE-Inventory_Managing_system- copyright © 2022'. The Windows taskbar at the bottom shows the time as 11:23 on 08-11-2022.





Stocks Detail Report

[Dashboard](#) | [Add Products](#) | [Products](#)

Products

PRODUCT CODE	PRODUCT TITLE	PRODUCT BRAND	TOTAL STOCK	COST PER ITEM	TOTAL COST	SUBJECT
--------------	---------------	---------------	-------------	---------------	------------	---------

TCEInvenio y Manangng system copyrghie 2022



Sales Report

[Dashboard](#) | [Add Products](#) | [Sales Report](#)

Sales Report

TCEInvenio y Manangng system copyrghie 2022



IBM x IBM-Proje x Project Pl x Project Te x IBM-Proje x Assignme x New Tab x Inventory x accessori x

localhost:4200/suppliers

Products

Add Products

Add sell

Sell Report

Suppliers

Add Suppliers

Employees

New Employees

Suppliers Updated Successfully

	NAME	MOBILE	MATERIAL	PAYMENT	ADDRESS
	mani accessories	9965132865	mouse	Advance	16F maarapaalam, Palladam

TCE-Inventory Mananng system- copyright © 2022

dashboard.html

Type here to search

27°C

ENG

11:29

08-11-2022

IBM x IBM-Proje x Project Pl x Project Te x IBM-Proje x Assignme x New Tab x Inventory x accessori x

localhost:4200/suppliers

Home Staff Contact us Log Out

Suppliers dashboard

Dashboard | New Suppliers | Suppliers

	NAME	MOBILE	MATERIAL	PAYMENT	ADDRESS
	mani accessories	9965132865	mouse	Advance	16F maarapaalam, Palladam

IBMProjectPlProject TeIBM-ProjAssignmeNew TabInventoryaccessor+

localhost:4200/addsuppliers

HomeStaffContact usLog Out

New Suppliers

[Dashboard](#) | [Suppliers](#) | [New Suppliers](#)

TCE-Inventory_Managing_system- copyright © 2022

IBMProjectPlProject TeIBM-ProjAssignmeNew TabInventoryaccessor+

localhost:4200/employee

HomeSta✓ Employee Created Successfully

Employee dashboard


[Dashboard](#) | [New employee](#) | [employee](#)

🇳🇵	Siddhi	11424e06006S?se n	9361442025	2001-12-20	19F maarapaalam

Add Suppliers

Employees

New Employees



Code:

```
<div class="row">
  <div class="col-2">
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Employee dashboard</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb border-0">
                    <li class="breadcrumb-item">
                      <a href="dashboard">Dashboard</a>
                    </li>
                    <li class="breadcrumb-item">
                      <a href="addemployee">New employee </a>
                    </li>
                    <li class="breadcrumb-item active" aria-current="page">
                      employee
                    </li>
                  </ol>
                </nav>
              </div>
            </div>
          </div>
        </div>
      </section>
    </div>
  </div>
</div>
```



```

<!-- PAGE START -->
<div>
  <section class="mt-3">
    <div class="container-fluid">
      <div class="page-header ph-radius clearfix">
        <div class="float-left">
          <h3>New Employee</h3>
        </div>
        <div class="float-right">
          <div class="d-flex">
            <nav aria-label="breadcrumb">
              <ol class="breadcrumb border-0">
                <li class="breadcrumb-item">
                  <a href="dashboard">Dashboard</a>
                </li>
                <li class="breadcrumb-item"><a
href="employee">Employee</a></li>
                <li class="breadcrumb-item active" aria-current="page">
                  New Employee
                </li>
              </ol>
            </nav>
          </div>
        </div>
      </div>
      <div class="content-wrapper">
        <div class="row mx-0 mt-2">
          <div class="col-lg-12">
            <form class="theme-form">
              <div class="form-row">
                <div class="container">
                  <form action="action_page.php">
                    <div class="row">
                      <div class="col-12">
                        <label for="fname">Name</label>
                      </div>
                      <div class="col-12">
                        <input class="input-field" type="text" id="fname"
name="name" placeholder="Name"
                        [(ngModel)]="name" />
                      </div>
                    </div>
                    <div class="col-12 mt-2">
                      <label for="fname">Email</label>
                    </div>
                    <div class="col-12">
                      <input class="input-field" type="text" id="fname"
name="email" placeholder="Email"

```

```

        [(ngModel)]="email" />
    </div>
    <div class="row mt-2">
        <div class="col-12">
            <label for="lname">Mobile</label>
        </div>
        <br />
        <div class="col-12">
            <input class="input-field" type="text" id="lname"
name="mobile" placeholder="+91 9965132865"
        [(ngModel)]="mobile" />
        </div>
    </div>
    <div class="row mt-2">
        <div class="col-12">
            <label for="lname">Address</label>
        </div>
        <br />
        <div class="col-12">
            <textarea class="input-field" type="text"
id="address" name="address" placeholder="Address"
        [(ngModel)]="address" style="width:
100%;"></textarea>
        </div>
    </div>
    <br />
    <div class="row">
        <div class="col-12">
            <label for="fname">Date of Birth</label>
        </div>
        <div class="col-75">
            <input class="input-field" type="date" id="fname"
name="dob" placeholder="05-01-1***"
        [(ngModel)]="dob" />
        </div>
    </div>
    <br />
    <div class="text-center">
        <button class="btn btn-primary btn-block mt-4 "
(click)="onSubmit()">Save</button>
    </div>
</form>
</div>
</div>
</div>
</div>
</div>

```



```

        </div>
    </section>
    <!-- //PAGE END -->
</div>

</div>
</div>
<app-header></app-header>
<div class="row">
    <div class="col-2">
        <app-navbar></app-navbar>
    </div>
    <div class="col-10 p-0">
        <div>
            <section class="mt-3">
                <div class="container-fluid">
                    <div class="page-header ph-radius clearfix">
                        <div class="float-left">
                            <h3>Stocks Detail Report</h3>
                        </div>
                        <div class="float-right">
                            <div class="d-flex">
                                <nav aria-label="breadcrumb">
                                    <ol class="breadcrumb">
                                        <li class="breadcrumb-item">
                                            <a href="dashboard">Dashboard</a>
                                        </li>
                                        <li class="breadcrumb-item">
                                            <a href="addreport">Add Products</a>
                                        </li>
                                        <li class="breadcrumb-item active" aria-current="report">
                                            Products
                                        </li>
                                    </ol>
                                </nav>
                            </div>
                        </div>
                    </div>
                </div>
            </section>
            <div class="row ">
                <div class="col-lg-12">
                    <div class="content-wrapper">
                        <!-- Table start -->
                        <table id="sort-table" class="table table-responsive">
                            <thead>
                                <tr>
                                    <th class="nosort" style="width: 18px">

```

```

        <th>Product code</th>
        <th>Product Title</th>
        <th>Product Brand</th>
        <th>Total Stock</th>
        <th>Cost Per Item</th>
        <th>Total cost</th>
        <th>SUBJECT</th>
    </tr>
    <tr *ngFor="let items of report">
        <td style="cursor: pointer"
(click)="nextPage(items.id)">
            &#9998;
        </td>
        <td>{{ items.pcode }}</td>
        <td>{{ items.ptitle }}</td>
        <td>{{ items.pbrand }}</td>
        <td>{{ items.tstock }}</td>
        <td>{{ items.cpi }}</td>
        <td>{{ items.tcost }}</td>
        <td>{{ items.sub }}</td>
    </tr>
</thead>
</table>
<!-- Table end -->
</div>
</div>
</div>
</div>
</div>

</section>
<!-- //PAGE END -->
</div>
<app-footer></app-footer>
</div>
</div>
<app-header></app-header>
<div class="row">
    <div class="col-2">
        <app-navbar></app-navbar>
    </div>
    <div class="col-10 p-0">
        <div>
            <section class="mt-3">
                <div class="container-fluid">
                    <div class="page-header ph-radius clearfix">
                        <div class="float-left">
                            <h3>Product Management</h3>
                        </div>

```

```

<div class="float-right">
  <div class="d-flex">
    <nav aria-label="breadcrumb">
      <ol class="breadcrumb border-0">
        <li class="breadcrumb-item">
          <a href="dashboard">Dashboard</a>
        </li>
        <li class="breadcrumb-item"><a
href="report">Products</a></li>
        <li class="breadcrumb-item active" aria-current="page">
          Add Products
        </li>
      </ol>
    </nav>
  </div>
</div>
</div>
<div class="content-wrapper mt-0 p-0">
  <div class="row ">
    <div class="col-lg-12">
      <div class="form-row">
        <div class="container">
          <div class="row mt-2">
            <div class="col-2">
              <label for="fname">Product code</label>
            </div>
            <div class="col-10">
              <input type="text" id="fname" name="Product code"
placeholder="product code"
              [(ngModel)]="pcode" />
            </div>
          </div>
          <div class="row mt-2">
            <div class="col-2">
              <label for="lname">Product Title</label>
            </div>
            <div class="col-10">
              <input type="text" id="lname" name="Product name"
placeholder="Product name.."
              [(ngModel)]="ptitle" />
            </div>
          </div>
          <div class="row mt-2">
            <div class="col-2">
              <label for="fname">Product Brand</label>
            </div>
            <div class="col-10">

```

```

        <input type="text" id="fname" name="Product brand"
placeholder="product brand ... "
        [(ngModel)]="pbrand" />
    </div>
</div>
<div class="row mt-2">
    <div class="col-2">
        <label for="fname">Total Stock</label>
    </div>
    <div class="col-10">
        <input type="number" id="fname" name="stock"
placeholder="enter the total stock"
        [(ngModel)]="tstock" />
    </div>
</div>
<div class="row mt-2">
    <div class="col-2">
        <label for="fname">Cost Per Item </label>
    </div>
    <div class="col-10">
        <input type="number" id="fname" name="costperitem"
placeholder="enter the cost one item"
        [(ngModel)]="cpi" />
    </div>
</div>
<div class="row mt-2">
    <div class="col-2">
        <label for="fname">Total Cost </label>
    </div>
    <div class="col-10">
        <input type="number" id="fname" name="costperitem"
placeholder="Total Cost ....."
        [(ngModel)]="tcost" />
    </div>
</div>
<div class="row mt-2">
    <div class="col-2">
        <label for="subject">Subject</label>
    </div>
    <div class="col-10">
        <textarea id="subject" name="subject"
placeholder="Write something.." style="height: 200px"
        [(ngModel)]="sub"></textarea>
    </div>
</div>
<div class="row mt-2">
    <input type="submit" value="Submit" (click)="onSubmit()"
/>

```

```

        </div>
      </div>
    </div>
  </div>
</div>
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Suppliers dashboard</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb border-0">
                    <li class="breadcrumb-item">
                      <a href="dashboard">Dashboard</a>
                    </li>
                    <li class="breadcrumb-item">
                      <a href="addsuppliers">New Suppliers </a>
                    </li>
                    <li class="breadcrumb-item active" aria-current="page">
                      Suppliers
                    </li>
                  </ol>
                </nav>
              </div>
            </div>
          </div>
        </div>
      </div>
    <div class="content-wrapper">
      <div class="row mx-0 mt-2">
        <div class="col-lg-12">
          <form class="theme-form">

```

```
<div class="form-column">  
  <div class="container">  
    <div class="w3-container w3-content">  
      <div>  
        <table class="table table-responsive">  
          <tr>  
            <th></th>  
            <th>Name</th>  
            <th>Mobile</th>  
            <th>Material</th>  
            <th>Payment</th>  
            <th>Address</th>  
          </tr>  
          <tr *ngFor="let items of suppliers">  
            <td style="cursor: pointer"  
(click)="nextPage(items._id)">  
              &#9998;  
            </td>  
            <td>{{ items.name }}</td>  
            <td>{{ items.mobile }}</td>  
            <td>{{ items.materials }}</td>  
            <td>{{ items.payment }}</td>  
            <td>{{ items.address }}</td>  
          </tr>  
        </table>  
      </div>  
    </div>  
  </div>  
</div>  
</form>  
</div>  
</div>  
</div>  
</section>  
<!-- //PAGE END -->  
</div>  
</div>  
<app-footer></app-footer>  
</div>  
<app-header></app-header>  
<div class="row">  
  <div class="col-2">  
    <app-navbar></app-navbar>  
  </div>  
  <div class="col-10 p-0">  
    <div>  
      <section class="mt-3">
```

```

<div class="container-fluid">
  <div class="page-header ph-radius clearfix">
    <div class="float-left">
      <h3>New Suppliers</h3>
    </div>
    <div class="float-right">
      <div class="d-flex">
        <nav aria-label="breadcrumb">
          <ol class="breadcrumb border-0">
            <li class="breadcrumb-item">
              <a href="dashboard">Dashboard</a>
            </li>
            <li class="breadcrumb-item"><a
href="suppliers">Suppliers</a></li>
            <li class="breadcrumb-item active" aria-current="page">
              New Suppliers
            </li>
          </ol>
        </nav>
      </div>
    </div>
  </div>
  <div class="content-wrapper">
    <div class="row mx-0 mt-2">
      <div class="col-lg-12">
        <div class="form-row">
          <div class="container">
            <div class="row">
              <div class="col-12">
                <label for="fname">Company Name</label>
              </div>
              <div class="col-12">
                <input type="text" class="input-field" id="fname"
name="name" placeholder="mani tex"
                [(ngModel)]="name" />
              </div>
            </div>
            <br />
            <div class="row">
              <div class="col-12">
                <label for="lname">Mobile</label>
              </div>
              <div class="col-12">
                <input type="text" class="input-field" id="lname"
name="mobile" placeholder="+91 9965132865"
                [(ngModel)]="mobile" />
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
        <br />
        <div class="row">
            <div class="col-12">
                <label for="fname">materials</label>
            </div>
            <div class="col-12">
                <input type="text" class="input-field" id="materials"
name="materials" placeholder="item"
                [(ngModel)]="materials" />
            </div>
        </div>
        <br>
        <div class="row">
            <div class="col-12">
                <label for="trans">Payment Transaction</label><br>
                <select placeholder="Please Select Payment"
id="payment" class="input-field"
                style="width: 100%;" [(ngModel)]="payment">
                    <option value="Paid">Paid</option>
                    <option value="Pending">Pending</option>
                    <option value="Advance">Advance</option>
                </select>
            </div>
        </div>
        <div class="row mt-2">
            <div class="col-12">
                <label for="lname">Address</label>
            </div>
            <br />
            <div class="col-12">
                <textarea class="input-field" type="text" id="address"
name="address" placeholder="Address"
                [(ngModel)]="address" style="width:
100%;"></textarea>
            </div>
        </div>
        <!-- <div class="row">
            <div class="col-25">
                <label for="fname">Receipt</label>
            </div>
            <div class="col-75">
                <input type="file" id="fname" name="img"
placeholder="pdf" [(ngModel)]="receipt" />
            </div>
        </div> -->
        <br />
        <div class="form-row mt-5 text-center">

```



```
    text-transform: uppercase;
    border-bottom: 2px solid #dee5f1;
}
.invoice-card .table td {
    border-top: 1px solid #dee5f1;
    vertical-align: middle; padding:
    0.35rem 1rem;
}
.invoice-card .form-control-sm {
    height: calc(1.05em + 0.5rem + 2px);
    padding: 0.25rem 0.5rem;
    font-size: 0.875rem;
    line-height: 1.5;
    border-radius: 0.2rem;
}
.invoice-info {
    background: #e2f4ff;
    padding: 15px;
}
.invoice-info h6 {
    color: #455055;
    font-size: 13px;
    font-weight: 700;
}
.invoice-info address {
    margin-bottom: 0px;
    line-height: 24px;
}
.invoice-info p {
    margin-top: 0;
    margin-bottom: 0.2rem;
}
.invoice-info .badge {
    padding: 0.35em 0.45em 0.15em;
}
/*--//Invoice Card Section End--*/
.user-info {
    text-align: center;
    border: 1px solid #dbe4f1;
    border-radius: 5px;
    background: #fcfdff;
    padding: 15px;
}
.user-info h4 {
    font-size: 18px;
    font-weight: 700;
    margin-bottom: 2px;
}
```

```
.user-info h6 {
  font-size: 14px;
  color: #455055;
}

.user-info .user-thumb img {
  width: 130px;
  height: 130px;
  border-radius: 50%;
  -o-object-fit: cover;
  object-fit: cover;
  -o-object-position: center right;
  object-position: center right;
  margin: 0px auto 5px;
  padding: 0.35rem;
  background-color: #fff;
  border: 1px solid #dbe4f1;
}

.user-info .nav {
  text-align: left;
  margin-top: 20px;
}

.user-info .nav .nav-item {
  color: #455055;
  border-top: 1px solid #dbe4f1;
}

.user-info .nav .nav-item a {
  color: #96a2a7;
  padding: 0.75rem 1rem;
}

.user-info .nav .nav-item a span {
  margin-left: 5px;
}

.user-info .nav .nav-item a:hover {
  color: #455055;
}

.user-info .nav .nav-item .active {
  color: #455055;
}

.user-info .nav .nav-item:last-child a {
  padding-bottom: 0px;
}

.user-details h2 {
  font-size: 22px;
  font-weight: 500;
  padding-bottom: 7px;
  border-bottom: 1px solid #dbe4f1;
  color: #455055;
}
```

```

/*--FOOTER--*/
.footer {
  background: #0276fd;
  padding: 0.9rem 1.3rem;
  font-size: 0.75rem;
  color: #ffffff;
  margin: 0 0 1.25rem 0;
  -webkit-border-radius: 0 0 10px 10px;
  -moz-border-radius: 0 0 10px 10px;
  border-radius: 0 0 10px 10px;
  text-align: center;
}

.theme-form .custom-control label.mb-0 {
  margin-bottom: 0 !important;
}

.datepicker-input {
  position: relative;
}

.datepicker-input .form-control {
  padding-right: 25px;
}

.datepicker-input .input-group-addon {
  position: absolute;
  right: 15px;
  top: 9px;
  font-size: 20px;
  color: #9bb1d9;
}

.select2-container--default .select2-selection--multiple {
  background-color: white;
  border: 1px solid #aaa;
  border-radius: 4px;
  cursor: text;
  padding-bottom: 5px;
  padding-right: 5px;
  display: block;
  width: 100%;
  height: calc(1.5em + 0.75rem + 2px);
  padding: 0.375rem 0.75rem;
  font-size: 1rem;
  font-weight: 400;
  line-height: 1.5;
  color: #495057;
  background-color: #fff;
  background-clip: padding-box;
  border: 1px solid #ced4da;
  border-radius: 0.25rem;
}

```

```

    transition: border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;
    background: #fcfdff;
    padding: 4px 5px;
    height: auto;
    min-height: 41.3px;
    border-color: #dbe4f1;
}
.select2-container {
    width: 100% !important;
}
.select2-container--default.select2-container--focus
    .select2-selection--multiple {
    border: solid #dbe4f1 1px;
    width: 100%;
    float: left;
    padding: 4px 5px;
}
.select2-container--default
    .select2-selection--multiple
        .select2-selection__choice {
    background-color: #e4e4e4;
    border: 1px solid #dbe4f1;
    padding: 0;
    font-size: 12px;
}
.select2-container--default
    .select2-selection--multiple
        .select2-selection__choice_remove {
    border-right: 1px solid #cecece;
    color: #7c95c5;
    cursor: pointer;
    font-size: 13px;
    padding: 0 4px;
}
.select2-container--default
    .select2-selection--multiple
        .select2-selection__choice_display {
    color: #7c95c5;
}
.add-ticket-modal .close,
.add-ticket-modal .close:hover,
.add-ticket-modal .close:active,
.add-ticket-modal .close:focus {
    margin-right: 15px;
    margin-top: 7px;
    color: #fff;
    border: none;
    outline: none;
}

```

```

}
.input-with-add {
  display: flex;
  align-items: center;
}
/* .input-with-add .form-control {

} */
.input-with-add .add-btn {
  width: 45px;
  height: 45px;
  margin-left: 10px;
  display: flex;
  align-items: center;
  justify-content: center;
  border: solid 1px #dbe4f1;
  border-radius: 4px;
  float: left;
  color: #0978fa;
  cursor: pointer;
}
.show-labor-code {
  display: none;
}
.popup-scroll {
  height: 315px;
  overflow-y: scroll !important;
  display: block;
}
.popup-scroll-450 {
  height: 450px;
  overflow-y: scroll !important;
  display: block;
}
.popup-scroll-550 {
  height: 550px;
  overflow-y: scroll !important;
  display: block;
}
/*--Job ID Time Line--*/
.timeline {
  list-style-type: none;
  margin: 0;
  padding: 0;
  position: relative;
}
.timeline:before {
  content: "";

```

```
position: absolute;
top: 10px;
bottom: 5px;
width: 2px;
background: #00489b;
left: 5%;
margin-left: 0;
}
.timeline > li {
position: relative;
min-height: 50px;
padding: 10px 0;
}
.timeline .timeline-time {
position: absolute;
left: 0;
width: 10%;
text-align: right;
top: 40px;
}
.timeline .timeline-time .date,
.timeline .timeline-time .time {
display: block;
font-weight: 600;
}
.timeline .timeline-time .date {
line-height: 16px;
font-size: 13px;
color: #00489b;
}
.timeline .timeline-time .time {
line-height: 24px;
font-size: 22px;
color: #455055;
}
.timeline .timeline-icon {
left: 0%;
position: absolute;
width: 10%;
text-align: center;
top: 20px;
}
.timeline .timeline-icon a {
text-decoration: none;
width: 38px;
height: 38px;
display: inline-block;
border-radius: 40px;
```

```

background: #00489b;
line-height: 10px;
color: #fff; padding:
5px 0;
font-size: 16px;
line-height: 28px;
/* border: 2px solid #aaa; */
transition: border-color 0.2s linear;
font-weight: 600;
}
.timeline .timeline-body {
margin-left: 9%;
margin-right: 3%;
background: #fcfdff;
position: relative;
padding: 15px;
border-radius: 6px;
}
.timeline .timeline-body:before {
content: "";
display: block;
position: absolute;
border: 10px solid transparent;
border-right-color: #fcfcfc;
left: -20px;
top: 20px;
}
/* .timeline .timeline-body>div+div { */
/* margin-top: 15px */
/* } */
.timeline .timeline-body > div + div:last-child {
/* margin-bottom: -20px; */
padding-bottom: 0px;
border-radius: 0 0 6px 6px;
}
.timeline-header {
line-height: 30px;
}
.timeline-header .job-task {
font-size: 16px;
font-weight: 600;
line-height: 14px;
}
.timeline-header .job-task,
.timeline-header .job-task a {
color: #0276fd;
}
.timeline-content {

```



```
padding-top: 10px;
border-top: 1px solid #e2e7eb;
letter-spacing: 0.25px;
line-height: 18px;
font-size: 13px;
}
.timeline-content:after,
.timeline-content:before {
  content: "";
  display: table;
  clear: both;
}
.timeline-footer {
  background: #fff;
  border-top: 1px solid #e2e7ec;
  padding: 15px 15px 0;
}
.timeline-content .form-control {
  font-size: 12px !important;
}
.timeline-notes {
  background: #f2f3f4;
  margin-left: -25px;
  margin-right: -25px;
  padding: 20px 25px;
}
.job-card {
  border: 1px solid #dee5f1;
  background: #ffffff;
  margin-top: 10px;
}
.job-card .card-header {
  padding: 0.5rem 1.25rem;
  margin-bottom: 0;
  background-color: #f4f6fc;
  border: none;
  box-shadow: none;
  font-weight: 600;
}
.job-card .list-item {
  border-bottom: 1px solid #dee5f1;
  margin-top: 10px;
}
.job-status .form-control {
  font-size: 11px;
  height: calc(1.2em + 0.5rem + 2px);
  padding: 0.15rem 0.15rem;
  background: transparent;
```

```

    font-weight: 700;
    width: 110px;
}
.job-status .btn {
    font-size: 11px !important;
    font-weight: 600;
    padding: 5px 10px !important;
    line-height: 11px;
    min-height: 22px;
    margin: 0px !important;
    vertical-align: top;
}
/*--//Job ID Time Line--*/

/* Table sticky header */
.table-sticky-header .table {
    position: relative;
    width: 100%;
    float: left;
}
.table-sticky-header .table thead tr th {
    position: sticky;
    top: 0;
    z-index: 2;
    background: #dee5f1;
}

.labour-header-info {
    margin-bottom: 0;
    list-style: none;
    background-color: transparent;
    border-radius: 0;
    font-size: 13px;
    color: #fff;
    padding: 0.9rem;
}
.table-container.no-pagination .bottom {
    display: none;
}
.stockin-stockout-container {
    display: flex;
}
.page-loading {
    position: absolute;
    width: 100%;
    z-index: 999;
    background: rgb(255 255 255 / 50%);
    height: 100%;
}

```

```
margin: 0 auto;
text-align: center;
padding-top: 15%;
}
.page-loading h4 {
font-weight: 600;
font-size: 24px;
color: #000000;
}
/*--Data Table--*/
table.dataTable thead .sorting:before,
table.dataTable thead .sorting:after,
table.dataTable thead .sorting_asc:before,
table.dataTable thead .sorting_asc:after,
table.dataTable thead .sorting_desc:before,
table.dataTable thead .sorting_desc:after,
table.dataTable thead .sorting_asc_disabled:before,
table.dataTable thead .sorting_asc_disabled:after,
table.dataTable thead .sorting_desc_disabled:before,
table.dataTable thead .sorting_desc_disabled:after {
position: absolute;
bottom: 0.9em;
display: block;
opacity: 1;
}
```