IoT Based Safety Gadget for Child Safety Monitoring and Notification

Team ID: PNT2022TMID06420 Submitted by: DIVYA.T

Assignment 1

ASSIGNMENT:2

QUESTION

Build a smart home in Thinkercad with 2 sensors, an Led, buzzer and submit it.

```
// ***
LCD
Display
***
          #include<LiquidCrystal.h>
          LiquidCrystal lcd(2,3,4,5,6,7);
          // *** Ultrasonic Sensor ***
          int trigPin = 12;
          int echoPin = 13;
          float travelTime;
          float level;
          float speed;//miles per hour
          float readStatusofContainer(int trigPin,int echoPin)
            //sending ping
            digitalWrite(trigPin,LOW);
            delayMicroseconds(100);
            digitalWrite(trigPin,HIGH);
            delayMicroseconds(10);
            digitalWrite(trigPin,LOW);
            //returns round trip time of container status
            return pulseIn(echoPin,HIGH);
          }
          // *** DC Motor ***
          int motorPin = 8;
```

```
// *** PIR Sensor ***
int pirPin = 9;
// *** Light ***
int lightPin = 10;
// *** Gas Sensor ***
int gasPin = A0;
int threshold = 400;
// *** Piezo ***
int buzzPin = 11;
// *** LED ***
int ledPin = 0;
void setup()
 Serial.begin(9600);
// *** LCD Display ***
 lcd.begin(16,2);
 // *** Ultrasonic Sensor ***
  pinMode(trigPin,OUTPUT);
  pinMode(echoPin,INPUT);
 // *** DC Motor ***
  pinMode(motorPin,OUTPUT);
 // *** PIR Sensor ***
  pinMode(pirPin,INPUT);
 // *** Light ***
  pinMode(lightPin,OUTPUT);
 // *** Gas Sensor ***
  pinMode(gasPin,INPUT);
 // *** Piezo ***
  pinMode(buzzPin, OUTPUT);
```

```
// *** LED ***
  pinMode(ledPin,OUTPUT);
}
void loop()
{
  // *** Trash can monitoring ***
  // Trash can height 5 inches
  travelTime = readStatusofContainer(trigPin,echoPin);//microseconds
  travelTime = travelTime/1000000;//seconds
  travelTime = travelTime/3600;//hours
  speed = 60.0;//miles per hour(86.4 for 5 inches)
  level = speed * travelTime;//miles
  level = level/2;//because travelTime is round trip time
  level = level * 63360;//inch
  if(level <= 4.5)
    //dispaly status
    lcd.clear();
    lcd.setCursor(0,0);
    lcd.print("Trash Level:");
    lcd.setCursor(0,1);
    lcd.print(level);
       lcd.print(" inches");
       delay(100);
  }
  else
  {
    //dispaly status
    lcd.clear();
    lcd.setCursor(0,0);
    lcd.print("Trash is full");
    lcd.setCursor(0,1);
    lcd.print(level);
       lcd.print(" inches away");
       delay(100);
  }
  // *** Water level monitoring ***
  // Water tank height 20 inches
  travelTime = readStatusofContainer(trigPin,echoPin);//microseconds
  travelTime = travelTime/1000000;//seconds
  travelTime = travelTime/3600;//hours
  speed = 240.1;//miles per hour(345.3 for 20 inches)
```

```
level = speed * travelTime;//miles
level = level/2;//because travelTime is round trip time
level = level * 63360;//inch
if(level <= 19.0)
{
  //dispaly status and Turn on motor
     digitalWrite(motorPin,HIGH);
  lcd.clear();
  lcd.setCursor(0,0);
  lcd.print("Level:
                      Motor");
  lcd.setCursor(0,1);
  lcd.print(level);
     lcd.print(" in On");
     delay(100);
}
else
{
  //dispaly status and Turn off motor
  digitalWrite(motorPin,0);
  lcd.clear();
  lcd.setCursor(0,0);
  lcd.print("Level:
                      Motor");
  lcd.setCursor(0,1);
  lcd.print(level);
     lcd.print(" in Off");
     delay(100);
}
// *** Motion Detection
if(digitalRead(pirPin)==HIGH)
     digitalWrite(lightPin, HIGH);
else
  digitalWrite(lightPin, LOW);
delay(100);
// *** Detects flammable gases ***
if(analogRead(gasPin) >= threshold)
{
  digitalWrite(ledPin,HIGH);
     digitalWrite(buzzPin,HIGH);
}
else
  digitalWrite(ledPin,LOW);
 digitalWrite(buzzPin,LOW);
}
```

```
delay(100);
}
```