Project Development Phase Sprint-1 Source code

Date	6 November 2022
Team ID	PNT2022TMID33136
Project Name	VirtualEye - Life Guard For Swimming Pools To Detect Active Drowning
Maximum Marks	8 Marks

Index.php

```
<?php
  session start();
  if (isset($ SESSION['SESSION EMAIL'])) {
    header("Location: welcome.php");
    die();
  }
  include 'config.php';
  msg = "";
  if (isset($ GET['verification'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$ GET['verification']}'")) > 0) {
      $query = mysqli_query($conn, "UPDATE users SET code=" WHERE
code='{$ GET['verification']}'");
      if ($query) {
         $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
    } else {
      header("Location: index.php");
    }
  }
  if (isset($ POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli real escape string($conn, md5($ POST['password']));
    $result = mysqli query($conn, $sql);
    if (mysqli num rows(sresult) === 1) {
```

\$row = mysqli fetch assoc(\$result);

```
if (empty($row['code'])) {
         $ SESSION['SESSION EMAIL'] = $email;
         header("Location: welcome.php");
       } else {
         $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
     } else {
       $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
  <meta name="keywords"
    content="Login Form"/>
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Stvle-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
     <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
            <div class="alert-close">
              <span class="fa fa-close"></span>
            </div>
            <div class="w3l form align-self">
              <div class="left grid info">
                 <img src="images/image.png" alt="">
              </div>
            </div>
            <div class="content-wthree">
              <h2>Login Now</h2>
              <?php echo $msg; ?>
```

```
<form action="" method="post">
                 <input type="email" class="email" name="email" placeholder=</pre>
"Enter Your Email" required>
                 <input type="password" class="password" name="password" placeholder=
                     Your Password" style="margin-bottom: 2px;" required>
"Enter
                 <a href="forgot-password.php" style="margin-bottom: 15px; display:</p>
               align: right;">Forgot Password?</a>
block: text-
                 <button name="submit" name="submit" class="btn" type="submit">Login
</button>
              </form>
              <div class="social-icons">
                 Create Account! <a href="register.php">Register</a>.
              </div>
            </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
            $('.main-mockup').remove();
         });
       });
    });
  </script>
</body>
</html>
```

Register.php

```
<?php
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;

session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: welcome.php");
   die();
}</pre>
```

```
//Load Composer's autoloader
  require 'vendor/autoload.php';
  include 'config.php';
  $msg = "";
  if (isset($ POST['submit'])) {
     $name = mysqli_real_escape_string($conn, $_POST['name']);
     $email = mysqli real escape string($conn, $ POST['email']);
     $password = mysqli_real_escape_string($conn, md5($_POST['password']));
     $confirm password = mysqli real escape string($conn, md5($ POST['confirm-password
       $code = mysqli real escape string($conn, md5(rand()));
']));
     if (mysqli num rows(mysqli query($conn, "SELECT * FROM users WHERE email=
'{$email}'")) > 0) {
       $msg = "<div class='alert alert-danger'>{$email} - This email address has been alrea
            exists.</div>";
dy
     } else {
       if ($password === $confirm password) {
          $sql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}',
'{$emai{}$password}', '{$code}')";
          $result = mysqli query($conn, $sql);
          if ($result) {
            echo "<div style='display: none;'>";
            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);
               //Server settings
               $mail->SMTPDebug = SMTP::DEBUG SERVER;
                                                                              //Enable verbose
debug
         output
                                                             //Send using SMTP
               $mail->isSMTP();
               $mail->Host = 'smtp.gmail.com';
                                                                 //Set the SMTP server tosend
through
                       $mail->SMTPAuth = true;
                                                                         //Enable SMTP
                                                                            //SMTP username
//SMTP password
//Enable implicit T
authenticationsername = 'lifeguardswimmer09@gmail.com';
          $mail->Password = 'hzkmubwirgaohyyr';
$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
encryption
               $mail->Port
                                = 465;
//TCP port to connect to; use 587 if you have
set `SMTPSecure = PHPMailer::ENCRYPTION STARTTLS`
               //Recipients
               $mail->setFrom('lifeguardswimmer09@gmail.com');
               $mail->addAddress($email);
               //Content
               $mail->isHTML(true);
                                                           //Set email format to HTML
               $mail->Subject = 'no reply';
$mail->Body = 'Here is the verification link <b><a
href="http://localhost/login/?verification='.$code.'">LINK</a></b>';
               $mail->send();
               echo 'Message has been sent';
```

```
} catch (Exception $e) {
              echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
            echo "</div>";
            $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
         } else {
            $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
       } else {
         $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";
     }
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - swimmer</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
  <meta name="keywords"
    content="Login Form"/>
  <!-- //Meta tag Keywords -->
  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=</pre>
swap"rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous">
</script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
     <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
            <div class="alert-close">
              <span class="fa fa-close"></span>
            </div>
            <div class="w3l form align-self">
              <div class="left grid info">
                 <img src="images/image.png" alt="">
```

```
</div>
         </div>
         <div class="content-wthree">
           <h2>Register Now</h>
           <?php echo $msg; ?>
           <form action="" method="post">
<input type="password" class="password" name="password" placeholder="Enter Your Password" required>
<button name="submit" class="btn" type="submit">Register</button>
           </form>
           <div class="social-icons">
             Have an account! <a href="index.php">Login</a>.
           </div>
         </div>
       </div>
     </div>
     <!-- //form -->
   </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
   $(document).ready(function (c) {
     $('.alert-close').on('click', function (c) {
       $('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
  </script>
</body>
</html>
Logout.php
<?php
session start();
session unset();
session destroy();
header("Location: index.php");
```

Welcome.php

```
<?php
      session start();
      if (!isset($_SESSION['SESSION_EMAIL'])) {
         header("Location: index.php");
         die();
       }
      include 'config.php';
       $query = mysqli query($conn, "SELECT * FROM users WHERE
    email='{$ SESSION['SESSION EMAIL']}'");
      if (mysqli_num_rows(query) > 0) {
         $row = mysqli_fetch_assoc($query);
         echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
      }
    ?>
    Forgotpassword.php
    <?php
    session start();
    if (isset \bar{\mbox{(\$\_SESSION['SESSION\_EMAIL']))}} {
      header("Location: welcome.php");
      die();
    }
    //Import PHPMailer classes into the global namespace
    //These must be at the top of your script, not inside a function
    use PHPMailer\PHPMailer\PHPMailer;
    use PHPMailer\PHPMailer\SMTP;
    use PHPMailer\PHPMailer\Exception;
    //Load Composer's autoloader
    require 'vendor/autoload.php';
    include 'config.php';
    msg = "";
    if (isset($ POST['submit'])) {
       $email = mysqli real escape string($conn, $ POST['email']);
       $code = mysqli real escape string($conn, md5(rand()));
if (mysgli num rows(mysgli query($conn, "SELECT * FROM users WHERE email='{$email}'")) > 0
 $query = mysqli query($conn, "UPDATE users SET code='{$code}' WHERE email='{$email}'");
```

```
if ($query) {
        echo "<div style='display: none;'>";
        //Create an instance; passing `true` enables exceptions
        $mail = new PHPMailer(true);
        try {
//Server settings
$mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                         //Enable verbose debug output
                                                    //Send using SMTP
          $mail->isSMTP();
     //Set the SMTP server to send through
                                                        //Enable SMTP authentication m'; //SMTP username
          $mail->Password = 'hzkmubwirgaohyyr';
                                                                    //SMTP password
     $mail->SMTPSecure = PHPMailer::ENCRYPTION SMTPS;
                                                                   //Enable implicit TLS
 encryption
$mail->Port
                                          //TCP port to connect to; use 587 if you have set
               = 465:
 SMTPSecure = PHPMailer::ENCRYPTION STARTTLS`
          //Recipients
          $mail->setFrom('lifeguardswimmer09@gmail.com');
          $mail->addAddress($email);
          //Content
          $mail->isHTML(true);
                                                  //Set email format to HTML
          $mail->Subject = 'no reply';
    $mail->Body = 'Here is the verification link <b><a href="http://localhost/login/change-
 password.php?reset='.$code.'">reset password</a></b>';
          $mail->send();
          echo 'Message has been sent';
        } catch (Exception $e) {
          echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
        echo "</div>";
        $msg = "<div class='alert alert-info'>We've send a verification link on your email
 address.</div>":
   } else {
     $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>
 }
 ?>
 <!DOCTYPE html>
 <html lang="zxx">
 <head>
   <title>Login Form - SWIMMER</title>
   <!-- Meta tag Keywords -->
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <meta charset="UTF-8"/>
   <meta name="keywords"
     content="Login Form"/>
```

```
<!-- //Meta tag Keywords -->
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"</pre>
    rel="stylesheet">
       <!--/Style-CSS -->
       k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
       <!--//Style-CSS -->
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
    </head>
    <body>
       <!-- form section start -->
       <section class="w3l-mockup-form">
         <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
              <div class="main-mockup">
                 <div class="alert-close">
                   <span class="fa fa-close"></span>
                 </div>
                 <div class="w3l form align-self">
                   <div class="left grid info">
                      <img src="images/image.png" alt="">
                   </div>
                 </div>
                 <div class="content-wthree">
                   <h2>Forgot Password</h2>
                   <?php echo $msg; ?>
                   <form action="" method="post">
             <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
    required>
            <button name="submit" class="btn" type="submit">Send Reset Link</button>
                   </form>
                   <div class="social-icons">
                      Back to! <a href="index.php">Login</a>.
                   </div>
                 </div>
              </div>
            </div>
            <!-- //form -->
         </div>
       </section>
       <!-- //form section start -->
       <script src="js/jquery.min.js"></script>
       <script>
         $(document).ready(function (c) {
            $('.alert-close').on('click', function (c) {
              $('.main-mockup').fadeOut('slow', function (c) {
```

Changepassword.php

```
<?php
msg = "";
include 'config.php';
if (isset($ GET['reset'])) {
  if (mysgli num rows(mysgli query($conn, "SELECT * FROM users WHERE
code = {\{\$ GET[[reset']\}'")\} > 0} {\{\}}
     if (isset($ POST['submit'])) {
        $password = mysqli real escape string($conn, md5($ POST['password']));
 $confirm password = mysqli real escape string($conn, md5($ POST['confirm-password']));
      if ($password === $confirm_password) {
$query = mysqli_query($conn, "UPDATE users SET password='{$password}', code=''
WHERE code='{$ GET['reset']}'");
          if ($query) {
            header("Location: index.php");
        } else {
          $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match.</div>":
     }
  } else {
     $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
} else {
  header("Location: forgot-password.php");
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
       <meta charset="UTF-8"/>
       <meta name="keywords"
         content="Login Form"/>
       <!-- //Meta tag Keywords -->
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"</pre>
     rel="stylesheet">
       <!--/Style-CSS -->
       k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
       <!--//Style-CSS -->
   <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
     </head>
     <body>
       <!-- form section start -->
       <section class="w3l-mockup-form">
         <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
              <div class="main-mockup">
                <div class="alert-close">
                  <span class="fa fa-close"></span>
                </div>
                <div class="w3l form align-self">
                  <div class="left grid info">
                     <img src="images/image.png" alt="">
                  </div>
                </div>
                <div class="content-wthree">
                  <h2>Change Password</h2>
                  <?php echo $msg; ?>
                  <form action="" method="post">
             <input type="password" class="password" name="password" placeholder="Enter</pre>
     Your Password" required>
                  <input type="password" class="confirm-password" name="confirm-password"</pre>
    </form>
                  <div class="social-icons">
                     Back to! <a href="index.php">Login</a>.
                  </div>
                </div>
              </div>
            </div>
            <!-- //form -->
         </div>
       </section>
       <!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
  <script>
     $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
          $('.main-mockup').fadeOut('slow', function (c) {
             $('.main-mockup').remove();
          });
       });
     });
  </script>
</body>
</html>
Style.css
html {
  scroll-behavior: smooth;
body,
html {
  margin: 0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
}
  box-sizing: border-box;
.d-grid {
  display: grid;
.d-flex {
  display: flex;
  display: -webkit-flex;
}
.text-center {
  text-align: center;
.text-left {
  text-align: left;
.text-right {
  text-align: right;
```

```
button,
input,
select {
  -webkit-appearance: none;
  outline: none;
  font-family: 'Poppins', sans-serif;
}
button,
.btn,
select {
  cursor: pointer;
}
a {
  text-decoration: none;
img {
  max-width: 100%;
ul {
  margin: 0;
  padding: 0
}
h1,
h2,
h3,
h4,
h5,
h6,
p {
  margin: 0;
  padding: 0
}
p {
  color: #666;
  font-size: 16px;
  line-height: 25px;
  opacity: .6;
}
.p-relative {
  position: relative;
.p-absolute {
  position: absolute;
.p-fixed {
```

```
position: fixed;
}
.p-sticky {
  position: sticky;
.btn,
button,
.actionbq,
input {
  border-radius: 4px;
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  -o-border-radius: 4px;
  -ms-border-radius: 4px;
}
.btn:hover,
button:hover {
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
/*-- wrapper start --*/
.wrapper {
  width: 100%;
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
}
@media (min-width: 576px) {
  .wrapper {
     max-width: 540px;
  }
}
@media (min-width: 768px) {
  .wrapper {
     max-width: 720px;
}
@media (min-width: 992px) {
  .wrapper {
     max-width: 960px;
}
```

```
@media (min-width: 1200px) {
  .wrapper {
     max-width: 1140px;
  }
}
.wrapper-full {
  width: 100%;
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
}
/*-- //wrapper start --*/
/*-- form styling --*/
.w3l-mockup-form {
  position: relative:
  min-height: 100vh;
  z-index: 0;
  background: rgba(99, 194, 110, 0.1);
  padding: 40px 40px;
}
.container {
  max-width: 890px;
  margin: 0 auto;
}
.w3l form {
  padding: 0px;
  flex-basis: 50%;
  -webkit-flex-basis: 50%;
  background: #42c4fea6;
  padding: 100px 50px;
  border-top-left-radius: 8px;
  border-bottom-left-radius: 8px;
  display: flex;
  justify-content: center;
  align-items: center;
}
.content-wthree {
  flex-basis: 60%;
  -webkit-flex-basis: 60%;
  box-sizing: border-box;
  padding: 3em 3.5em;
  background: #fff;
  box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
  border-top-right-radius: 8px;
  border-bottom-right-radius: 8px;
}
```

```
.w3l-workinghny-form .logo {
  text-align: center;
.w3l-mockup-form .main-mockup {
  position: relative;
  display: -webkit-box;
  display: -moz-box;
  display: -ms-flexbox;
  display: -webkit-flex;
  display: flex;
  margin: 40px 0;
}
.w3l-mockup-form .alert-close {
  cursor: pointer;
  height: 35px;
  width: 35px;
  line-height: 35px;
  position: absolute;
  right: -5px;
  top: -5px;
  background: #42c4fea6;
  border-radius: 50px;
  color: #fff;
  text-align: center;
}
.w3l-mockup-form form {
  margin-top: 30px;
  margin-bottom: 30px;
}
.social-icons {
  text-align: center;
}
.w3l-mockup-form h1 {
  text-align: center;
  font-size: 40px;
  font-weight: 500;
  color: #3b3663;
}
.w3l-mockup-form h2 {
  display: inline-block;
  font-size: 25px;
  line-height: 35px;
  margin-bottom: 5px;
  font-weight: 600;
  color: #3b3663;
}
.w3l-mockup-form input {
```

```
outline: none;
  margin-bottom: 15px;
  font-size: 16px;
  color: #999;
  text-align: left;
  padding: 14px 20px;
  width: 100%;
  display: inline-block;
  box-sizing: border-box;
  border: none:
  outline: none;
  background: transparent;
  border: 1px solid #e5e5e5;
  transition: 0.3s all ease:
}
.w3l-mockup-form input:focus {
  border-color: #42c4fea6;
.w3l-mockup-form button {
  font-size: 18px;
  color: #fff;
  width: 100%;
  background: #42c4fea6;
  border: none;
  padding: 14px 15px;
  font-weight: 500;
  transition: .3s ease;
  -webkit-transition: .3s ease;
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
}
.w3l-mockup-form button:hover {
  background: #42c4fea6;
.w3l-mockup-form .social-icons ul li {
  list-style: none;
  display: inline-block;
}
.w3l-mockup-form .social-icons ul li a {
  padding: 8px;
}
.w3l-mockup-form .social-icons ul li a:hover {
  opacity: 0.8;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease;
}
.w3l-mockup-form .social-icons ul span.fa {
  color: #696687;
  font-size: 18px;
  opacity: .8;
}
.w3l-mockup-form .social-icons ul li a.facebook span {
  color: #3b5998;
.w3l-mockup-form .social-icons ul li a.twitter span {
  color: #1da1f2;
.w3l-mockup-form .social-icons ul li a.pinterest span {
  color: #e60023;
.copyright p {
  text-align: center;
  font-size: 17px;
  line-height: 26px;
  color: #607863;
  opacity: 1;
}
p.copy-footer-29 a {
  color: #517856;
p.copy-footer-29 a:hover {
  color: #42c4fea6;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease:
}
.alert {
  padding: 1rem;
  border-radius: 5px;
  color: white;
  margin: 1rem 0;
}
.alert-success {
  background-color: #42c4fea6;
```

```
.alert-danger {
  background-color: #fc5555;
.alert-info {
  background-color: #2E9AFE;
.alert-warning {
  background-color: #ff9966;
/*-- responsive design --*/
@media (max-width:736px) {
  .w3l-mockup-form .main-mockup {
    flex-direction: column;
  }
  .w3l form {
    order: 2;
    padding: 50px;
    border-radius: 0;
    border-bottom-left-radius: 8px;
    border-bottom-right-radius: 8px;
  }
  .content-wthree {
    order: 1;
    border-radius: 0;
    border-top-left-radius: 8px;
    border-top-right-radius: 8px;
  }
}
@media (max-width:568px) {
  .w3l-mockup-form h1 {
    font-size: 30px;
  }
  .w3l-mockup-form .main-mockup {
    margin: 30px 0;
  .content-wthree {
    padding: 2.5em;
  }
}
@media (max-width: 415px) {
  .w3l-mockup-form {
    padding: 40px 30px;
```

```
}
@media (max-width:384px) {
  .w3l-mockup-form {
    padding: 30px 15px;
  .content-wthree {
    padding: 2em;
  .w3l-mockup-form h1 {
    font-size: 28px;
  .w3l-mockup-form h2 {
    font-size: 22px;
    line-height: 32px;
  }
  .copyright p {
    font-size: 16px;
  }
}
/*-- //responsive design --*/
/*-- //form styling --*/
Login.sql
-- phpMyAdmin SQL Dump
-- version 5.1.1
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Generation Time: Aug 14, 2021 at 07:07 PM
-- Server version: 10.4.20-MariaDB
-- PHP Version: 8.0.9
SET SQL MODE = "NO AUTO VALUE ON ZERO";
START TRANSACTION;
SET time zone = "+00:00";
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `login`
```

```
-- Table structure for table `users`
CREATE TABLE `users` (
 'id' int(11) NOT NULL,
 `name` varchar(255) NOT NULL,
 `email` varchar(255) NOT NULL,
 `password` varchar(255) NOT NULL,
 `code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Indexes for dumped tables
-- Indexes for table `users`
ALTER TABLE `users`
 ADD PRIMARY KEY ('id');
-- AUTO INCREMENT for dumped tables
-- AUTO INCREMENT for table `users`
ALTER TABLE `users`
 MODIFY 'id' int(11) NOT NULL AUTO INCREMENT;
COMMIT;
/*!40101 SET CHARACTER SET CLIENT=@OLD CHARACTER SET CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION */;
```