

**Project Development Phase**  
**Project Development Delivery of Sprint 3**

Date	08 November 2022
Team ID	PNT2022TMIDI3488
Project Name	Project - Signs with smart connectivity for Better road safety
Marks	8 Marks

**Signs with smart connectivity for Better road safety**

**Objective :**

- >> Write a python code for print the random temperature, Road signs, Speed limit, Message
- >> Simulate and Generate the data
- >> Display the published data in IBM Watson IOT Platform

**Code for print the random temperature, Road signs, Speed limit, Message :**

**( RandomValues.py )**

```
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json

myConfig = {
    #Configuration
    "identity": {
        "orgId": "n6r19n",
        "typeId": "NodeMCU",
        "deviceId": "621319106312"
    },
    #API Key
    "auth": {
        "token": "9876543210"
    }
}

#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
    print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
    m=cmd.data['command']

client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()

#OpenWeatherMap Credentials
BASE_URL = "https://api.openweathermap.org/data/2.5/weather?"
CITY = "Salem, IN"
URL = BASE_URL + "q=" + CITY + "&units=metric"+"&appid=" + "f58e4720c739a54c439aba9b05176839"

while True:
```

```

response = requests.get(URL)
if response.status_code == 200:
    data = response.json()
    main = data['main']
    temperature = main['temp']
    humidity = main['humidity']
    pressure = main['pressure']
    report = data['visibility']

    #messge part
    msg=random.randint(0,5)
    if msg==1:
        message="GO SLOW, SCHOOL / COLLEGE ZONE AHEAD"
    elif msg==2:
        message="NEED HELP, POLICE STATION AHEAD"
    elif msg==3:
        message="EMERGENCY, HOSPITAL NEARBY"
    elif msg==4:
        message="DINE IN, RESTAURENT AVAILABLE"
    elif msg==5:
        message="PETROL BUNK NEARBY"
    else:
        message=""

    #Speed Limit part
    speed=random.randint(0,150)
    if speed>=100:
        speedMsg=" Limit Exceeded"
    elif speed>=60 and speed<100:
        speedMsg="Moderate"
    else:
        speedMsg="Slow"

    #Diversion part
    sign=random.randint(0,5)
    if sign==1:
        signMsg="Right Diversion"
    elif sign==2:
        signMsg="Speed Breaker"
    elif sign==3:
        signMsg="Left Diversion"
    elif sign==4:
        signmsg="U Turn"
    else:
        signMsg=""

    #Visibility
    if temperature < 24:
        visibility="Fog Ahead, Drive Slow"
    elif temperature < 20:
        visibility="Bad Weather"
    else:
        visibility="Clear Weather"
else:
    print("Error in the HTTP request")
myData={'Temperature':temperature, 'Message':message, 'Sign':signMsg, 'Speed':speedMsg,
'Visibility':visibility}
client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
#PUBLISHING TO IOT WATSON
print("Published data Successfully: ", myData)


```

```

print("-----")
-----")
client.commandCallback = myCommandCallback
time.sleep(5)
client.disconnect()

```

## Python Simulation :



```


import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json

myConfig = {
    #Configuration
    "identity": {
        "orgId": "n6r19n",
        "typeld": "NodeMCU",
        "deviceld": "621319106312"
    },
    #API Key
    "auth": {
        "token": "9876543210"
    }
}

#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
    print("Message received from IBM IoT Platform: %s" % cmd.data["command"])
    m=cmd.data["command"]

```


## Import wiotp-sdk & ibmiotf :



```

C:\Users\DHILEEP>pip install wiotp-sdk
WARNING: pip is being invoked by an old script wrapper. This will fail in a future version of pip.
Please see https://github.com/pypa/pip/issues/5599 for advice on fixing the underlying issue.
To avoid this problem you can invoke Python with '-m pip' instead of running pip directly.
Defaulting to user installation because normal site-packages is not writeable
Collecting wiotp-sdk
  Downloading wiotp-sdk-0.11.0.tar.gz (96 kB)
    | 96 kB 294 kB/s
  Preparing metadata (setup.py) ... done
Collecting iso8601>=0.1.12
  Downloading iso8601-1.1.0-py3-none-any.whl (9.9 kB)
Requirement already satisfied: pytz>=2018.9 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (2021.3)
Collecting pyyaml>=3.13
  Downloading PyYAML-6.0-cp36-cp36m-win_amd64.whl (153 kB)
    | 153 kB 2.2 MB/s
Requirement already satisfied: paho-mqtt>=1.5.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (1.6.1)
Requirement already satisfied: requests>=2.21.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (2.27.1)
Collecting requests-toolbelt>=0.8.0
  Downloading requests-toolbelt-0.10.1-py2.py3-none-any.whl (54 kB)
    | 54 kB 61 kB/s
Requirement already satisfied: charset-normalizer<=2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.21.0->wiotp-sdk) (2.0.12)
Requirement already satisfied: idna<4,>=2.5 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.21.0->wiotp-sdk) (3.4)
Requirement already satisfied: certifi>=2017.4.17 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.21.0->wiotp-sdk) (2022.9.24)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.21.0->wiotp-sdk) (1.26.12)
Using legacy 'setup.py install' for wiotp-sdk, since package 'wheel' is not installed.
Installing collected packages: requests-toolbelt, pyyaml, iso8601, wiotp-sdk
  Running setup.py install for wiotp-sdk ... done
Successfully installed iso8601-1.1.0 pyyaml-6.0 requests-toolbelt-0.10.1 wiotp-sdk-0.11.0

```




```


C:\Users\DHILEEP>pip install ibmiotf
WARNING: pip is being invoked by an old script wrapper. This will fail in a future version of pip.
Please see https://github.com/pypa/pip/issues/5599 for advice on fixing the underlying issue.
To avoid this problem you can invoke Python with '-m pip' instead of running pip directly.
Defaulting to user installation because normal site-packages is not writeable
Collecting ibmiotf
  Downloading ibmiotf-0.4.0.tar.gz (71 kB)
    | 71 kB 13 kB/s
  Preparing metadata (setup.py) ... done
Requirement already satisfied: iso8601>=0.1.12 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (1.1.0)
Requirement already satisfied: pytz>=2017.3 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2021.3)
Requirement already satisfied: paho-mqtt>=1.3.1 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (1.6.1)
Requirement already satisfied: requests>=2.18.4 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.27.1)
Requirement already satisfied: requests-toolbelt>=0.8.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (0.10.1)
Requirement already satisfied: certifi>=2017.4.17 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.18.4->ibmiotf) (2022.9.24)
Requirement already satisfied: idna<4,>=2.5 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.18.4->ibmiotf) (3.4)
Requirement already satisfied: charset-normalizer<=2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.18.4->ibmiotf) (2.0.12)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>=2.18.4->ibmiotf) (1.26.12)
Using legacy 'setup.py install' for ibmiotf, since package 'wheel' is not installed.
Installing collected packages: ibmiotf
  Running setup.py install for ibmiotf ... done
Successfully installed ibmiotf-0.4.0

```


## OpenWeatherMap - (Ex., Salem, IN) :




## Python IDLE Output :




## IBM Watson IOT Platform :



## IBM Watson IOT Platform - Device Creation :



## IBM Watson IoT Platform - Display the published data :



The screenshot displays the IBM Watson IoT Platform interface. The top navigation bar includes 'Browse', 'Action', 'Device Types', and 'Interfaces'. The main content area shows the 'Recent Events' tab for a device with ID 621319106312. The device is currently 'Disconnected' and is a 'NodeMCU' type. The 'Recent Events' tab displays a table of events, each with a status, a JSON message, a format, and a timestamp. The events are listed as follows:

Event	Value	Format	Last Received
status	{"Temperature":26.03,"Message":"","EMERGENCY, ...	json	a few seconds ago
status	{"Temperature":26.03,"Message":"","EMERGENCY, ...	json	a few seconds ago
status	{"Temperature":26.03,"Message":"","PETROL BUN...	json	a few seconds ago
status	{"Temperature":26.03,"Message":"","GO SLOW, SC...	json	a few seconds ago
status	{"Temperature":26.03,"Message":"","EMERGENCY, ...	json	a few seconds ago

Below the table, it indicates '1 Simulation running'.