IBM ASSIGNMENT - 3

CNN MODEL

In [1]:

from zipfile import ZipFile

In [2]:

```
f1 = "Flowers-Dataset.zip"
```

In [3]:

```
with ZipFile(fl, 'r') as zip:
   zip.printdir()
```

File Name Size	Modified		
flowers/daisy/100080576_f52e8ee070_n.jpg 26797	2021-07-16 16:01:08		
flowers/daisy/10140303196_b88d3d6cec.jpg 17247	2021-07-16 16:01:08	1	
flowers/daisy/10172379554_b296050f82_n.jpg 36410	2021-07-16 16:01:08		
flowers/daisy/10172567486_2748826a8b.jpg 02862	2021-07-16 16:01:08	1	
flowers/daisy/10172636503_21bededa75_n.jpg 27419	2021-07-16 16:01:08		
flowers/daisy/102841525_bd6628ae3c.jpg 32803	2021-07-16 16:01:08	1	
flowers/daisy/10300722094_28fa978807_n.jpg 29941	2021-07-16 16:01:08		
flowers/daisy/1031799732_e7f4008c03.jpg 02618	2021-07-16 16:01:08	1	
flowers/daisy/10391248763_1d16681106_n.jpg	2021-07-16 16:01:08		•

IMAGE AUGMENTATION

In [4]:

from tensorflow.keras.preprocessing.image import ImageDataGenerator

In [5]:

train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,vertica

In [6]:

test_datagen=ImageDataGenerator(rescale=1./255)

```
In [7]:
```

```
pip install split-folders
```

Requirement already satisfied: split-folders in c:\users\dell\anaconda3\lib \site-packages (0.5.1)

Note: you may need to restart the kernel to use updated packages.

In [8]:

```
import splitfolders
```

In [9]:

```
input_folder='C:Downloads\Flowers'
```

In [10]:

splitfolders.ratio(input_folder,output='/content/drive/MyDrive/flowersdataset',ratio=(.8,0,

Copying files: 3584 files [00:12, 287.93 files/s]

In [11]:

x_train=train_datagen.flow_from_directory(r"/content/drive/MyDrive/flowersdataset/train",ta

Found 3452 images belonging to 5 classes.

In [12]:

x_test=test_datagen.flow_from_directory(r"/content/drive/MyDrive/flowersdataset/test",targe

Found 865 images belonging to 5 classes.

In [13]:

```
x_train.class_indices
print(x_train)
```

<keras.preprocessing.image.DirectoryIterator object at 0x00000194B9BDC070>

CREATE MODEL

In [14]:

```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten
```

In [15]:

```
model=Sequential()
```

ADDING LAYERS

1. Adding Convolution Layer

```
In [16]:
```

```
model.add(Convolution2D(32,(3,3),input_shape=(64,64,3),activation='relu'))
```

2. Adding Max pooling

In [17]:

```
model.add(MaxPooling2D(pool_size=(2,2)))
```

3. Adding Flatten Layer

In [18]:

```
model.add(Flatten())
```

In [19]:

```
model.summary()
```

Model: "sequential"

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 62, 62, 32)	896
<pre>max_pooling2d (MaxPooling2D)</pre>	(None, 31, 31, 32)	0
flatten (Flatten)	(None, 30752)	0
Total params: 896 Trainable params: 896 Non-trainable params: 0		=======

4. Hidden Layers

In [20]:

```
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
```

5. Output Layer

In [21]:

```
model.add(Dense(5,activation='softmax'))
```

• COMPILE THE MODEL

In [24]:

```
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_
```

C:\Users\Dell\AppData\Local\Temp/ipykernel_1712/2428895824.py:1: UserWarnin
g: `Model.fit_generator` is deprecated and will be removed in a future versi

on. Please use `Model.fit`, which supports generators. model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x _test,validation_steps=len(x_test),epochs=20) Epoch 1/20 accuracy: 0.4563 - val_loss: 1.1174 - val_accuracy: 0.5468 Epoch 2/20 accuracy: 0.5794 - val loss: 1.0999 - val accuracy: 0.5723 Epoch 3/20 accuracy: 0.6364 - val_loss: 1.1032 - val_accuracy: 0.5861 Epoch 4/20 144/144 [================] - 39s 269ms/step - loss: 0.8892 accuracy: 0.6544 - val_loss: 0.9482 - val_accuracy: 0.6451 Epoch 5/20 144/144 [============] - 37s 255ms/step - loss: 0.8200 accuracy: 0.6834 - val_loss: 0.9185 - val_accuracy: 0.6659 Epoch 6/20 144/144 [================] - 39s 267ms/step - loss: 0.7673 accuracy: 0.7089 - val_loss: 0.9445 - val_accuracy: 0.6370 Epoch 7/20 144/144 [=================] - 40s 277ms/step - loss: 0.7264 accuracy: 0.7210 - val_loss: 1.0336 - val_accuracy: 0.6289 Epoch 8/20 accuracy: 0.7410 - val_loss: 0.9891 - val_accuracy: 0.6451 Epoch 9/20 accuracy: 0.7517 - val_loss: 1.0629 - val_accuracy: 0.6405 Epoch 10/20 144/144 [================] - 36s 248ms/step - loss: 0.6026 accuracy: 0.7729 - val_loss: 1.0400 - val_accuracy: 0.6462 Epoch 11/20 accuracy: 0.7894 - val_loss: 1.0212 - val_accuracy: 0.6590 Epoch 12/20 accuracy: 0.8149 - val loss: 1.0110 - val accuracy: 0.6578 accuracy: 0.8242 - val_loss: 1.2612 - val_accuracy: 0.6405 Epoch 14/20 accuracy: 0.8244 - val loss: 1.0247 - val accuracy: 0.6879 Epoch 15/20 accuracy: 0.8520 - val_loss: 1.0349 - val_accuracy: 0.6855 Epoch 16/20 144/144 [===============] - 34s 234ms/step - loss: 0.3920 accuracy: 0.8583 - val_loss: 1.1563 - val_accuracy: 0.6844 Epoch 17/20 accuracy: 0.8583 - val_loss: 1.0277 - val_accuracy: 0.7017

```
10/13/22, 8:52 PM
 Epoch 18/20
 144/144 [============== ] - 32s 223ms/step - loss: 0.3084 -
 accuracy: 0.8824 - val loss: 1.1081 - val accuracy: 0.6913
 Epoch 19/20
 accuracy: 0.8922 - val_loss: 1.2515 - val_accuracy: 0.6832
 Epoch 20/20
 accuracy: 0.8960 - val loss: 1.1719 - val accuracy: 0.6902
 Out[24]:
 <keras.callbacks.History at 0x194ba0daa30>

    SAVE THE MODEL

 In [25]:
 model.save('flowers.h5')

    TEST THE MODEL

 In [28]:
 import numpy as np
 from tensorflow.keras.models import load model
 from tensorflow.keras.preprocessing import image
 In [29]:
 img=image.load_img(r"/content/drive/MyDrive/flowersdataset/test/daisy/3706420943_66f3214862
 x=image.img_to_array(img)
 x=np.expand_dims(x,axis=0)
 y=np.argmax(model.predict(x),axis=1)
 x train.class indices
 index=['daisy','dandellion','rose','sunflower','tulip']
 index[y[0]]
 Out[29]:
 'daisy'
 In [ ]:
 In [ ]:
 In [ ]:
```