# PROJECT DELIVERY SPRINT-4

### **APPLICATION BUILDING**

### CODE:

# Flask.py

```
import requests
from tensorflow.keras.preprocessing import image
from tensorflow.keras.models import load model
import numpy as np
import pandas as pd
import tensorflow as tf
from flask import Flask, request,render_template,redirect,url_for
import os
from werkzeug.utils import secure filename
from tensorflow.python.keras.backend import set_session
app = Flask( name )
model=load model("fruit.h5")
model1=load_model("veg.h5")
@app.route('/')
def home():
    return render_template('home.html')
@app.route('/prediction')
def prediction():
    return render template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
    if( request.method=='POST'):
        f = request.files['image']
        basepath=os.path.dirname(__file__)
        file_path=os.path.join(basepath,'uploads',secure_filename(f.filename))
        f.save(file path)
        img=image.load_img(file_path,target_size=(128,128))
        x=image.img to array(img)
        x=np.expand_dims(x,axis=0)
        plant=request.form['plant']
        print(plant)
        if(plant=='vegetable'):
            preds =model1.predict(x)
            classes=np.argmax(preds,axis=1)
            print(classes)
```

### Home.html:

```
<!DOCTYPE html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico'</pre>
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'</pre>
rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="{{ url_for('static', filename='css/style.css')}</pre>
}}">
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat'</pre>
rel='stylesheet'>
<style>
.header {
      top:0;
      margin:0px;
      left: 0px;
      right: 0px;
      position: fixed;
      background-color: #28272c;
      color: white;
```

```
box-shadow: 0px 8px 4px grey;
      overflow: hidden;
      padding-left:20px;
      font-family: 'Josefin Sans';
      font-size: 2vw;
     width: 100%;
     height:8%;
      text-align: center;
    .topnav {
  overflow: hidden;
  background-color: #333;
.topnav-right a {
 float: left;
 color: #f2f2f2;
 text-align: center;
  padding: 14px 16px;
 text-decoration: none;
  font-size: 18px;
.topnav-right a:hover {
 background-color: #ddd;
  color: black;
.topnav-right a.active {
 background-color: #565961;
  color: white;
.topnav-right {
 float: right;
 padding-right:100px;
body {
  background-color:#ffffff;
  background-repeat: no-repeat;
  background-size:cover;
  background-position: 0px 0px;
  .button {
  background-color: #28272c;
  border: none;
```

```
color: white;
  padding: 15px 32px;
  text-align: center;
  text-decoration: none;
  display: inline-block;
  font-size: 16px;
  border-radius: 12px;
.button:hover {
  box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
form {border: 3px solid #f1f1f1; margin-left:400px;margin-right:400px;}
input[type=text], input[type=password] {
 width: 100%;
  padding: 12px 20px;
 display: inline-block;
 margin-bottom:18px;
 border: 1px solid #ccc;
 box-sizing: border-box;
button {
  background-color: #28272c;
 color: white;
  padding: 14px 20px;
 margin-bottom:8px;
  border: none;
  cursor: pointer;
 width: 15%;
  border-radius:4px;
button:hover {
  opacity: 0.8;
.cancelbtn {
 width: auto;
 padding: 10px 18px;
 background-color: #f44336;
.imgcontainer {
 text-align: center;
 margin: 24px 0 12px 0;
```

```
img.avatar {
  width: 30%;
  border-radius: 50%;
.container {
  padding: 16px;
span.psw {
 float: right;
  padding-top: 16px;
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
  span.psw {
     display: block;
     float: none;
  .cancelbtn {
    width: 100%;
.home{
 margin:80px;
 width: 84%;
  height: 500px;
  padding-top:10px;
  padding-left: 30px;
.login{
  margin:80px;
  box-sizing: content-box;
  width: 84%;
  height: 420px;
  padding: 30px;
  border: 10px solid blue;
.left,.right{
 box-sizing: content-box;
 height: 400px;
 margin:20px;
 border: 10px solid blue;
```

```
.mySlides {display: none;}
img {vertical-align: middle;}
/* Slideshow container */
.slideshow-container {
 max-width: 1000px;
  position: relative;
 margin: auto;
/* Caption text */
.text {
 color: #f2f2f2;
 font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
 width: 100%;
  text-align: center;
/* The dots/bullets/indicators */
.dot {
  height: 15px;
 width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
 display: inline-block;
  transition: background-color 0.6s ease;
.active {
  background-color: #717171;
/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
```

```
@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .text {font-size: 11px}
</style>
</head>
<body style="font-family:'Times New Roman', Times, serif;background-</pre>
color:#C2C5A8;">
<div class="header">
 <div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;</pre>
padding-top:1%">Plant Disease Prediction</div>
  <div class="topnav-right"style="padding-top:0.5%;">
    <a class="active" href="{{ url_for('home')}}">Home</a>
    <a href="{{ url_for('prediction')}}">Predict</a>
  </div>
</div>
<div style="background-color:#fffffff;">
<div style="width:60%;float:left;">
<div style="font-size:50px;font-family:Montserrat;padding-left:20px;text-</pre>
align:center;padding-top:10%;">
<b>Detect if your plant<br> is infected!!</b></div><br>
<div style="font-size:20px;font-family:Montserrat;padding-left:70px;padding-</pre>
right:30px;text-align:justify;">Agriculture was the essential development in
the rise of human
  civilization, whereby farming of acclimatize species produced food
oversupply that enabled people to reside in cities.
  Plants were independently sophisticated in at least 11 regions of the world.
Industrial agriculture based on large-scale monocropping in the twentieth
century came to influence agricultural output, though
  about 2 billion people still depended on maintaining agriculture. The plant
diseases effect the production. Identification of diseases and taking
necessary precautions is all done through naked eye, which requires labour and
laboratries. This application helps farmers in detecting the diseases by
observing the spots on the leaves, which inturn saves effort and labor
costs.</div><br><br>>
</div>
</div>
<div style="width:40%;float:right;"><br><br>
```

```
<img src="{{url_for('static',filename='images/12457.jpg')}}" style="max-</pre>
height:100%;max-width:100%;">
</div>
</div>
<div class="home">
<br>
</div>
<script>
var slideIndex = 0;
showSlides();
function showSlides() {
 var i;
  var slides = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("dot");
  for (i = 0; i < slides.length; i++) {</pre>
    slides[i].style.display = "none";
  slideIndex++;
  if (slideIndex > slides.length) {slideIndex = 1}
  for (i = 0; i < dots.length; i++) {</pre>
    dots[i].className = dots[i].className.replace(" active", "");
 slides[slideIndex-1].style.display = "block";
  dots[slideIndex-1].className += " active";
  setTimeout(showSlides, 2000); // Change image every 2 seconds
</script>
</body>
</html>
```

## **Predict.html**

```
<link href='https://fonts.googleapis.com/css?family=Pacifico'</pre>
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'</pre>
type='text/css'>
<link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"</pre>
rel="stylesheet">
    <script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
    <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'</pre>
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat'</pre>
rel='stylesheet'>
<link href="{{ url_for('static', filename='css/final.css') }}"</pre>
rel="stylesheet">
<style>
.header {
            top:0;
            margin:0px;
            left: 0px;
            right: 0px;
            position: fixed;
            background-color: #28272c;
            color: white;
            box-shadow: 0px 8px 4px grey;
            overflow: hidden;
            padding-left:20px;
            font-family: 'Josefin Sans';
            font-size: 2vw;
            width: 100%;
            height:8%;
            text-align: center;
        .topnav {
  overflow: hidden;
  background-color: #333;
.topnav-right a {
  float: left;
```

```
color: #f2f2f2;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
  font-size: 18px;
.topnav-right a:hover {
  background-color: #ddd;
  color: black;
.topnav-right a.active {
  background-color: #565961;
  color: white;
.topnav-right {
 float: right;
 padding-right:100px;
.login{
margin-top:-70px;
body {
  background-color:#ffffff;
 background-repeat: no-repeat;
  background-size:cover;
 background-position: 0px 0px;
.login{
   margin-top:100px;
.container {
 margin-top:40px;
 padding: 16px;
select {
   width: 100%;
   margin-bottom: 10px;
    background: rgba(255,255,255,255);
    border: none;
    outline: none;
    padding: 10px;
   font-size: 13px;
```

```
color: #000000;
    text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
    border: 1px solid rgba(0,0,0,0.3);
    border-radius: 4px;
    box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px
rgba(255,255,255,0.2);
    -webkit-transition: box-shadow .5s ease;
    -moz-transition: box-shadow .5s ease;
    -o-transition: box-shadow .5s ease;
    -ms-transition: box-shadow .5s ease;
    transition: box-shadow .5s ease;
</style>
</head>
<body style="font-family:Montserrat;overflow:scroll;">
    <div class="header">
        <div style="width:50%;float:left;font-size:2vw;text-</pre>
align:left;color:white; padding-top:1%">Plant Disease Prediction</div>
         <div class="topnav-right"style="padding-top:0.5%;">
           <a href="{{ url_for('home')}}">Home</a>
           <a class = "active" href="{{ url_for('prediction')}}">Predict</a>
         </div>
       </div>
<div class="container">
        <div id="content" style="margin-top:2em">
        <div class="container">
          <div class="row">
            <div class="col-sm-6 bd" >
              <br>
                <img src="{{url_for('static',filename='images/788.jpeg')}}"</pre>
style="height:450px;width:550px"class="img-rounded" alt="Gesture">
            </div>
            <div class="col-sm-6">
                <div>
                    <h4>Select the image to be analysed </h4>
            <form action = "" id="upload-file" method="post"</pre>
enctype="multipart/form-data">
                <select name="plant">
                      <option value="select" selected>Select plant
type</option>
                      <option value="fruit">Fruit</option>
```

```
<option value="vegetable">Vegetable</option>
        </select><br>
                <label for="imageUpload" class="upload-label"</pre>
style="background: #063636;">
                     Upload
                </label>
                <input type="file" name="image" id="imageUpload" accept=".png,</pre>
.jpg, .jpeg">
            </form>
            <div class="image-section" style="display:none;">
                <div class="img-preview">
                     <div id="imagePreview">
                     </div>
                </div>
                <div>
                     <button type="button" class="btn btn-info btn-lg "</pre>
id="btn-predict" style="background: #28272c;">Predict!</button>
                </div>
            </div>
            <div class="loader" style="display:none;"></div>
                <span id="result" style="font-size:17px; "> </span>
            </h3>
        </div>
            </div>
          </div>
        </div>
        </div>
    </div>
</body>
<footer>
    <script src="{{ url_for('static', filename='js/main.js') }}"</pre>
type="text/javascript"></script>
</footer>
</html>
```

### **SCREENSHOTS:**













