

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>
```

```
    Simple web Development Template
```

```
</title>
```

```
</head>
```

```
<body>
```

```
<nav class="navbar background">
```

```
<ul class="nav-list">
```

```
<div class="logo">
```

```

```

```
</div>
```

```
<li><a href="#web">Web Technology</a></li>
```

```
<li><a href="#program">C Programming</a></li>
```

```
<li><a href="#course">Courses</a></li>
```

```
</ul>
```

```
<div class="rightNav">
```

```
<input type="text" name="search" id="search">
```

```
<button class="btn btn-sm">Search</button>
```

```
</div>
```

```
</nav>
```

```
<section class="firstsection">
```

```
<div class="box-main">
```

```
<div class="firstHalf">
```

```
  <h1 class="text-big" id="web">
```

```
    Web Technology
```

```
  </h1>
```

```
  <p class="text-small">
```

```
    HTML stands for HyperText Markup
```

```
    Language. It is used to design
```

```
    web pages using a markup language.
```

```
    HTML is the combination of Hypertext
```

```
    and Markup language. Hypertext
```

```
    defines the link between the web
```

```
    pages. A markup language is used
```

```
    to define the text document within
```

```
    tag which defines the structure of
```

```
    web pages. HTML is a markup language
```

```
    that is used by the browser to
```

```
    manipulate text, images, and other
```

```
    content to display it in the required
```

```
    format.
```

```
  </p>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<section class="secondsection">
```

```
  <div class="box-main">
```

```
<div class="secondHalf">
```

```
  <h1 class="text-big" id="program">
```

```
    C Programming
```

```
  </h1>
```

```
  <p class="text-small">
```

```
    C is a procedural programming language.
```

```
    It was initially developed by Dennis
```

```
    Ritchie as a system programming
```

```
    language to write operating system.
```

```
    The main features of C language include
```

```
    low-level access to memory, simple set
```

```
    of keywords, and clean style, these
```

```
    features make C language suitable for
```

```
    system programming like operating system
```

```
    or compiler development.
```

```
  </p>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<section class="section">
```

```
  <div class="paras">
```

```
    <h1 class="sectionTag text-big">Java</h1>
```

```
  <p class="sectionSubTag text-small">
```

```
    Java has been one of the most
```

```
    popular programming language
```

for many years. Java is Object Oriented. However it is not considered as pure object oriented as it provides support for primitive data types (like int, char, etc) The Java codes are first compiled into byte code (machine independent code). Then the byte code is run on Java Virtual Machine (JVM) regardless of the underlying architecture.

</p>

</div>

<div class="thumbnail">



</div>

</section>

<footer class="background">

<p class="text-footer">

Copyright ©-All rights are reserved

</p>

</footer>

</body>

</html>