

CONTAINMENT ZONE ALERT SYSTEM

PROJECT BASED LEARNING

Submitted by

P. KISHORE KUMAR (621319104027)

P.MOHAN (621319104031)

S. RAMESH (621319104043)

V. ROHITH (621319104045)

BACHELOR OF ENGINEERING

In

Computer Science and Engineering

Table of Content

CHAPTER NO	TITLE	PAGE NO
1	INTRODUCTION	
	1.1 PROJECT OVERVIEW	4
	1.2 PURPOSE	5
2	LITERATURE SURVEY	
	2.1 EXISTING SYSTEM	6
	2.2 REFERENCES	8
	2.3 PROBLEM STATEMENT DEFINITION	8
3	IDEATION & PROPOSED SOLUTION	
	3.1 EMPATHY MAP CANVAS	9
	3.2 IDEATION & BRAINSTROMING	9
	3.3 PROPOSED SOLUTION	10
	3.4 PROBLEM SOLUTION FIT	10
4	REQUIREMENT ANALYSIS	
	4.1 FUNCTIONAL REQUIREMENT	11
	4.2 NON – FUNCTIONAL REQUIREMENT	11
5	PROJECT DESIGN	
	5.1 DATA FLOW DIAGRAMS	12
	5.2 ARCHITECTURES	12
	5.2.1 SOLUTION ARCHITECTURE	13
	5.2.2 TECHNICAL ARCHITECTURE	14
	5.3 USER STORIES	14

6	PROJECT PLANNING AND SCHEDULING	
	6.1 SPRINT PLANNING & ESTIMATION	15
	6.2 SPRINT DELIVERY SCHEDULE	15
	6.3 REPORTS FROM JIRA	16
7	ADVANTAGES & DISADVANTAGES	
	7.1 ADVANTAGES	17
	7.2 DISADVANTAGES	17
8	SCREENSHOTS	18
9	CONCLUSION	33
10	FUTURE SCOPE	34
11	APPENDIX	
	11.1 SOURCE CODE	35
	11.2 GITHUB/PROJECT DEMO LINK	79

CHAPTER 1

1. INTRODUCTION

The World Health Organization has classified the Covid-19 coronavirus outbreak as a global pandemic. Lockdown and awareness (social distance, wearing of masks, etc.) among individuals are found to be the only ways to stop the community spread of this disease given the worrisome increase in affected cases around the world. Without widespread public awareness and proactive actions taken by the populace, it is exceedingly challenging to stop the communal transmission even during a lockdown in a highly populated nation like India. Recently, red, orange, and green zones were established for a number of containment zones spread out around the nation. The red zones represent infection hotspots, the orange zones represent some infection, and the green zones represent an infection-free environment. This essay mostly examines

1.1 Project Overview

Coronaviruses are large group of viruses that cause illness in humans and animals. Rarely, animal coronaviruses can evolve and infect people and then spread between people such as has been seen with MERS and SARS. Although most human coronavirus infections are mild, the epidemics of the severe acute respiratory syndrome coronavirus (SARS-CoV) and Middle East respiratory syndrome coronavirus (MERS-CoV), have caused more than 10,000 cumulative cases in the past two decades, with mortality rates of 10% for SARS-CoV and 37% for MERS-CoV. The outbreak of Novel coronavirus disease (COVID-19) was initially noticed in a seafood market in Wuhan city in Hubei Province of China in mid-December, 2019, has now spread to 214 countries/territories/areas worldwide.

Currently there are several research works undergoing in the country to prevent Covid-19 cases from rising. Previously our country was importing medical kits like PPE (Personal Protection Kits), mask from outside, but now it has been successful in developing these kits. Along with taking initiatives to fight this disease, our country has also taken steps to make people aware of the disease. The news and media have a great part in creating this awareness by informing the public about the preventive measures that can keep them away from infection. Awareness among the people to carry out all the preventive measures can immensely help to reduce spread of the virus. The country has created containment zones throughout the cities wherever Covid-19 cases have been reported to prevent further spread of the virus. These containment zones have been kept isolated from the outside public to ensure no contamination occurs outside.

After more than 2 months of the lockdown, the government has relaxed some of the lockdown rules and has permitted reopening of government offices, bus and other road transportation facilities and shopping markets. People can move inside the city for work and other purposes. But the

containment zones are still being kept isolated, and new containment zones are being formed wherever Covid-19 cases have been reported. These zones are highly contagious as droplets with virus coughed out from an unscreened asymptomatic patient can travel up to 8 m (Bahletal. [2020](#)). Though these containment zones are guarded by policemen, still there remains a chance that people might unknowingly step into them. In this situation where people can move in the city, these containment zones pose a risk of infection to these city dwellers. Therefore, informing people about the location of the containment zones can help them bypass and avoid these zones and thereby reduce the chance of community transmission.

1.2 Purpose

This app is designed to help organisations (including the Government of Meghalaya) to maintain accountability and responsibility towards members and society. The app accomplishes this by monitoring the geographical movements of members and ensuring they are following proper work from home protocol and social distancing policies set by the organisation. Data will not be used for any purpose other than the safety of the members. Members have the right to activate/inactivate location as per their discretion. This app sends coordinates to the server if the user activates location. Users can check in at their home location and will be alerted if they leave the region around home location. Administrator/support cell will also get the list of users who are within the circle or outside the circle. Only authorized admin can access the backend services for the purpose of safety of registered users. App provides an option for the user to recheck in at a new location with the approval from administrator/Unit manager via OTP. App provides more information like emergency contact.

CHAPTER 2

2. LITERATURE SURVEY

S.NO	TITLE	PROPOSED WORK	TOOLS USED/ALGORITHM	TECHNOLOGY	ADVANYAGES/ DISADVANTAGES
	Application for Covid-19	In this project they made an app to show			Even though it gives us more awareness about

1	Real Time Counter (2022)	the real time count of the covid 19 cases and spread awareness to the people about the outworld pandemic	Java	Android Studio	the pandemic outside it makes people more panic on deaths they listed
2	S-Nav: Safety-Aware IoT Navigation Tool for Avoiding COVID-19 Hotspots (2021)	In this project they made an app to show the real time count of the covid 19 cases and spread awareness to the people about the outworld pandemic	<i>Q</i> -learning model, reinforcement learning (RL), shortest path.	Internet Of Things (IoT)	It is a navigation based projects that's works on showing the safe route to travel and it for only the COVID virus analysis
3	Tracking the Covid zones through geo-fencing technique (2020)	In this paper they developed an algorithm to track people from entering into containment zone and alerting before they getting into risk	RSA algorithm	Data Science	It this paper it if typical to handle the data of covid in and out cases
4	Privacy-aware energy-efficient framework Using the internet of medical things for covid-19 (2020)	In this paper they developed a prototype that can analyse blood preasure, , oxygen level,heart rate and temperature	CR-IoMT , CR-IoT	Cloud computing, Bigdata & IoT	Not all peoples can afford to buy it
5	Aarogya Setu	The most popular containment zone alert application among the options currently in use in India is called Aarogya Setu.	GPS based System	Android Studio	Monitoring is easy, but a person location is monitored without his permission
	Trespassing into It Using Firebase and Geofencing	Following the tracking of a suspicious person, the geo-fenced layer is mapped out in the vicinity, and the	Mapping technology	Android Studio	geo-fencing technology, but the privacy of a person is disturbed.

		virtual perimeter is then employed for the subsequent trapping procedure			
--	--	--	--	--	--

2.1 Existing System

Aarogya Setu:

Aarogya Setu is a mobile application developed by the Government of India to connect essential health services with the people of India in our combined fight against COVID-19. The app is aimed at augmenting the initiatives of the Government of India, particularly the Department of Health, in proactively reaching out to and informing the users of the app regarding risks, best practices and relevant advisories pertaining to the containment of COVID-19 (Aarogya Setu 2020)

CoBuddy-Covid19 tool:

CoBuddy-Covid 19 Coronavirus Help Tool-to help stop the spread of Covid 19, get info and help from the Government. The app makes sure that the people quarantined are within their location, communicate directly with them, provide information, and receive alerts if the quarantined are in need of any help. Location tracking and user verification with heat-maps, communication management, notifications and alerts, health tracking and feedback, essential operations management (CoBuddy-Covid19 tool 2020).

CORONTINE:

This app is designed to help organizations (including the Government of Meghalaya) to maintain accountability and responsibility towards members and society. The app accomplishes this by monitoring the geographical movements of members and ensuring they are following proper work from home protocol and social distancing policies set by the organization. Data will not be used for any purpose other than the safety of the members. Members have the right to activate/inactivate location as per their discretion. This app sends coordinates to the server if the user activates location. Users can check in at their home location and will be alerted if they leave the region around home location. Administrator/support cell will also get the list of users who are within the circle or outside the circle. Only authorized admin can access the backend services for the purpose of safety of registered users. App provides an option for the user to recheck in at a new location with the approval from administrator/Unit manager via OTP. App provides more information like emergency contact numbers and similar important information for the users to access in a short time at the hour of need (CORONTINE 2020)

2.2 References

1. Gkelios,S., Sophokleous (2022) Application for Covid-19 Real Time Counter.
2. Clemencia Siro (2021) S-Nav: Safety Aware IoT Navigation Tool for Avoiding COVID-19 Hotspots.

3. Oishik Chatterjee (2020) Tracking the Covid zones through geofencing technique.
4. Le Wu, Xiangnan (2020) Learning fashion compatibility across categories with deep multimodal neural networks


2.3 Problem Statement Definition:

Problem Statement(PS)	I am	I'm trying to	But	Because	Which makes me feel
PS-1	user	Know the highly infected zone on COVID-19	The searching technique and platform is not good	Off the app didn't use the efficient technique	Irritating
PS-2	user	Explore the application	The UI is not good when I trying to access through mobile	The design of UI is not reliable and difficult to understand. The backend is also bad	Frustrated

CHAPTER 3

3 IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas:




3.2 Ideation & Brainstorming:

Ideation:

Ideation is often closely related to the practice of brainstorming, a specific technique that is utilized to generate new ideas. A principal difference between ideation and brainstorming is that ideation is commonly more thought of as being an individual pursuit, while brainstorming is almost always a group activity.

Brainstorming:

Brainstorming is a group problem-solving method that involves the spontaneous contribution of creative ideas and solutions. This technique requires intensive, freewheeling discussion in which every member of the group is encouraged to think aloud and suggest as many ideas as possible based on their diverse knowledge.



3.3 Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	People are not have a proper awareness about the containment zones in a particular region during a pandemic situation.
2.	Idea / Solution description	The focuses on development of an android application which can inform people of the covid-19 containment zone and prevent trespassing into the zone
3.	Novelty / Uniqueness	<ol style="list-style-type: none"> 1. It shows the location of the containment zones to the users. 2. It also notifies the user when trespasses the boundary of a containment zones or stays in the containment zones.
4.	Social Impact / Customer Satisfaction	It will give a type of alert message or notification when a user's location enters into a contained area
5.	Business Model (Revenue Model)	Government can utilise the application and alert the people when they are entering to a containment zone.
6.	Scalability of the Solution	User's way of interaction with the application gets increased.

3.4 Problem Solution fit:

1. CUSTOMER SEGMENT(S) Who is your customer? i.e. working parents of 0-5 y.o. kids	6. CUSTOMER CONSTRAINTS What constraints prevent your customers from taking action or limit their options? i.e. working parents, i.e. spending power, budget, no cash, network connection, available data etc.	8. AVAILABLE SOLUTIONS What solutions are available to the customers when they face the problem? i.e. need to get the job done? What have they tried in the past? What have they done to solve the problem? i.e. what have they tried?	Explore AS, differentiate
2. JOBS-TO-BE-DONE / PROBLEMS Which jobs-to-be-done (or problems) do you address for your customer? There could be more than one; explore different sides.	9. PROBLEM ROOT CAUSE What is the real reason that this problem exists? What is the basic story behind the need to do this job?	7. BEHAVIOUR What do your customers do to address the problem and get the job done? i.e. identify what they do to address the problem and get the job done.	Focus on AS, up to the AS, performance
People or user wants to travel the other state or district during pandemic time	Due to lack of technology awareness, they go away from the using of current technology	Automatic Notification and Alarms for Individual In past, they identified the number of cases are affected by Covid-19 in a certain Area	
People are unaware of travelling the other area during pandemic situation People don't know about the safety measure of the Containment zones	Users without have enough awareness of covid19 pandemic User not aware of containment zones of covid-19	To determine the zone characteristics and identify the zones. Then form different containment zone depends on effect.	

I d e n t i f y s t r o	3. TRIGGERS <small>What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news.</small> <div>TR</div> <p>Sale precautions for people to be aware in pandemic.</p>	10. YOUR SOLUTION <small>If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality. If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.</small> <div>SL</div> <p>Low cost cloud Based Application device that can be easily provides the Notification and Alarms based on users enter in containment zones</p>	8. CHANNELS of BEHAVIOUR <small>8.1 ONLINE What kind of actions do customers take online? Extract online channels from #7</small> <div>CH</div> <p>Promoting through social media, with the help of social media Entrepreneurs</p>
	4. EMOTIONS: BEFORE / AFTER <small>How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design.</small> <div>EM</div> <p>If they faced a problem, they could use our technology to aware off pandemic containment zones</p>		<small>8.2 OFFLINE What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development.</small> <p>Identification of the containment zone and take precautionary actions</p>

CHAPTER 4

4 REQUIREMENT ANALYSIS


4.1 Functional requirement

4.2 Non-Functional requirements

CHAPTER 5

5 PROJECT DESIGN

5.1 Data Flow Diagrams



CHAPTER 6

6 PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation:

- Sprint planning is an event in scrum that kicks off the sprint. The purpose of sprint planning is to define what can be delivered in the sprint and how that work will be achieved. Sprint planning is done in collaboration with the whole scrum team.
- In [scrum](#), the [sprint](#) is a set period of time where all the work is done. However, before you can leap into action you have to set up the sprint. You need to decide on how long the time box is going to be, the sprint goal, and where you're going to start. The sprint planning session kicks off the sprint by setting the agenda and focus. If done correctly, it also creates an environment where the team is motivated, challenged, and can be successful. Bad sprint plans can derail the team by setting unrealistic expectations.

Estimation:

Project estimation is the process of forecasting the time, cost, and resources needed to deliver a project. It typically happens during project initiation and/or planning and takes the project's scope, deadlines, and potential risks into account.

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
--------	-------------------------------	-------------------	-------------------	--------------	----------	--------------

Sprint 1	Registration (web and android)	USN-1	USER: I can register for the application by entering myemail and password	3	High	Kishorekumar Rohith Ramesh Mohan
		USN-2	USER: I will receive a confirmation email once I haveregistered for the application	2	High	Kishorekumar Rohith Ramesh Mohan
	Login (web and android)	USN-3	USER: I can log into the application by entering my	3	High	Kishorekumar Rohith Ramesh Mohan

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-2	Dashboard	USN-4	USER: need to give permission to access my location	5	High	Kishorekumar Rohith Ramesh Mohan
		USN-5	As a user, I can log into the application by entering email & password	5	High	Kishorekumar Rohith Ramesh Mohan

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint 3	Service	USN 6	ADMIN: I need to update the containment zones.	5	High	Kishorekumar Rohith Ramesh Mohan
		USN 7	ADMIN: I need to differentiate the containment zones based on the intensity of infection.	3	Medium	Kishorekumar Rohith Ramesh Mohan

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
---------------	--------------------------------------	--------------------------	--------------------------	---------------------	-----------------	---------------------

Sprint 4	Service	USN 8	ADMIN: I need to alert the user when they enter the containment zone through the notification	5	Medium	Kishorekumar Rohith Ramesh Mohan
	Data collection	USN 9	ADMIN: I need to store user details on the cloud	5	Medium	Kishorekumar Rohith Ramesh Mohan
		USN 10	ADMIN: I need to collect details about covid -19 cases from verified sources	5	Medium	Kishorekumar Rohith Ramesh Mohan

6.2 Sprint Delivery Schedule:

- ✓ The product owner typically determines the duration of the sprint and checks with the team to make sure it aligns with its workloads and resources.
- ✓ While there may be multiple project heads collaborating on a sprint, it's ultimately important to have one owner who oversees all aspects of sprint planning. Likewise, there should be one single schedule to avoid confusion and keep projects running according to a set plan.
- ✓ Teams often run into trouble when they create more than one schedule. This can create conflict and derail projects midway through their cycles. To ensure things stay on track, one schedule makes sense. In case you're unfamiliar, a sprint schedule is a document that outlines sprint planning from end to end. It's one of the first steps in the agile sprint planning process—and something that requires adequate research, planning, and communication.

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	7 Days	25 Oct 2022	31 Oct 2022	20	31 Oct 2022
Sprint-2	20	6 Days	01 Nov 2022	06 Nov 2022	20	06 Nov 2022

Sprint-3	20	5 Days	07 Nov 2022	11 Nov 2022	20	11 Nov 2022
Sprint-4	20	6 Days	12 Nov 2022	17 Nov 2022	20	17 Nov 2022

Figure: Sprint Delivery Schedule

- ✓ Ideally, you should create a sprint schedule early on in the development process—before you get to the planning stage.
- ✓ Of course, sprint schedules should be highly fluid in the beginning. You will almost certainly have to make changes before you wind up with a final plan that everyone agrees on.
- ✓ Even so, it's important to at least have an initial plan in place heading into a sprint planning meeting instead of coming to the table with nothing.

6.3 Reports from JIRA:

Reports in Jira help teams analyze progress on a project, track issues, manage their time, and predict future performance. They offer critical, real-time insights for Scrum, Kanban, and other agile methodologies, so that data-driven decisions can be made (the very best kind).

Content	OCT							NOV							NOV							NOV						
	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17				
Registration	<div></div>																											
Login	<div></div>																											
Dashboard								<div></div>																				
Service															<div></div>													
Data collection																						<div></div>						

Figure: JIRA Report

CHAPTER 7

7 ADVANTAGES & DISADVANTAGES

7.1 Advantages:

In this situation where people can move in the city, these containment zones pose a risk of infection to these city dwellers. Therefore, informing people about the location of the containment zones can help them bypass and avoid these zones and thereby reduce the chance of community transmission.

7.2 Disadvantages:

The parameters used are similar, but the exact criteria applied varies, and usually depends on local conditions. These have also evolved with time, and are under constant review. In general, containment zones are getting smaller with time as the number of cases are increasing — from entire localities, to colonies or neighbourhood, to streets and lanes, to particular buildings, and now just particular floors.

CHAPTER 8

8 SCREENSHOTS

1. DOCKER CREATION:

Creation of Namespaces:




Figure: Creation of Namespace

Image pushing from Docker:




Figure: Generation of port

2. Creating Web Application


Register page:

A screenshot of a web browser window showing a 'Register Here' page. The address bar shows the URL '127.0.0.1:5000/register'. The page features a large illustration on the left showing a person sitting at a desk with a computer, surrounded by various icons representing technology and business. On the right, there is a registration form with the following fields: 'Username' (containing 'ram'), 'Email Address' (containing 'ram@gmail.com'), 'Password' (containing '....'), and 'Confirm Password' (containing '....'). Below the 'Confirm Password' field, there is a checkbox for 'Remember me' and a link for 'Forgot Password?'. A blue 'Register' button is located below the form. At the bottom, there is a link for 'I already have an account? Login'.


Main page:




Contact Page:





Location Page:





Additional Pages:





Database Connectivity:



IBM Db2 on Cloud

Load Data Load History **Tables** Views Indexes Aliases MQTs Sequences Application objects

BYG92981.LOCATION

Back

Export to CSV

LATITUDE	LONGITUDE	DESCRIPTION
10.81415064326011	78.68044171058231	trichy
13.099545042285724	80.17600085608731	chennai
28.698922752092443	77.2121700470024	delhi

3. Mobile Application:

12:53 PM | 0.0KB/s | 100%

Containment Zone Detection

Sign in with

Or

Email Address

Mohan

Password

.....


☒ Remember me [Forgot Password?](#)

Login


Don't have an account? [Register](#)

Containment Zone Detection

Side Menu:



Home page:



Count Area:



Register Page:

12:54 PM | 0.0KB/s

Containment Zone Detection

Username

Mohan

Email Address

mohan@gmail.com

Password

....

Confirm Password

....

☒ Remember me [Forgot Password?](#)


Register

I already have an account? [Login](#)


Containment Zone Detection

f G+ in t

About Us:



Call to Action Tab:



CHAPTER 9

9 CONCLUSION:

- The application provides an efficient way of showing the identified Covid-19 containment zones to the users in a Google map. With the alarming increase of Covid-19 affected cases throughout the world, this developed application can be employed as a tool for creating further social awareness among the people. This application further tracks the user's location and checks whether it is present in the list of identified containment zones. It sends separate notification alerts to the user on entering. The developed android application further extracts the IMEI Number of the trespasser in the containment zones which can be useful to the local police to track and identify people who are frequently trespassing the containment zones. Thereby this application identifies the containment zones and highlights the need for taking further precautionary measures for combating Covid-19. The application has been tested in various locations and has been found to yield accurate results.
- The application can be further used for many purposes like maritime and forest safety to prevent users from entering restricted areas.

CHAPTER 10

10 FUTURE SCOPE

The developed android application further extracts the IMEI Number of the trespasser in the containment zones which can be useful to the local police to track and identify people who are frequently trespassing the containment zones. Thereby this application identifies the containment zones and highlights the need for taking further precautionary measures for combating Covid-19. The application has been tested in various locations and has been found to yield accurate results.

CHAPTER 11

11 APPENDIX

11.1 Source Code:

Android Application:

Home.java

```
package com.example.containmentzonedetection;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.webkit.WebView;
import android.webkit.WebViewClient;
import android.widget.Button;

public class MainActivity3 extends AppCompatActivity {
    Button submit;
    Button call;
    Intent intent, intent1, intent2, intent3;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main3);
        call=findViewById(R.id.click1);
        submit = findViewById(R.id.regiter1);
        call.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Intent intent = new Intent(MainActivity3.this, MapsActivity.class);
                startActivity(intent);
            }
        });
    }
}
```

```

submit.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        Intent intent = new Intent(MainActivity3.this, MainActivity.class);
        startActivity(intent);
    }
});
intent = new Intent(this, MainActivity3.class);
intent1 = new Intent(this, MainActivity3.class);
intent2 = new Intent(this, MainActivity3.class);
intent2 = new Intent(this, MainActivity3.class);
}

public void home1(View view) {
    if (view.getId() == R.id.imageView8) {
        startActivity(intent);
    }
}

public void about1(View view) {
    if (view.getId() == R.id.about2) {
        startActivity(intent1);
    }
}

public void con1(View view) {
    if (view.getId() == R.id.con2) {
        startActivity(intent3);
    }
}
}

```

Register.java


```

package com.example.containmentzonedetection;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class MainActivity2 extends AppCompatActivity {
    Button Register;
    Intent intent;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);
        Register = findViewById(R.id.button2);
        Register.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Intent intent = new Intent(MainActivity2.this, MainActivity3.class);
                startActivity(intent);
            }

        });
        intent = new Intent(this, forgotpassord.class);
    }

    public void signin1(View view) {
        if (view.getId()==R.id.textView12)
        {
            finish();
        }
    }
}

```

```

public void ot(View view) {
    if (view.getId() == R.id.textView8) {
        startActivity(intent);
    }
}
}

```

Login.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">

<TextView
    android:id="@+id/textView3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="160dp"
    android:layout_marginTop="120dp"
    android:layout_marginEnd="193dp"
    android:layout_marginBottom="32dp"
    android:text="-----or-----"
    android:textSize="20sp"
    android:textStyle="italic"
    app:layout_constraintBottom_toTopOf="@+id/textView4"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.445"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />

```

```

<TextView
    android:id="@+id/textView4"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="24dp"
    android:layout_marginTop="20dp"
    android:layout_marginEnd="214dp"
    android:text="Email Address:"
    android:textColor="#020202"
    android:textSize="24sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView3" />

```

```

<EditText
    android:id="@+id/editTextTextPersonName"
    android:layout_width="350dp"
    android:layout_height="40dp"
    android:layout_marginStart="50dp"
    android:layout_marginTop="12dp"
    android:layout_marginEnd="153dp"
    android:background="@drawable/edit_text_border"
    android:ems="10"
    android:hint="Enter a valid email address"
    android:inputType="textPersonName"
    android:textColor="#0E0E0E"
    android:textColorHighlight="#131313"
    android:textColorLink="#0E0E0E"
    android:textSize="20sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.142"

```

```
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/textView4" />
```

<TextView

```
    android:id="@+id/textView5"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="8dp"
    android:layout_marginTop="16dp"
    android:layout_marginEnd="8dp"
    android:text="Sign in with"
    android:textColor="#111112"
    android:textSize="34sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
```

<TextView

```
    android:id="@+id/textView6"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="27dp"
    android:layout_marginTop="16dp"
    android:layout_marginEnd="250dp"
    android:text="Password:"
    android:textColor="#121111"
    android:textSize="24sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.0"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editTextTextPersonName" />
```

```

<EditText
    android:id="@+id/editTextTextPersonName2"
    android:layout_width="350dp"
    android:layout_height="40dp"
    android:layout_marginStart="36dp"
    android:layout_marginTop="16dp"
    android:layout_marginEnd="150dp"
    android:background="@drawable/edit_text_border"
    android:ems="10"
    android:hint="Enter passord"
    android:inputType="textPassword"
    android:textColor="#101010"
    android:textColorHighlight="#101010"
    android:textColorLink="#100F0F"
    android:textSize="20sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.058"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView6" />

```

```

<TextView
    android:id="@+id/textView9"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="60dp"
    android:layout_marginTop="24dp"
    android:layout_marginEnd="250dp"
    android:text="Remember me"
    android:textSize="16sp"
    android:textStyle="normal"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editTextTextPersonName2" />

```

```

<TextView
    android:id="@+id/textView10"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="145dp"
    android:layout_marginTop="235dp"
    android:layout_marginEnd="83dp"
    android:text="Forgot Passord ?"
    android:onClick="fort"
    android:textSize="16sp"
    android:textStyle="normal"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toEndOf="@+id/textView9"
    app:layout_constraintTop_toBottomOf="@+id/textView3" />

```

```

<Button
    android:id="@+id/button2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="70dp"
    android:layout_marginTop="50dp"
    android:layout_marginEnd="300dp"
    android:layout_marginBottom="280dp"
    android:background="@color/purple_700"
    android:textColor="@color/white"
    android:text="Login"
    android:textSize="22sp"
    android:textStyle="italic"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView9" />

```

```

<TextView
    android:id="@+id/textView11"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="100dp"
    android:layout_marginTop="32dp"
    android:layout_marginEnd="200dp"
    android:layout_marginBottom="180dp"
    android:text="Don't have an account?"
    android:textColorHighlight="#121111"
    android:textColorLink="#131313"
    android:textSize="16sp"
    android:textStyle="normal"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.535"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/button2"
    app:layout_constraintVertical_bias="0.224" />

```

```

<TextView
    android:id="@+id/textView12"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="8dp"
    android:layout_marginTop="95dp"
    android:layout_marginEnd="100dp"
    android:layout_marginBottom="150dp"
    android:text="Register"
    android:onClick="register1"
    android:textColor="#EA3E3E"
    android:textSize="16sp"
    android:textStyle="italic"
    app:layout_constraintBottom_toBottomOf="parent"

```

```

app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.0"
app:layout_constraintStart_toEndOf="@+id/textView11"
app:layout_constraintTop_toBottomOf="@+id/textView10"
app:layout_constraintVertical_bias="0.117" />
<LinearLayout
    android:layout_marginTop="650dp"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">

<androidx.cardview.widget.CardView
    android:id="@+id/b2"
    android:layout_width="536dp"
    android:layout_height="100dp"
    android:layout_margin="0dp"
    app:cardBackgroundColor="#0D42FF"
    app:cardCornerRadius="0dp">

<LinearLayout
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:gravity="center"
    android:orientation="vertical">

<TextView
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_marginTop="22sp"
    android:text="Containment Zone Detection"
    android:textAlignment="center"
    android:textColor="@color/black"
    android:textSize="16dp"
    android:textStyle="bold|italic" />

```



```
</LinearLayout>
```

```
<ImageView
```

```
    android:id="@+id/imageView2"  
    android:layout_width="500dp"  
    android:layout_marginTop="20dp"  
    android:layout_height="30dp"  
    app:srcCompat="@drawable/ff" />
```

```
<ImageView
```

```
    android:id="@+id/imageView7"  
    android:layout_width="580dp"  
    android:layout_marginTop="20dp"  
    android:layout_height="30dp"  
    app:srcCompat="@drawable/in" />
```

```
<ImageView
```

```
    android:id="@+id/imageView8"  
    android:layout_width="660dp"  
    android:layout_marginTop="20dp"  
    android:layout_height="30dp"  
    app:srcCompat="@drawable/gg" />
```

```
<ImageView
```

```
    android:id="@+id/imageView9"  
    android:layout_width="740dp"  
    android:layout_marginTop="20dp"  
    android:layout_height="30dp"  
    app:srcCompat="@drawable/tw" />
```

```
</androidx.cardview.widget.CardView>
```

```
</LinearLayout>
```

```
<ImageView
```

```
    android:id="@+id/imageView"
```

```

android:layout_width="36dp"
android:layout_height="50dp"
android:layout_marginStart="70dp"
android:layout_marginTop="110dp"
android:layout_marginEnd="200dp"
android:layout_marginBottom="47dp"
app:layout_constraintBottom_toTopOf="@+id/textView3"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:srcCompat="@drawable/ff" />

```

<ImageView

```

android:id="@+id/imageView3"
android:layout_width="46dp"
android:layout_height="43dp"
android:layout_marginStart="24dp"
android:layout_marginTop="8dp"
android:layout_marginEnd="200dp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toEndOf="@+id/imageView"
app:layout_constraintTop_toBottomOf="@+id/textView5"
app:srcCompat="@drawable/tw" />

```

<ImageView

```

android:id="@+id/imageView5"
android:layout_width="38dp"
android:layout_height="52dp"
android:layout_marginStart="32dp"
android:layout_marginTop="65dp"
android:layout_marginEnd="150dp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toEndOf="@+id/imageView3"
app:layout_constraintTop_toTopOf="parent"

```

```
app:srcCompat="@drawable/in" />
```

```
<CheckBox
```

```
    android:id="@+id/checkBox2"
```

```
    android:layout_width="59dp"
```

```
    android:layout_height="72dp"
```

```
    android:layout_marginStart="19dp"
```

```
    android:layout_marginTop="24dp"
```

```
    android:layout_marginEnd="32dp"
```

```
    android:layout_marginBottom="65dp"
```

```
    android:textSize="20sp"
```

```
    app:layout_constraintBottom_toTopOf="@+id/button2"
```

```
    app:layout_constraintEnd_toStartOf="@+id/textView10"
```

```
    app:layout_constraintHorizontal_bias="0.0"
```

```
    app:layout_constraintStart_toStartOf="parent"
```

```
    app:layout_constraintTop_toBottomOf="@+id/textView9" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

Map Activity:

```
package com.example.geofencing;
```

```
import androidx.annotation.NonNull;
```

```
import androidx.core.app.ActivityCompat;
```

```
import androidx.core.content.ContextCompat;
```

```
import androidx.fragment.app.FragmentActivity;
```

```
import android.Manifest;
```

```
import android.app.PendingIntent;
```

```
import android.content.pm.PackageManager;
```

```
import android.graphics.Color;
```

```
import android.os.Build;
```

```
import android.os.Bundle;
```

```

import android.util.Log;
import android.widget.Toast;

import com.google.android.gms.location.Geofence;
import com.google.android.gms.location.GeofencingClient;
import com.google.android.gms.location.GeofencingRequest;
import com.google.android.gms.location.LocationServices;
import com.google.android.gms.maps.CameraUpdateFactory;
import com.google.android.gms.maps.GoogleMap;
import com.google.android.gms.maps.OnMapReadyCallback;
import com.google.android.gms.maps.SupportMapFragment;
import com.google.android.gms.maps.model.CircleOptions;
import com.google.android.gms.maps.model.LatLng;
import com.google.android.gms.maps.model.MarkerOptions;
import com.google.android.gms.tasks.OnFailureListener;
import com.google.android.gms.tasks.OnSuccessListener;

public class MapsActivity extends FragmentActivity implements OnMapReadyCallback,
    GoogleMap.OnMapLongClickListener {

    private static final String TAG = "MapsActivity";

    private GoogleMap mMap;
    private GeofencingClient geofencingClient;
    private GeofenceHelper geofenceHelper;

    private float GEOFENCE_RADIUS = 200;
    private String GEOFENCE_ID = "SOME_GEOFENCE_ID";

    private int FINE_LOCATION_ACCESS_REQUEST_CODE = 10001;
    private int BACKGROUND_LOCATION_ACCESS_REQUEST_CODE = 10002;

    @Override
    protected void onCreate(Bundle savedInstanceState) {

```

```

super.onCreate(savedInstanceState);
setContentView(R.layout.activity_maps);

SupportMapFragment mapFragment = (SupportMapFragment) getSupportFragmentManager()
    .findFragmentById(R.id.map);
mapFragment.getMapAsync(this);

geofencingClient = LocationServices.getGeofencingClient(this);
geofenceHelper = new GeofenceHelper(this);
}
@Override
public void onMapReady(GoogleMap googleMap) {
    mMap = googleMap;

    // Add a marker in Sydney and move the camera
    LatLng eiffel = new LatLng(48.8589, 2.29365);
    mMap.moveCamera(CameraUpdateFactory.newLatLngZoom(eiffel, 16));

    enableUserLocation();

    mMap.setOnMapLongClickListener(this);
}

private void enableUserLocation() {
    if (ContextCompat.checkSelfPermission(this, Manifest.permission.ACCESS_FINE_LOCATION)
== PackageManager.PERMISSION_GRANTED) {
        mMap.setMyLocationEnabled(true);
    } else {

        if (ActivityCompat.shouldShowRequestPermissionRationale(this,
Manifest.permission.ACCESS_FINE_LOCATION)) {

```

```

        ActivityCompat.requestPermissions(this, new String[]
{Manifest.permission.ACCESS_FINE_LOCATION},
FINE_LOCATION_ACCESS_REQUEST_CODE);
    } else {
        ActivityCompat.requestPermissions(this, new String[]
{Manifest.permission.ACCESS_FINE_LOCATION},
FINE_LOCATION_ACCESS_REQUEST_CODE);
    }
}

@Override
public void onRequestPermissionsResult(int requestCode, @NonNull String[] permissions, @NonNull
int[] grantResults) {
    if (requestCode == FINE_LOCATION_ACCESS_REQUEST_CODE) {
        if (grantResults.length > 0 && grantResults[0] == PackageManager.PERMISSION_GRANTED)
        {

            mMap.setMyLocationEnabled(true);
        } else {
            //We do not have the permission..

        }
    }

    if (requestCode == BACKGROUND_LOCATION_ACCESS_REQUEST_CODE) {
        if (grantResults.length > 0 && grantResults[0] == PackageManager.PERMISSION_GRANTED)
        {

            Toast.makeText(this, "You can add geofences...", Toast.LENGTH_SHORT).show();
        } else {

            Toast.makeText(this, "Background location access is neccessary for geofences to trigger...",
Toast.LENGTH_SHORT).show();

```

```

    }
}

@Override
public void onMapLongClick(LatLng latLng) {
    if (Build.VERSION.SDK_INT >= 29) {
        //We need background permission
        if (ContextCompat.checkSelfPermission(this,
Manifest.permission.ACCESS_BACKGROUND_LOCATION) ==
PackageManager.PERMISSION_GRANTED) {
            handleMapLongClick(latLng);
        } else {
            if (ActivityCompat.shouldShowRequestPermissionRationale(this,
Manifest.permission.ACCESS_BACKGROUND_LOCATION)) {

                ActivityCompat.requestPermissions(this, new String[]
{Manifest.permission.ACCESS_BACKGROUND_LOCATION},
BACKGROUND_LOCATION_ACCESS_REQUEST_CODE);
            } else {
                ActivityCompat.requestPermissions(this, new String[]
{Manifest.permission.ACCESS_BACKGROUND_LOCATION},
BACKGROUND_LOCATION_ACCESS_REQUEST_CODE);
            }
        }
    } else {
        handleMapLongClick(latLng);
    }
}

private void handleMapLongClick(LatLng latLng) {
    mMap.clear();
}

```

```

    addMarker(latLng);
    addCircle(latLng, GEOFENCE_RADIUS);
    addGeofence(latLng, GEOFENCE_RADIUS);
}

private void addGeofence(LatLng latLng, float radius) {

    Geofence geofence = geofenceHelper.getGeofence(GEOFENCE_ID, latLng, radius,
    Geofence.GEOFENCE_TRANSITION_ENTER | Geofence.GEOFENCE_TRANSITION_DWELL |
    Geofence.GEOFENCE_TRANSITION_EXIT);
    GeofencingRequest geofencingRequest = geofenceHelper.getGeofencingRequest(geofence);
    PendingIntent pendingIntent = geofenceHelper.getPendingIntent();

    geofencingClient.addGeofences(geofencingRequest, pendingIntent)
        .addOnSuccessListener(new OnSuccessListener<Void>() {
            @Override
            public void onSuccess(Void aVoid) {
                Log.d(TAG, "onSuccess: Geofence Added...");
            }
        })
        .addOnFailureListener(new OnFailureListener() {
            @Override
            public void onFailure(@NonNull Exception e) {
                String errorMessage = geofenceHelper.getErrorString(e);
                Log.d(TAG, "onFailure: " + errorMessage);
            }
        });
}

private void addMarker(LatLng latLng) {
    MarkerOptions markerOptions = new MarkerOptions().position(latLng);
    mMap.addMarker(markerOptions);
}

```



```

private void addCircle(LatLng latLng, float radius) {
    CircleOptions circleOptions = new CircleOptions();
    circleOptions.center(latLng);
    circleOptions.radius(radius);
    circleOptions.strokeColor(Color.rgb(255, 255, 0));
    circleOptions.fillColor(Color.rgb(64, 255, 0));
    circleOptions.strokeWidth(4);
    mMap.addCircle(circleOptions);
}
}

```

Home.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.core.widget.NestedScrollView xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity3">
    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="vertical">

        <androidx.cardview.widget.CardView
            android:id="@+id/b2"
            android:layout_width="536dp"
            android:layout_height="60dp"
            android:layout_margin="0dp"
            app:cardBackgroundColor="#030F37"
            app:cardCornerRadius="0dp">

            <TextView
                android:layout_width="match_parent"

```

```
android:layout_height="match_parent"
android:layout_marginTop="15sp"
android:layout_marginRight="440dp"
android:text=" Safe Zone"
android:textAlignment="center"
android:textColor="@color/white"
android:textSize="20dp"
android:textStyle="bold|italic" />
```

<Button

```
android:id="@+id/register1"

android:layout_width="50dp"
android:layout_height="50dp"
android:layout_marginLeft="340dp"
android:layout_marginTop="1sp"
android:background="#0421D6"
android:text="Login/Register"
android:textSize="11dp"
android:textColor="@color/white"
android:textStyle="bold|italic" />
```

<TextView

```
android:id="@+id/home1"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:layout_marginLeft="130dp"
android:layout_marginTop="15sp"
android:text="Home"
android:onClick="home1"
android:textColor="#7B82AE"
android:textSize="14dp" />
```

<TextView

```
android:id="@+id/about1"
android:onClick="about1"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:layout_marginLeft="175dp"
android:layout_marginTop="15sp"
android:text="About"
android:textColor="#7B82AE"
android:textSize="14dp" />
```

<TextView

```
android:id="@+id/ser1"
android:onClick="ser1"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:layout_marginLeft="220dp"
android:layout_marginTop="15sp"
android:text="Services"
android:textColor="#7B82AE"
android:textSize="14dp" />
```

<TextView

```
android:id="@+id/con1"
android:onClick="con1"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:layout_marginLeft="280dp"
android:layout_marginTop="15sp"
android:text="Contact"
android:textColor="#7B82AE"
android:textSize="14dp" />
```

</androidx.cardview.widget.CardView>

```

<androidx.cardview.widget.CardView
    android:id="@+id/b92"
    android:layout_width="536dp"
    android:layout_height="650dp"
    android:layout_margin="0dp"
    app:cardBackgroundColor="#0E277E"
    app:cardCornerRadius="0dp">

```

```

<ImageView
    android:id="@+id/imageView8"
    android:layout_width="400dp"
    android:layout_height="300dp"
    android:layout_marginTop="20dp"
    app:srcCompat="@drawable/home" />

```

```

<TextView
    android:layout_width="400dp"
    android:layout_height="match_parent"
    android:layout_marginTop="320dp"
    android:text="Containment Zone
                Alerting Application"
    android:textColor="@color/white"
    android:textSize="30dp"
    android:textStyle="italic|bold"
    android:textAlignment="center"
/>

```

```

<TextView
    android:layout_width="400dp"
    android:layout_marginTop="410dp"
    android:layout_height="match_parent"

```

android:text="We may give a save zone details when the user passing through the containmentd zone via alert message. We include a google map for registered user to track where they are pass and where the containmented zone present neary by the user."

```

        android:textColor="@color/white"
        android:textStyle="normal"
        android:textAlignment="center"
    />

```

```

<EditText

```

```

    android:id="@+id/editTextTextPersonName"
    android:layout_width="250dp"
    android:layout_height="40dp"
    android:layout_marginStart="20dp"
    android:layout_marginTop="510dp"
    android:layout_marginEnd="153dp"
    android:background="@drawable/edit_text_border"
    android:ems="10"
    android:hint="ZIP code or City to Know the COVID-19 case details"
    android:inputType="textPersonName"
    android:textColor="@color/white"
    android:backgroundTint="@color/white"
    android:textColorHighlight="#B5B9CD"
    android:textColorLink="#0E0E0E"
    android:textSize="15dp"
    android:textColorHint="#B5B9CD"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.142"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView4" />

```

```

<Button

```

```

    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Search"
    android:textColor="@color/white"
    android:layout_marginTop="505dp"
    android:layout_marginLeft="280dp"

```

```

        android:background="#0421D6"
    />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="10dp"
    android:textColor="@color/white"
    android:textStyle="bold|italic"
    android:layout_marginTop="600dp"
    android:text="Active Cases"/>
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="20dp"
    android:textColor="@color/white"
    android:textStyle="bold|italic"
    android:layout_marginTop="570dp"
    android:text="232"/>

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="100dp"
    android:textColor="@color/white"
    android:textStyle="bold|italic"
    android:layout_marginTop="600dp"
    android:text="Deaths"/>

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="110dp"
    android:textColor="@color/white"

```

```
android:textStyle="bold|italic"
android:layout_marginTop="570dp"
android:text="521"/>
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="200dp"
    android:textColor="@color/white"
    android:textStyle="bold|italic"
    android:layout_marginTop="570dp"
    android:text="1453"/>
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="200dp"
    android:textColor="@color/white"
    android:textStyle="bold|italic"
    android:layout_marginTop="600dp"
    android:text="Cured"/>
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="300dp"
    android:textColor="@color/white"
    android:textStyle="bold|italic"
    android:layout_marginTop="600dp"
    android:text="Total Cases"/>
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="320dp"
```

```

        android:textColor="@color/white"
        android:textStyle="bold|italic"
        android:layout_marginTop="570dp"
        android:text="32"/>

```

```

</androidx.cardview.widget.CardView>

```

```

<ImageView
    android:id="@+id/imageView2"
    android:layout_width="389dp"
    android:layout_height="200dp"
    android:layout_marginLeft="0dp"
    android:layout_marginTop="20dp"
    android:layout_marginRight="44dp"
    app:srcCompat="@drawable/about" />

```

```

<TextView
    android:id="@+id/about2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="About Us"
    android:textColor="#061568"
    android:textStyle="italic|bold"
    android:layout_marginTop="20dp"
    android:layout_marginLeft="60dp"
    android:textSize="30dp"/>

```

```

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="We offer a platform to alert users who register on our website when they enter a
COVID19 infected zone area using Google Maps, and we help users create the ideal path to safe family
travel."
    android:textColor="@color/black"
    android:textStyle="normal"
    android:layout_marginTop="10dp"

```



```

        android:textAlignment="viewStart"
        android:layout_marginLeft="60dp"
    />

```

```

<TextView
    android:id="@+id/View333"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:textStyle="bold|italic"
    android:layout_marginLeft="60dp"
    android:layout_marginTop="20dp"
    android:text="Suggest an alternative path"
    android:textSize="20dp"
    android:textColor="#061568"
/>

```

```

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="We give a suggestion for alternative path to reach your destination via google map
as given in our site"

```

```

        android:textColor="@color/black"
        android:textStyle="normal"
        android:layout_marginTop="10dp"
        android:textAlignment="viewStart"
        android:layout_marginLeft="60dp"
    />

```

```

<TextView
    android:id="@+id/View34"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="60dp"
    android:layout_marginTop="20dp"
    android:textStyle="italic|bold"
    android:text="Marking a infected area"
    android:textSize="20dp"

```

```

        android:textColor="#061568"
    />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="We should mark a infected area with the different color circle shaped marker which
denotes the infection"
    android:textColor="@color/black"
    android:textStyle="normal"
    android:layout_marginTop="10dp"
    android:textAlignment="viewStart"
    android:layout_marginLeft="60dp"
    />
<TextView
    android:id="@+id/View35"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="60dp"
    android:layout_marginTop="20dp"
    android:textStyle="bold|italic"
    android:text="Location Service"
    android:textSize="20dp"
    android:textColor="#061568"
    />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="130dp"
    android:text="We request you to allow us to access your location then only we can able to track
our location coordinates and notify yours"
    android:textColor="@color/black"
    android:textStyle="normal"
    android:layout_marginTop="10dp"
    android:textAlignment="viewStart"
    android:layout_marginLeft="60dp"

```

/>

```
<androidx.cardview.widget.CardView
    android:id="@+id/b32"
    android:layout_width="456dp"
    android:layout_height="200dp"
    android:layout_margin="0dp"

    app:cardBackgroundColor="#EFBCAC"
    app:cardCornerRadius="0dp">
```

```
<LinearLayout
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:gravity="center"
    android:orientation="vertical">
```

```
<TextView
    android:id="@+id/about32"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="30dp"
    android:text="Call To Action"
    android:textColor="@color/white"
    android:textAlignment="viewStart"
    android:textSize="30dp"
    android:textStyle="italic|bold" />
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
```

```

        android:textColor="#F6ECE9"
        android:layout_marginLeft="0dp"
        android:textAlignment="viewStart"
        android:text="Click the button as shown in below to redirect you to our google map api and
monitor to protect you and your family form COVID 19 zone."
        android:textStyle="normal" />

```

```

<Button
    android:id="@+id/click1"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="10dp"
    android:background="#CF856E"
    android:text="Call to Action"
    android:textStyle="normal"
    android:textColor="@color/white" />

```

```

</LinearLayout>

```

```

</androidx.cardview.widget.CardView>

```

```

<ImageView
    android:id="@+id/imageView5"
    android:layout_width="381dp"
    android:layout_height="233dp"
    android:layout_marginLeft="0dp"
    android:layout_marginTop="100dp"
    android:layout_marginRight="44dp"
    app:srcCompat="@drawable/book" />

```

```

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="What we do ?."
    android:textColor="#061568"

```

```

        android:textStyle="italic|bold"
        android:layout_marginTop="10dp"
        android:textAlignment="viewStart"
        android:layout_marginLeft="60dp"
        android:textSize="25dp"
    />

```

```

<TextView
    android:id="@+id/imageView67"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="60dp"
    android:textStyle="normal"
    android:textAlignment="viewStart"
    android:textColor="@color/black"
    android:text="We detect your location coordinates with your permission by click the allow button
when you enter into our googel map api and notify you when your coordintes enters into the
containmented zone."
    android:layout_marginTop="20dp" />

```

```

<TextView
    android:id="@+id/imageView637"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="60dp"
    android:textStyle="normal"
    android:textAlignment="viewStart"
    android:textColor="@color/black"
    android:text=" Track your location."
    android:layout_marginTop="10dp" />

```

```

<TextView
    android:id="@+id/imageView627"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"

```

```

        android:layout_marginLeft="60dp"
        android:textStyle="normal"
        android:textAlignment="viewStart"
        android:textColor="@color/black"
        android:text="Get your coordinates and make a live tracker."
        android:layout_marginTop="10dp" />
<TextView
    android:id="@+id/imageView617"
    android:layout_width="wrap_content"
    android:layout_height="100dp"
    android:layout_marginLeft="60dp"
    android:textStyle="normal"
    android:textAlignment="viewStart"
    android:textColor="@color/black"
    android:text="Alert you to enter into the specified zone."
    android:layout_marginTop="10dp" />
<ImageView
    android:id="@+id/imageView73"
    android:layout_width="377dp"
    android:layout_height="216dp"
    android:layout_marginLeft="10dp"
    android:layout_marginTop="0dp"
    android:layout_marginRight="44dp"
    app:srcCompat="@drawable/moblie" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="What do you do ?."
    android:textColor="#061568"
    android:textStyle="italic|bold"
    android:layout_marginTop="20dp"
    android:layout_marginLeft="60dp"
    android:textSize="30dp"/>

```

```
<ImageView
    android:id="@+id/imageView9"
    android:layout_width="377dp"
    android:layout_height="100dp"
    android:layout_marginLeft="0dp"
    android:layout_marginTop="40dp"
    android:layout_marginRight="44dp"
    app:srcCompat="@drawable/tex" />
```

```
<ImageView
    android:id="@+id/imageView3"
    android:layout_width="377dp"
    android:layout_height="200dp"
    android:layout_marginLeft="0dp"
    android:layout_marginTop="40dp"
    android:layout_marginRight="44dp"
    app:srcCompat="@drawable/bag" />
```

```
<ImageView
    android:id="@+id/imageViewt"
    android:layout_width="389dp"
    android:layout_height="136dp"
    android:layout_marginLeft="0dp"
    android:layout_marginTop="20dp"
    android:layout_marginRight="44dp"
    app:srcCompat="@drawable/ttt" />
```

```
<androidx.cardview.widget.CardView
    android:id="@+id/b02"
    android:layout_width="395dp"
    android:layout_height="500dp"
    android:layout_margin="0dp"
```

```
app:cardBackgroundColor="#030F37"
app:cardCornerRadius="0dp">
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Safe Zone"
    android:textColor="@color/white"
    android:textStyle="italic|bold"
    android:layout_marginTop="0dp"
    android:layout_marginLeft="20dp"
    android:textSize="30dp"/>
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="We may give a save zone details when the user passing through the containmentd
zone via alert message. We include a google map for registered user to track where they are pass and
where the containmented zone present neary by the user."
    android:textColor="@color/white"
    android:textStyle="normal"
    android:layout_marginTop="50dp"
    android:textAlignment="viewStart"
    android:layout_marginLeft="20dp"
/>
```

```
<ImageView
    android:layout_width="35dp"
    android:layout_height="35dp"
    android:layout_marginTop="150dp"
    app:srcCompat="@drawable/ff"
    android:layout_marginLeft="50dp"/>
```

```
<ImageView
    android:layout_width="35dp"
    android:layout_height="35dp"
```



```

        android:layout_marginTop="150dp"
        app:srcCompat="@drawable/in"
        android:layout_marginLeft="100dp"/>
<ImageView
    android:layout_width="35dp"
    android:layout_height="35dp"
    android:layout_marginTop="150dp"
    app:srcCompat="@drawable/gg"
    android:layout_marginLeft="150dp"/>
<ImageView
    android:layout_width="35dp"
    android:layout_height="35dp"
    android:layout_marginTop="150dp"
    app:srcCompat="@drawable/tw"
    android:layout_marginLeft="200dp"/>

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Useful Links"
    android:textColor="@color/white"
    android:textStyle="italic|bold"
    android:layout_marginTop="200dp"
    android:layout_marginLeft="20dp"
    android:textSize="20dp"/>
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Home"
    android:textColor="#B5B9CD"
    android:textStyle="normal"
    android:layout_marginTop="240dp"
    android:layout_marginLeft="20dp" />
<TextView

```

```

        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="About Us"
        android:textColor="#B5B9CD"
        android:textStyle="normal"
        android:layout_marginTop="270dp"
        android:layout_marginLeft="20dp" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Services"
    android:textColor="#B5B9CD"
    android:textStyle="normal"
    android:layout_marginTop="300dp"
    android:layout_marginLeft="20dp" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Terms of Services"
    android:textColor="#B5B9CD"
    android:textStyle="normal"
    android:layout_marginTop="330dp"
    android:layout_marginLeft="20dp" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Privacy policy"
    android:textColor="#B5B9CD"
    android:textStyle="normal"
    android:layout_marginTop="360dp"
    android:layout_marginLeft="20dp" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"

```

```

        android:text="Our services"
        android:textColor="@color/white"
        android:textStyle="italic|bold"
        android:layout_marginTop="200dp"
        android:layout_marginLeft="250dp"
        android:textSize="20dp"/>
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Web Application"
    android:textColor="#B5B9CD"
    android:textStyle="normal"
    android:layout_marginTop="240dp"
    android:layout_marginLeft="250dp" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Mobile Application"
    android:textColor="#B5B9CD"
    android:textStyle="normal"
    android:layout_marginTop="270dp"
    android:layout_marginLeft="250dp" />

<TextView
    android:id="@+id/con2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Contact Us"
    android:textColor="@color/white"
    android:textStyle="italic|bold"
    android:layout_marginTop="400dp"
    android:layout_marginLeft="150dp"
    android:textSize="25dp"/>
<TextView

```

```

        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="© Copyright. Containment zone alerting application"
        android:textColor="@color/white"
        android:textStyle="normal"
        android:layout_marginTop="450dp"
        android:layout_marginLeft="50dp"
    />

```

```

</androidx.cardview.widget.CardView>

```

```

</LinearLayout>

```

```

</androidx.core.widget.NestedScrollView>

```

Geofence Broadcast Receiver:

```

package com.example.geofencing;

import android.content.BroadcastReceiver;
import android.content.Context;
import android.content.Intent;
import android.location.Location;
import android.util.Log;
import android.widget.Toast;

import com.google.android.gms.location.Geofence;
import com.google.android.gms.location.GeofencingEvent;

import java.util.List;

public class GeofenceBroadcastReceiver extends BroadcastReceiver {

```

```

private static final String TAG = "GeofenceBroadcastReceiv";

@Override
public void onReceive(Context context, Intent intent) {

    NotificationHelper notificationHelper = new NotificationHelper(context);

    GeofencingEvent geofencingEvent = GeofencingEvent.fromIntent(intent);

    if (geofencingEvent.hasError()) {
        Log.d(TAG, "onReceive: Error receiving geofence event...");
        return;
    }

    List<Geofence> geofenceList = geofencingEvent.getTriggeringGeofences();
    for (Geofence geofence: geofenceList) {
        Log.d(TAG, "onReceive: " + geofence.getRequestId());
    }

    int transitionType = geofencingEvent.getGeofenceTransition();

    switch (transitionType) {
        case Geofence.GEOFENCE_TRANSITION_ENTER:
            Toast.makeText(context, "GEOFENCE_TRANSITION_ENTER",
Toast.LENGTH_SHORT).show();
            notificationHelper.sendHighPriorityNotification("GEOFENCE_TRANSITION_ENTER", "",
MapsActivity.class);
            break;
        case Geofence.GEOFENCE_TRANSITION_DWELL:
            Toast.makeText(context, "GEOFENCE_TRANSITION_DWELL",
Toast.LENGTH_SHORT).show();
            notificationHelper.sendHighPriorityNotification("GEOFENCE_TRANSITION_DWELL", "",
MapsActivity.class);
            break;
    }
}

```

```

        case Geofence.GEOFENCE_TRANSITION_EXIT:
            Toast.makeText(context, "GEOFENCE_TRANSITION_EXIT",
                Toast.LENGTH_SHORT).show();
            notificationHelper.sendHighPriorityNotification("GEOFENCE_TRANSITION_EXIT", "",
                MainActivity.class);
            break;
        }
    }
}

```

Forgot Password.xml:

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".forgotpassord">

    <TextView
        android:id="@+id/textView3"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginStart="160dp"
        android:layout_marginTop="120dp"
        android:layout_marginEnd="193dp"
        android:layout_marginBottom="32dp"
        android:text="-----or-----"
        android:textSize="20sp"
        android:textStyle="italic"
        app:layout_constraintBottom_toTopOf="@+id/textView4"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.445"

```

```
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent" />
```

<TextView

```
    android:id="@+id/textView4"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="26dp"
    android:layout_marginTop="20dp"
    android:layout_marginEnd="214dp"
    android:text="Email Address:"
    android:textColor="#020202"
    android:textSize="24sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView3" />
```

<EditText

```
    android:id="@+id/editTextTextPersonName"
    android:layout_width="350dp"
    android:layout_height="40dp"
    android:layout_marginStart="50dp"
    android:layout_marginTop="12dp"
    android:layout_marginEnd="153dp"
    android:background="@drawable/edit_text_border"
    android:ems="10"
    android:hint="Enter a valid email address"
    android:inputType="textPersonName"
    android:textColor="#0E0E0E"
    android:textColorHighlight="#131313"
    android:textColorLink="#0E0E0E"
    android:textSize="20sp"
    android:textStyle="italic"
```

```

app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.142"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/textView4" />

```

```

<LinearLayout

```

```

    android:layout_marginTop="650dp"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">

```

```

<androidx.cardview.widget.CardView

```

```

    android:id="@+id/b2"
    android:layout_width="536dp"
    android:layout_height="100dp"
    android:layout_margin="0dp"
    app:cardBackgroundColor="#0D42FF"
    app:cardCornerRadius="0dp">

```

```

<LinearLayout

```

```

    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:gravity="center"
    android:orientation="vertical">

```

```

<TextView

```

```

    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_marginTop="22sp"
    android:text=" Containment Zone Detection"
    android:textAlignment="center"
    android:textColor="@color/black"

```



```

        android:textSize="16dp"
        android:textStyle="bold|italic" />

</LinearLayout>

<ImageView
    android:id="@+id/imageView2"
    android:layout_width="500dp"
    android:layout_marginTop="20dp"
    android:layout_height="30dp"
    app:srcCompat="@drawable/ff" />
<ImageView
    android:id="@+id/imageView7"
    android:layout_width="580dp"
    android:layout_marginTop="20dp"
    android:layout_height="30dp"
    app:srcCompat="@drawable/in" />
<ImageView
    android:id="@+id/imageView8"
    android:layout_width="660dp"
    android:layout_marginTop="20dp"
    android:layout_height="30dp"
    app:srcCompat="@drawable/gg" />
<ImageView
    android:id="@+id/imageView9"
    android:layout_width="740dp"
    android:layout_marginTop="20dp"
    android:layout_height="30dp"
    app:srcCompat="@drawable/tw" />

</androidx.cardview.widget.CardView>
</LinearLayout>

```

```

<TextView
    android:id="@+id/textView13"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="169dp"
    android:layout_marginTop="51dp"
    android:layout_marginEnd="184dp"
    android:text="Forgot Password"
    android:textColor="#0E0D0D"
    android:textSize="34sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />

```

```

<Button
    android:id="@+id/button"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="136dp"
    android:layout_marginTop="25dp"
    android:layout_marginEnd="181dp"
    android:background="@color/purple_700"
    android:text="Submit"
    android:textColor="@color/white"
    android:textSize="20sp"
    android:textStyle="italic"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editTextTextPersonName" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

11.2 GitHub & Project Demo Link:

PROJECT LINK:

<https://github.com/IBM-EPBL/IBM-Project-2757-1658482473>

DEMO LINK: