Enable Location Service To The Application

Date	15 NOV 2022
Team ID	PNT2022TMID13289
Project Name	CONTAINMENT ZONE ALERTING APPLICATION
Team Members:	Kishorekumar P, Rohith V, Ramesh S, Mohan P

Code:

```
package com.example.containmentzonedetection;
      import androidx.fragment.app.FragmentActivity;
      import android.os.Bundle;
      import com.google.android.gms.maps.CameraUpdateFactory;
      import com.google.android.gms.maps.GoogleMap;
      import com.google.android.gms.maps.OnMapReadyCallback;
      import com.google.android.gms.maps.SupportMapFragment;
      import com.google.android.gms.maps.model.LatLng;
      import com.google.android.gms.maps.model.MarkerOptions;
      import com.example.containmentzonedetection.databinding.ActivityMapsBinding;
      public class MapsActivity extends FragmentActivity implements OnMapReadyCallback
{
        private GoogleMap mMap;
        private ActivityMapsBinding binding;
        @Override
        protected void onCreate(Bundle savedInstanceState) {
           super.onCreate(savedInstanceState);
           binding = ActivityMapsBinding.inflate(getLayoutInflater());
           setContentView(binding.getRoot());
           // Obtain the SupportMapFragment and get notified when the map is ready to be
used.
           SupportMapFragment mapFragment = (SupportMapFragment)
getSupportFragmentManager()
               .findFragmentByld(R.id.map);
          mapFragment.getMapAsync(this);
        }
        @Override
        public void onMapReady(GoogleMap googleMap) {
           mMap = qoogleMap;
```

```
// Add a marker in Sydney and move the camera
LatLng sydney = new LatLng(11.123735, 78.450073);
mMap.addMarker(new MarkerOptions().position(sydney).title("Marker in Sydney"));
mMap.moveCamera(CameraUpdateFactory.newLatLng(sydney));
}
```



Fig 2. Enable Location Service