DEVELOP THE PYTHON CODE

| Date | 18 NOVEMBER 2022 |
|--------------|--|
| Team ID | PNT2022TMID11808 |
| Project Name | Smart farmer-IOT enabled smart Farming Application |

```
Python Code:
 #IBM Watson IOT Platform
 #pip install wiotp-sdk
import wiotp.sdk.device
 import time
 import random
 import requests, json
 ms=0
 api_key = "a0db30a689a774b93ffcb58ef2eddfda"
 base_url = "http://api.openweathermap.org/data/2.5/weather?"
city_name = 'Chennai, IN'
complete_url = base_url + "appid=" + api_key + "&q=" + city_name
status='motor off'
myConfig = {
   "identity": {
     "orgId": "17lsro",
"typeId": "MyDeviceType",
"deviceId":"12345"
```

```
},
  "auth": {
    "token": "GkatKdiUS?UVHKvnAD"
 }
}
def myCommandCallback(cmd):
  print("Message received from IBM IoT Platform: %s" %
cmd.data['command'])
  m=cmd.data['command']
  if(m=="MOTOR ON"):
    print("MOTOR IS ON")
    global status
    status='motor on'
    myData={'temperature':temp,
'humidity':hum,'soilmoisture':sm_percentage,'status':status,'api_temperature':
api_temperature, 'api_pressure':api_pressure, 'api_humidity':api_humidity, 'api
_weather_description':api_weather_description}
    client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
    print("Published data Successfully: %s", myData)
    time.sleep(2)
  elif(m=="MOTOR OFF"):
    print("MOTOR IS OFF")
```

```
status='motor off'
    myData={'temperature':temp,
'humidity':hum,'soilmoisture':sm_percentage,'status':status,'api_temperature':
api_temperature, 'api_pressure':api_pressure, 'api_humidity':api_humidity, 'api
_weather_description':api_weather_description}
    client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
    print("Published data Successfully: %s", myData)
    time.sleep(2)
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
while True:
  response = requests.get(complete_url)
  x = response.json()
  if x["cod"] != "404":
    y = x["main"]
    api_temperature = y["temp"]
```

```
api_pressure = y["pressure"]
    api humidity = y["humidity"]
    z = x["weather"]
    api weather description = z[0]["description"]
  temp=random.randint(-20,125)
  hum=random.randint(0,100)
  soilmoisture=random.randint(0,1023)#analog sensor
  sm_percentage=(soilmoisture/1023)*100
  sm_percentage=int(sm_percentage)
  myData={'temperature':temp,
'humidity':hum,'soilmoisture':sm percentage,'status':status,'api temperature':
api temperature, 'api pressure': api pressure, 'api humidity': api humidity, 'api
_weather_description':api_weather_description}
  client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
  print("Published data Successfully: %s", myData)
  client.commandCallback = myCommandCallback
  time.sleep(2)
```

time.sleep(2) client.disconnect()

Running of Python Code:

```
The 16th Shell Debug Options Window Help

Fig. 16th Shell Debug Options Window Help

Fython 3.6.10 (taga/v3.8.10;3d39953, May 3 2021, 11:48:03) [MSC v.1928 64 bit (AMD64)] on vin32

Fype Thelp', "copyright", "credites' or "license()" for more information.

FESTART: C.USercale, SOME-SHARANN/Desktop/IBN/Project Development Phase\sprint -1\api python mit app.py

ESSTART: C.USercale, SOME-SHARANN/Desktop/IBN/Project Development Phase\sprint -1\api python mit app.py

ESSTART: C.USercale, SOME-SHARANN/Desktop/IBN/Project Development Phase\sprint -1\api python mit app.py

ESSTART: C.USercale, SOME-SHARANN/Desktop/IBN/Project Development Phase\sprint -1\api python mit app.py

ESSTART: C.USercale, SOME-SHARANN/Desktop/IBN/Project Development Phase\sprint -1\api python mit app.py

ESSTART: C.USercale, Some-Sharann, and the some properties of the so
```