



Project Development Phase Model Performance Test

Date	17 November 2022
Team ID	PNT2022TMID06500
Project Name	Project – Car Resale Value Prediction
Maximum Marks	10 Marks

Model Performance Testing:

Project team shall fill the following information in model performance testing template.

S.No.	Parameter	Values	Screenshot
1.	Metrics	Regression Model: LGBM Regressor MAE: 1327.56 MSE: 9492244.25 RMSE: 3080.93 RMSLE: 8.05 R2 Score: 0.8664 Adjusted R2 Score: 0.8666	 <pre> model = LGBMRegressor(learning_rate=0.01, n_estimators=300, random_state=42) model.fit(X_train, y_train) # Predict on test set y_pred = model.predict(X_test) # Evaluate the model from sklearn.metrics import mean_absolute_error, mean_squared_error, r2_score, adjusted_r2_score mae = mean_absolute_error(y_test, y_pred) mse = mean_squared_error(y_test, y_pred) rmse = np.sqrt(mse) rmsle = np.sqrt(mean_squared_log_error(y_test, y_pred)) r2 = r2_score(y_test, y_pred) adj_r2 = adjusted_r2_score(y_test, y_pred) print(f'MAE: {mae}, MSE: {mse}, RMSE: {rmse}, RMSLE: {rmsle}, R2 Score: {r2}, Adjusted R2 Score: {adj_r2} </pre>
2.	Tune the Model	Hyperparameter Tuning 1) Learning Rate: [0.01, 0.03, 0.05, 0.07] 2) Boosting Type: ['gbdt', 'dart', 'goss', 'rf'] 3) Number of Estimators: [100, 200, 300] Validation Method: Grid Search Cross Validation Best Parameters: Learning Rate – 0.07 Boosting Type – 'gbdt' Number of Estimators - 300	 <pre> lgbm_config = { "name": "LGBMRegressor", "method": "grid", "metric": { "name": "adj_r2", "goal": "maximize" }, "parameters": { "learning_rate": { "values": [0.01, 0.03, 0.05, 0.07] }, "objective": { "values": ['root_mean_squared_error'] }, "boosting_type": { "values": ['gbdt', 'dart', 'goss', 'rf'] }, "reg_sqrt": { "values": [True] }, "metric": { "values": ['rmse'] }, "n_estimators": { "values": [100, 200, 300] }, "random_state": { "values": [42] } } } </pre>

Screenshots

1) Metrics

```
model = LGBMRegressor(boosting_type="gbdt",learning_rate=0.07,metric="rmse",n_estimators=300,objective="root_mean_squared_error",random_state=42,reg_sqrt=True)

model.fit(X_train, Y_train)

Y_pred = model.predict(X_test)

find_scores(Y_test, Y_pred, X_train)

/opt/conda/envs/Python-3.9/lib/python3.9/site-packages/sklearn/utils/validation.py:993: DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please use the shape of y to (n_samples, ), for example using ravel().
  y = column_or_1d(y, warn=True)

{'mae': 1327.549477341283,
 'mse': 9492244.283543464,
 'rmse': 3080.948601249859,
 'rmsle': 8.032992815968017,
 'r2': 0.8668348937732229,
 'adj_r2_score': 0.8668269262555739}
```

2) Tune the model

```
lgbm_configs = {
    "name": 'LGBMRegressor',
    "method": "grid",
    "metric": {
        "name": "adj_r2",
        "goal": "maximize"
    },
    "parameters": {
        "learning_rate": {
            "values": [0.01, 0.03, 0.05, 0.07]
        },
        "objective": {
            "values": ['root_mean_squared_error']
        },
        "boosting_type": {
            "values": ['gbdt', 'dart', 'goss', 'rf']
        },
        "reg_sqrt": {
            "values": [True]
        },
        "metric": {
            "values": ['rmse']
        },
        "n_estimators": {
            "values": [100, 200, 300]
        },
        "random_state": {
            "values": [42]
        }
    }
}
```

Wandb Sweep :

