SMART FARMER - IOT ENABLED SMART   FARMING
APPLICATION

TITLE	Smart Farmer IOT Enabled Smart Farming Application
DOMAIN NAME	INTERNET OF THINGS
TEAM ID	PNT2022TMID12808
TEAM LEADERNAME	MAHAKALEESHWARAN A
TEAM MEMBER NAME	SIVANESAN P.T ELAYABHARATHI.T SRIDHAR.R
MENTOR NAME	Dr. RAM PRASATH S

IBM NALAIYATHIRAN

Build a Web Application Using Node-RED

1. Create a Node-RED Starter application running on IBM Cloud.
2. Install and work with nodes available in the Node-RED Library.
3. Make external packages or modules available to a function node.
4. Work with Dashboard nodes.
5. Secure a Web API that was created in a Node-RED Starter application
6. In this tutorial, you'll familiarize yourself with Node-RED, its nodes, and its flow-based programming model. You'll learn how to extend Node-RED by installing additional nodes, working with an external library, and creating dashboards. With this tutorial, you build an application that analyzes earthquake-related data along with weather data to understand when and where earthquakes are happening around the world.
7. Node-RED is an open-source visual flow-based programming tool used for wiring not only Internet of Things (IoT) components, but also integrating an ensemble of service APIs, including ones provided by IBM Cloud. A node in Node-RED performs a particular functionality, which typically minimizes the amount of coding that is required to build a given application. If you've never used Node-RED before, you might want to start by reviewing these "Node-RED Essentials videos."

In this tutorial, you will create a simplified Earthquake Monitoring System. The application has two main components:

- A *web service* that uses real-time GeoJSON feeds from the USGS Earthquake Hazard Program for displaying earthquake information every hour. Based on the location coordinates (longitude & latitude) of a given earthquake point, the current weather conditions are retrieved using an OpenWeatherMap.
- A *dashboard* that displays the earthquake points retrieved from the web service component, whose details are also saved in a Cloudant database, onto a world map. Additionally, the latest earthquake-related tweets, as well as the frequency of the earthquakes happening in each region, are presented.

So let's get started!

Node-RED

13
11/5/2022, 4:21:25 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
35
11/5/2022, 4:21:26 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
026
11/5/2022, 4:21:27 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
1
11/5/2022, 4:21:33 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : Object
▶ { temp: 16, Humid: 23, soilmoisture: 1016, PI
11/5/2022, 4:21:33 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
23
11/5/2022, 4:21:33 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
16
11/5/2022, 4:21:33 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
1016
11/5/2022, 4:21:33 PM node: f26aa05c89c89136
iot-2/type/Grootid/13/evt/IoTSensor/fmt/json : msg.payload : number
6

Node-QED