# EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

# **MODEL BUILDING**

# ADDING DENSE LAYER

Date	05 November 2022
Team ID	PNT2022TMID30907
Project Name	Emerging Methods for Early Detection of Forest Fires

# Importing The ImageDataGenerator Library

import keras from keras.preprocessing.image import ImageDataGenerator

# **Define the parameters/arguments for ImageDataGenerator class**

train\_datagen=ImageDataGenerator(rescale=1./255,shear\_range=0.2, rotation\_range=180,zoom\_range=0.2, horizontal\_flip=True) test\_datagen=ImageDataGenerator(rescale=1./255)

# **Applying ImageDataGenerator functionality to trainset**

x\_train=train\_datagen.flow\_from\_directory(r'/content/drive/MyDrive/Colab Notebooks/Dataset/train\_set',

```
target_size=(128,128),batch_size=32, class_mode='binary')
```

Found 117 images belonging to 2 classes.

#### Applying ImageDataGenerator functionality to testset

x\_test=test\_datagen.flow\_from\_directory(r'/content/drive/MyDrive/Dataset/test\_set', target\_size=(128,128),batch\_size=32, class\_mode='binary') Found 117 images belonging to 2 classes.

#### **Import model building libraries**

#To define Linear initialisation import Sequential from

keras.models import Sequential

#To add layers import Dense from keras.layers

import Dense

#To create Convolution kernel import Convolution2D

from keras.layers import Convolution2D

#import Maxpooling layer

from keras.layers import MaxPooling2D

#import flatten layer

from keras.layers import Flatten import warnings warnings.filterwarnings('ignore')

# **Initializing the model**

model=Sequential()

# **Add CNN Layer**

```
model.add(Convolution2D(32, (3,3),input_shape=(128,128,3),activation='relu')) #add maxpooling layer model.add(MaxPooling2D(pool_size=(2,2))) #add flatten layer model.add(Flatten())
```

### **Add Dense Layer**

```
#add hidden layer
model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid'))
```