# EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

#### **MODEL BUILDING**

# ADDING DENSE LAYER

Date	05 November 2022
Team ID	PNT2022TMID30907
Project Name	Emerging Methods for Early Detection of Forest Fires

# **Importing The ImageDataGenerator Library**

import keras

from keras.preprocessing.image import ImageDataGenerator

## Define the parameters/arguments for ImageDataGenerator class

train\_datagen=ImageDataGenerator(rescale=1./255,shear\_range=0.2, rotation\_range=180,zoom\_range=0.2, horizontal\_flip=True) test\_datagen=ImageDataGenerator(rescale=1./255)

# **Applying ImageDataGenerator functionality to trainset**

x\_train=train\_datagen.flow\_from\_directory(r'/content/drive/MyDrive/Dataset/train\_set', target\_size=(128,128),batch\_size=32, class\_mode='binary')

Found 436 images belonging to 2 classes.

#### **Applying ImageDataGenerator functionality to testset**

x\_test=test\_datagen.flow\_from\_directory(r'/content/drive/MyDrive/Dataset/test\_set', target\_size=(128,128),batch\_size=32, class\_mode='binary') Found 121 images belonging to 2 classes.

# **Import model building libraries**

#To define Linear initialisation import Sequential

from keras.models import Sequential

#To add layers import Dense from

keras.layers import Dense

#To create Convolution kernel import Convolution2D

from keras.layers import Convolution2D

#import Maxpooling layer

from keras.layers import MaxPooling2D

#import flatten layer

from keras.layers import Flatten import warnings warnings.filterwarnings('ignore')

## **Initializing the model**

model=Sequential()

#### **Add CNN Layer**

model.add(Convolution2D(32, (3,3),input\_shape=(128,128,3),activation='relu')) #add maxpooling layer model.add(MaxPooling2D(pool\_size=(2,2))) #add flatten layer model.add(Flatten())

# **Add Dense Layer**

```
#add hidden layer
model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid'))
```