#### **SPRINT 3 DELIVERY**

TEAM ID PNT2022TMID13434

#### **DATABASE & CHATBOT**


## **DATABASE:-**

### **TABLES CREATED:**

- **1.USER DETAILS**
- 2.APPLIED USERS
- **3.REQUESTED USERS**

# **USER DETAILS:**


create table USER(EMAIL VARCHAR(30), USERNAME CHAR(20), PASSWORD VARCHAR(100));



### **APPLIED USERS:**

create table appliedusers (NAME CHAR(30), EMAIL CHAR(50), MOBILE bigint, AGE integer, GENDER CHAR(20), BLOOD\_GROUP CHAR(10), AADHAR bigint, STATE CHAR(25), CITY CHAR(25), PASSWORD VARCHAR(50));


INSERT INTO appliedusers(NAME, EMAIL, MOBILE, AGE, GENDER, BLOOD\_GROUP, AADHAR, STATE, CITY, PASSWORD) VALUES ('',', , ,'','', '','');



# **REQUESTED USERS:**

create table requsers (name char(30),email char(50),number bigint,age int,sex char(25),blood\_group char(10),address char(100),date date);

insert into requsers (name,email,number,age,sex,blood\_group,address,date)
values (",",",",",",");



### **CHATBOT:**

```
<script>
    window.watsonAssistantChatOptions = {
     integrationID: "86ce9fb6-2ca4-48ec-aeb3-ddbed260132b", // The ID of
this integration.
     region: "us-south", // The region your integration is hosted in.
     serviceInstanceID: "77eeeda2-2b53-4a2e-bfcd-3b68cd38e464", // The ID
of your service instance.
     onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
     const t=document.createElement('script');
     t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') +
"/WatsonAssistantChatEntry.js";
     document.head.appendChild(t);
    });
   </script>
```

