


## Sprint-4

### Deployment – IBM Cloud

|               |   |
|---------------|---|
| Date          | 11 November 2022                                      |
| Team ID       | PNT2022TMID28097                                      |
| Project Name  | AI-powered Nutrition Analyzer for Fitness Enthusiasts |
| Maximum Marks |   |



The screenshot displays the IBM Watson Studio interface. At the top, the header includes the IBM Watson Studio logo, a search bar, and user account information (MONISHA P S's Account, Dallas, MP). Below the header, the breadcrumb navigation shows 'Projects / Image\_Prediction / Model\_Building'. The main workspace contains a Jupyter Notebook with the following content:

```
In [31]: pwd

Out[31]: '/home/wuser/work'

In [23]: !pip install keras==2.2.4
         !pip install tensorflow==1.14.0

Collecting keras==2.2.4
  Using cached Keras-2.2.4-py2.py3-none-any.whl (312 kB)
Requirement already satisfied: six>=1.9.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (1.15.0)
Requirement already satisfied: keras-preprocessing>=1.0.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (1.1.2)
Requirement already satisfied: h5py in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (3.2.1)
Requirement already satisfied: keras-applications>=1.0.6 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (1.0.8)
Requirement already satisfied: scipy>=0.14 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (1.7.3)
Requirement already satisfied: numpy>=1.9.1 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (1.20.3)
Requirement already satisfied: pyyaml in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.2.4) (5.4.1)
Installing collected packages: keras
  Attempting uninstall: keras
    Found existing installation: keras 2.7.0
    Uninstalling keras-2.7.0:
      Successfully uninstalled keras-2.7.0
```



← → ↻ datapatform.cloud.ibm.com/analytics/notebooks/v2/475612e3-3c3c-4e12-8e38-f0e76cd5d874?projectid=ba655bdc-adf6-41cd-bd9d-1c92e18315d7&context=cpdaas

IBM Watson Studio Search in your workspaces Buy MONISHA P S's Account Dallas MP

Projects / Image\_Prediction / Model\_Building

File Edit View Insert Cell Kernel Help Trusted | Python 3.9

3. Adding CNN Layers

```
In [44]: # Initializing the CNN
classifier = Sequential()

# First convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))

# Second convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), activation='relu'))

# input_shape is going to be the pooled feature maps from the previous convolution layer
classifier.add(MaxPooling2D(pool_size=(2, 2)))

# Flattening the layers
classifier.add(Flatten())
```

4. Adding Dense Layers

```
In [45]: classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=5, activation='softmax'))

In [46]: #summary of our model
classifier.summary()
```

← → ↻ datapatform.cloud.ibm.com/analytics/notebooks/v2/475612e3-3c3c-4e12-8e38-f0e76cd5d874?projectid=ba655bdc-adf6-41cd-bd9d-1c92e18315d7&context=cpdaas

IBM Watson Studio Search in your workspaces Buy MONISHA P S's Account Dallas MP

Projects / Image\_Prediction / Model\_Building

File Edit View Insert Cell Kernel Help Trusted | Python 3.9

```
In [48]: #Fitting the model
classifier.fit_generator(generator=x_train, steps_per_epoch = len(x_train), epochs=20, validation_data=x_test, validation_steps = len(x_test))
```

/opt/conda/envs/Python-3.9/lib/python3.9/site-packages/tensorflow/python/keras/engine/training.py:1963: UserWarning: `Model.fit\_generator` is deprecated and will be removed in a future version. Please use `Model.fit`, which supports generators.  
warnings.warn("`Model.fit\_generator` is deprecated and "

Epoch 1/20  
824/824 [=====] - 46s 55ms/step - loss: 0.6441 - accuracy: 0.7499 - val\_loss: 0.8608 - val\_accuracy: 0.7680  
Epoch 2/20  
824/824 [=====] - 44s 54ms/step - loss: 0.4224 - accuracy: 0.8424 - val\_loss: 0.8503 - val\_accuracy: 0.7885  
Epoch 3/20  
824/824 [=====] - 45s 55ms/step - loss: 0.3932 - accuracy: 0.8533 - val\_loss: 0.8375 - val\_accuracy: 0.7885  
Epoch 4/20  
824/824 [=====] - 45s 54ms/step - loss: 0.3654 - accuracy: 0.8633 - val\_loss: 0.8503 - val\_accuracy: 0.8070  
Epoch 5/20  
824/824 [=====] - 45s 54ms/step - loss: 0.3457 - accuracy: 0.8701 - val\_loss: 0.9432 - val\_accuracy: 0.8060  
Epoch 6/20  
824/824 [=====] - 45s 54ms/step - loss: 0.3245 - accuracy: 0.8781 - val\_loss: 1.0438 - val\_accuracy: 0.8193  
Epoch 7/20  
824/824 [=====] - 45s 54ms/step - loss: 0.2980 - accuracy: 0.8868 - val\_loss: 1.1174 - val\_accuracy: 0.7967  
Epoch 8/20  
824/824 [=====] - 44s 54ms/step - loss: 0.2961 - accuracy: 0.8871 - val\_loss: 1.2373 - val\_accuracy: 0.8060  
Epoch 9/20  
824/824 [=====] - 45s 54ms/step - loss: 0.2749 - accuracy: 0.8915 - val\_loss: 1.1145 - val\_accuracy: 0.8101  
Epoch 10/20  
824/824 [=====] - 45s 54ms/step - loss: 0.2518 - accuracy: 0.9070 - val\_loss: 1.2814 - val\_accuracy: 0.8306  
Epoch 11/20  
824/824 [=====] - 45s 54ms/step - loss: 0.2436 - accuracy: 0.9070 - val\_loss: 1.2271 - val\_accuracy: 0.8378

data-platform.cloud.ibm.com | notebooks/v2/af5e12c3-4e12-8e3f-f0e76cd8d74?project=ba65dbdc-adfe-41cd-bd9d-1c92eb135d7&cpdaas

IBM Watson Studio Search in your workspaces Buy MONISHA P S's Account Dallas

Projects / Image\_Prediction / Model\_Building

File Edit View Insert Cell Kernel Help Trusted Python 3.9

In [9]: !pip install watson-machine-learning-client --upgrade  
Collecting watson-machine-learning-client  
Downloading watson\_machine\_learning\_client-1.0.391-py3-none-any.whl (538 kB)  

[REDACTED]

 538 kB 15.6 MB/s eta 0:00:01  
Requirement already satisfied: tqdm in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (4.62.3)  
Requirement already satisfied: requests in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.26.0)  
Requirement already satisfied: tabulate in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (0.8.9)  
Requirement already satisfied: certifi in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2022.9.24)  
Requirement already satisfied: pandas in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (1.3.4)  
Requirement already satisfied: urllib3 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (1.26.7)  
Requirement already satisfied: boto3 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (1.18.21)  
Requirement already satisfied: lomond in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (0.3.3)  
Requirement already satisfied: ibm-cos-sdk in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.11.0)  
Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-clie  
nt) (0.10.0)  
Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-cl  
ient) (1.21.41)  
Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-cli  
ent) (0.5.0)  
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto  
3->watson-machine-learning-client) (2.8.2)  
Requirement already satisfied: six>=1.5 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.2  
1.21->boto3->watson-machine-learning-client) (1.15.0)  
Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learnin  
g-client) (2.11.0)  
Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-l  
earning-client) (2.11.0)  
Requirement already satisfied: idna<4,>=2.5 in /opt/conada/envs/Python-3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (3.

```
← → ↺ datapatform.cloud.ibm.com/analytics/notebooks/v2/475612e3-3c3c-4e12-8e38-f0e76cd5d874?projectId=ba655bdc-adf6-41cd-bd9d-1c92e18315d7&context=cpdaas
IBM Watson Studio Search in your workspaces Buy MONISHA P S's Account Dallas MP

Projects / Image_Prediction / Model_Building

File Edit View Insert Cell Kernel Help Trusted Python 3.9

In [10]: from ibm_watson_machine_learning import APIClient
wml_credentials = {
    "url": "https://us-south.ml.cloud.ibm.com",
    "apikey": "25L9B12dF8spF3YMybahpDQFRVcUOkISZOm_ywLYjPJS"
}
client = APIClient(wml_credentials)

In [11]: def guid_from_space_name(client, space_name):
space = client.spaces.get_details()
return(next(item for item in space['resources'] if item['entity']['name'] == space_name)['metadata']['id'])

In [12]: space_uid = guid_from_space_name(client, 'Image_Prediction')
print("Space UID = " + space_uid)

Space UID = bdd4b218-049e-4c29-b1ce-1374fcd24ce0

In [13]: client.set.default_space(space_uid)

Out[13]: 'SUCCESS'

In [14]: client.software_specifications.list()

-----
NAME ASSET_ID TYPE
default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base
kernel-spark3.2-scala2.12 020d69ce-7ac1-5e68-ac1a-31189867356a base
pytorch-onnx 1.3-py3.7-edt 069ea134-3346-5748-b513-49120e15d288 base
scikit-learn 0.20-py3.6 09c5a1d0-9c1e-4473-a344-eb7b665ff687 base
```