ASSIGNMENT-1

Assignment Date	09-11-2022
Student Name	VISHNU PRASAD N
Student Roll Number	951919CS116
Team ID	PNT2022TMID13363

1. Create registration page in html with username, email and phone number and by using POST method display it in next html page.

Program:

App.py

```
from flask import Flask,redirect,url_for,request
app=Flask( name )



@app.route('/success/<string:name>/<string:ml>/<string:pnm>')
def success(name,ml,pnm):

    return "Welcome " + name +" !! <br><br> Your mail id is "+ml+" .<br><br> Your phone
number is "+pnm

    @app.route('/login',methods=['POST'])
def login():

    if request.method=='POST':
        user=request.form['nm']
        mailid=request.form['mail']
        phnum=request.form['num']

        return
redirect(url_for('success',name=user,ml=mailid,pnm=phnum)) if name
=='_main ':

    app.run(debug=True)
```

Login.html

```html
<html>
<head>
    <link rel="stylesheet" type="text/css"
        href="style.css"> <title> Welcome to the login page
        </title>
</head>
<body>
<form action="http://localhost:5000/login"
    method="POST"> <h1> <center>LOGIN FORM
    </center></h1> <div class=login>
    <p> Enter name : <input type="text" name="nm"/></p>
    <p> Enter mail id: <input type="email" name="mail"/></p>
    <p> Enter phone number: <input type="number" name="num"/></p>
    <p> <input type="submit"value="submit"></p>
</form>
</div>
</body>
</html>
```

Style.css

```css
body {

    margin: 0;

    padding: 0;

    background
    color:#6abadeba; font-family:
    'Arial';

}
.login {

        width: 382px;
        overflow: hidden;
        margin: auto;

        margin: 20 0 0 450px;
        padding: 80px;
        background:
        #D3D3D3; border
        radius: 15px ;

}
```

2. Develop a flask program which should contain at least 5 packages used from pypi.org base.html

```
<!DOCTYPE html>

<html>

<head>

<title>PageTitle</title>

{%blockhead%}{% endblock%}

<linkhref="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap. min.css"

rel="stylesheet"
integrity="sha384iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
cro ssorigin="anonymous">

 <scriptsrc="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.b undle.min.js"

integrity="sha384-u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi4
66C8"crossorigin="anonymous">

</script>

</head>

<body>

<ahref="/">HOME</a>

<ahref="/Blog">BLOG</a>

<ahref="/Sign in">SIGNIN</a>

<ahref="/Sign up">SIGNUP</a>

<hr><br>

<divclass="container">

{%blockbody%}{%endblock%}

</div>

</body>

</html>
```

blog.html:

```
{%extends'base.html'%}

{%block head%}

<title>Blog Page</title>

{%end block%}

{%block body%}
<h1>This is Sample Blog</h1>

<h2><p>Hello,fromMr.X</p></h2>

{%endblock%}
```

index.html:

```
{%extends'base.html'%}

{%block head%}

<title>Home Page</title>

{%end block%}

{%block body%}

<h1>Hello everyone,</h1>

<divclass="p-5mb-4bg-lightrounded-3">

<divclass="container-fluidpy-5">

<h1class="dispay-5fw-bold">WIFITECHNOLOGY<h1>

<p class="col-md-8fs-4">Kubernetes (also known as k8s or "kube") is an open source container orchestration platform that automates many of the manual processes involved in deploying, managing, and scaling containerized applications. </p>

</div>

</div>

{%endblock%}
```

signup.html:

```html
{%extends'base.html'%}

{%block head%}

<title>Signup Page</title>

{%end block%}

{%block body%}

<h1>Signup Page</h1>

<form action="Sign up"method="POST">

<label>Name</label><br>

<input type="text"name="name"><br><br>

<label>Email</label><br>

<input type="email" name="email"><br><br>
<label>Phone</label><br>

<input type="text"

name="phone"><br><br>

<label>Password</label><br>

<input

type="password"name="name"><br><br>

<label>Retype Password</label><br>

<input

type="password"name="name"><br><br><br>

<input type="submit"class="btnbtn-primary">

</form>

{%end block%}
```

signin.html:

```
{%extends'base.html'%}

{%block head%}

<title>Signin Page</title>

{%end block%}

{%block body%}

<h1>Sign in Page</h1>

<form action="/Sign in"method="POST">

<label>Email</label><br>

<input type="email"

name="email"><br><br>

<label>password</label><br>

<input type="password"

name="name"><br><br> <input type="submit"

class="btnbtn-primary"> </form>

{%end block%}
```

app.py:

```
from flask import Flask,render_templateapp=Flask(name)

@app.route('/',methods=["GET"," POST"])

def Index():

        return render_template('index.html')

        @app.route('/Blog')
def Blog():

        return render_template('blog.html')

        @app.route('/Signup')

def Signup():

        return render_template('signup.html')

        @app.route('/Signin')

def Signin():

        return render_template('signin.html')

if name=='main':

        app.debug=Trueap.run
```