

Implementing Web Application

Create UI to interact with application

Date	09.11.2022
Team ID	PNT2022TMID13363
Project Name	Plasma Donor Application

Code:

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-  
scale=1.0">
```

```
  <title>MEDIHELP</title>
```

```
</head>
```

```
<style>
```

```
  body {
```

```
    background-image: linear-gradient(135deg, #9796f0 10%,  
#FBC7D4 100%);
```

```
    color: darkblue;
```

```
  }
```

```
.container1 {
```

```
height: 50px;  
width: 1449px;  
background-image: linear-gradient(135deg, #9796f0 10%,  
#FBC7D4 100%);  
}
```

```
h1 {  
margin-top: 10px;  
margin-left: 20px;  
margin-right: 23px;  
}
```

```
.container2:hover {  
background-color: yellowgreen;  
}
```

```
a {  
text-decoration: none;  
color: darkblue;  
}
```

```
a:hover {  
color: blueviolet;  
}
```

```
button:hover {  
    background-color: white;  
    border-color: cadetblue;  
}  
</style>  
  
<body>  
    <center>  
        <h1 style="padding-top:50px">MEDICARE</h1>  
        

<br>

<br>

<div class="container1">

```
<div class="container2" style="float: left">
 <button style="height:50px;">

 <H1>LOGIN</H1>

 </button>
</div>
```

```
<div class="container2" style="float: left">
 <button style="height:50px;">

 <H1>INSURANCE</H1>

 </button>
</div>
```

```
<div class="container2" style="float: left">
 <button style="height:50px;">

 <H1>FIND PLANS NOW</H1>

 </button>
</div>
```

```
<div class="container2" style="float: left">
 <button style="height:50px;">

```

<H1>FIND PROVIDERS NEAR ME</H1>

</a>

</button>

</div>

<div class="container2" style="float: left">

<button style="height:50px;">

<a href="https://www.medicare.gov/talk-to-someone">

<H1>GET HELP</H1>

</a>

</button>

</div>

<div class="container2" style="float: left">

<button style="height:50px;">

<a href="https://www.medicare.gov/sitemap">

<H1>SITE MAP</H1>

</a>

</button>

</div>

</div>

<br>

<br>



```

```

```
</center>
```

```
</body>
```

```
</html>
```

```
<script>
```

```
 window.watsonAssistantChatOptions = {
 integrationID: "d63547f8-f695-4dc1-9d49-1427ee71a40c", //
The ID of this integration.
 region: "au-syd", // The region your integration is hosted in.
 serviceInstanceID: "37373119-945f-46a0-928a-ced41dc40f36",
// The ID of your service instance.
 onLoad: function (instance) { instance.render(); }
 };
 setTimeout(function () {
 const t = document.createElement('script');
```

```
t.src = "https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";

document.head.appendChild(t);

});
</script>
```