Sprint-3

Team ID	PNT2022TMID13363
Project Name	Plasma donor application

Application Status.html:

```html
<!DOCTYPE html>
<html>
<head>
    <title></title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="CSS\styleotpform.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
</head>
<body >
        <div class="header fix">
            <img src="Image\logo.png">
            <form>
                <div class="navbtn">
                    <a href="login_donor.php"><input type="button" name="submit" value="Login"></a>
                    <a href="registar_donor.php"><input type="button" name="reset" value="Become Donor"></a>
                    <i class="fa fa-bars fa-2x " aria-hidden="true" ></i>
                </div>
```

```html
                        </form>
                    </div>
                        <div class="nav fix">
                            <ul>
                            <li><a href="index.php" >Home</a></li>
                            <li><a href="blood_tips.php">Blood Tips</a></li>
                            <li><a href="">Request Portal &nabla;</a>
                                <ul>
                                    <li><a
href="request_blood.php">Request Blood</a></li>
                                    <li><a
href="pending_request.php">Show Pending Request</a></li>
                                </ul>
                            </li>
                            <li><a href="">Event Portal &nabla;</a>
                                <ul>
                                    <li><a
href="registar_event.php">Register as a Event</a></li>
                                        <li><a href="login_event.php">Login as a
Event</a></li>
                                </ul>
                            </li>
                            <li><a href="contribute.php">Contribute</a></li>
                            <li><a href="">More &nabla;</a>
                                <ul>
                                    <li><a href="about_us.php">About
Us</a></li>
```

```html
                                <li><a href="get_in_touch.php">Contact
Us</a></li>

                        </ul>

                </li>

        </ul>

</div>

<div class="heading fix">

        <label>OTP Form</label>

</div>

<div class="outerbox">

        <div class="image">

                <i class="fa fa-mobile" aria-hidden="true"></i>

                <i class="fa fa-envelope-o" aria-hidden="true"></i>

        </div>

        <div class="content">

                <h2>PLEASE ENTER</h2><br>

                <h6>THE VALIDATION CODE THAT</h6><br>

                <h6>GET FROM SMS & EMAIL</h6>

        </div>

        <div id="divOuter" class="formbox">

                <div id="divInner">

                        <form action="process.php" method="post">

                                <input id="partitioned" type="number"
name="otpno" maxlength="4" required  autocomplete="off" />

                        </div>

                </div>

                <div class="button">
```

```html
                    <span class="btn">
                        <input type="submit" name="submit" value="Sucess">
                    </span>
                    <p>didn't get code <input type="submit" name="submit" id="re" value="Resend"></p>
                </form>
            </div>
        </div>
        <?php
        include 'footer.php';
        ?>
        <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.16.0/jquery.validate.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.16.0/additional-methods.min.js"></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>


<script>
jQuery.validator.addMethod("checkemail", function(value, element) {
  // allow any non-whitespace characters as the host part
  return this.optional( element ) || /^\b[A-Z0-9._%-]+@[A-Z0-9.-]+\.[A-Z]{2,4}\b$/i.test( value );
}, 'Please enter a valid email address.');
```

```javascript
$(document).ready(function () {

    $('#myform').validate({
        rules: {
            fname: {
                required: true,
                    lettersonly:true,


            },
            lname:{
                    required: true,
                    lettersonly:true,


            },
            email:{
                    required:true,
                    email:true,
                    checkemail:true,
            },
            password:{
```

```
                required:true,

                minlength:7,

                maxlength:15,


        },
        confirm_password:{

                required:true,

                minlength:7,

                maxlength:15,

                equalTo: "#password",



        },
        contect_no:{

                required:true,

                minlength:10,

                maxlength:10,

                digits:true,

        },
        img:{

                required:true,

                // uploadfile:true,

                accept: "jpg,png,jpeg,gif",

        },


},
```

```
messages:{
    fname:{
            required:"firstname is required",
            lettersonly:"enter letters only",
      },


    lname:{
            required:"last name is required",
            lettersonly:"enter letters only",
      },
    email:{
            required:"email required",
            email:"enter valid email",
            checkemail:"enter proper email",


      },
                    password:{
                            required:"password is required",
                            minlength:"enter password between 7-15",
                            maxlength:"enter password between 7-15",
                    },
                    confirm_password:{
                            required:"password is required",
                            minlength:"enter password between 7-15",
                            maxlength:"enter password between 7-15",
                            equalTo:"password must be same",
```

```
                },
                contect_no:{
                        required:"contect no is required",
                        minlength:"enter contect number 10digits",
                        maxlength:"enter contect number 10digits",
                        digits:"enter 10 digits",


                },
        img:{
                required:"upload image",
                // uploadfile:"upload image",
                accept:"upload image only jpg,jpeg,png ",



        },
    },
  });


});
</script>


<script type="text/javascript">
```

```javascript
var obj = document.getElementById('partitioned');

obj.addEventListener('keydown', stopCarret);

obj.addEventListener('keyup', stopCarret);

function stopCarret()

{

        if (obj.value.length > 3){

                setCaretPosition(obj, 3);

        }

}

function setCaretPosition(elem, caretPos)

{

   if(elem != null)

   {

     if(elem.createTextRange)

     {

       var range = elem.createTextRange();

       range.move('character', caretPos);

       range.select();

     }

     else

     {

       if(elem.selectionStart)

       {

         elem.focus();

         elem.setSelectionRange(caretPos, caretPos);

       }
```

```javascript
            else
                elem.focus();
        }
    }
}
function share()
    {
                var a =document.getElementById("f");
                var b=document.getElementById("g");
                var c=document.getElementById("i");
                var d=document.getElementById("y");
                if (a.style.display === "none")
                {
                        a.style.display="block";
                        b.style.display="block";
                        c.style.display="block";
                        d.style.display="block";
                }
                else
                {
                        a.style.display="none";
                        b.style.display="none";
                        c.style.display="none";
                        d.style.display="none";
                }
        }
```

```
</script>
</body>
</html>
```

Plasma request.php :

```php
<?php
    session_start();


?>
<!DOCTYPE html>
<html>
<head>
    <title></title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="CSS\styleupdatedonor.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
    <script src="https://www.google.com/recaptcha/api.js" async defer></script>
</head>
<body>

            <div class="header fix">
                    <img src="Image\logo.png">
```

```html
<form>
    <div class="navbtn">
        <i class="fa fa-bars fa-2x " aria-hidden="true" onclick="openNav()"></i>
    </div>
</form>
</div>
<div class="nav fix">
    <ul>
        <li><a href="donor_page.php" >Donor History</a></li>
        <li><a href="health_report.php">Health Report</a></li>
        <li><a href="pending_request_donor.php">Pending Request</a></li>
        <li><a href="d_blood_tips.php">Blood Tips</a></li>
        <li><a href="d_contribute.php">Contribute</a></li>
        <li class="active"><a href="">More &nabla;</a>
            <ul>
                <li><a href="d_about_us.php">About Us</a></li>
                <li><a href="d_get_in_touch.php">Contact Us</a></li>
            </ul>
        </li>
    </ul>
</div>

<div class="heading fix">
```

```html
                <label>Update Details</label>
        </div>
        <div id="mySidenav" class="sidenav">
    <a  class="closebtn" onclick="closeNav()">&times;</a>
    <a href="update_donor.php" class="a"><i class="fa fa-pencil-square-o" aria-hidden="true"></i></a>
    <a href="delete_donor.php" class="b"><i class="fa fa-trash-o" aria-hidden="true"></i></a>
    <i class="fa fa-id-card-o" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['id']; ?>
    </i>
    <i class="fa fa-user" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['user_full_name']; ?>
    </i>
    <i class="fa fa-envelope" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['user_email']; ?>
    </i>
    <i class="fa fa-phone" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['user_number']; ?>
    </i>
    <i class="fa fa-calendar" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['date_of_birth']; ?>
    </i>
    <i class="fa fa-venus-mars" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['gender']; ?>
    </i>
```

```html
<i class="fa fa-tint" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['blood_group']; ?>
</i>
<i class="fa fa-location-arrow" aria-hidden="true" style="color:white;">
         <?php echo $_SESSION['city']; ?>
</i>
<div class="btn btn1" >
        <a href="login_donor.php"><input type="button" name="Signout" value="Sign Out"></a>
</div>
</div>
<div class="outerbox">
        <div class="fixedbox">
                <span class="content">
                        <h4>Important Note..!!</h4>
                        <p><i class="fa fa-times" aria-hidden="true"></i>Password can not Change.</p>
                        <p><i class="fa fa-times" aria-hidden="true"></i>Confirm Password can not Change.</p>
                        <p><i class="fa fa-times" aria-hidden="true"></i>City can not Change.</p>
                        <p><i class="fa fa-times" aria-hidden="true"></i>State can not Change.</p>
                        <p><i class="fa fa-times" aria-hidden="true"></i>Blood group can not Change.</p>
                        <p><i class="fa fa-times" aria-hidden="true"></i>Weight can not Change.</p>
                </span>
```

```html
                    </div>
                    <div class="scrollbox">
                        <div class="registerdonor">
                            <form action="update_donor_process.php"
method="POST">
                                <div class="login">
                                    <h3>Login Details</h3>
                                    <table>
                                        <tr>
                                            <td colspan="2">
                                                <label
class="username">User Name:-</label>
                                                <input
type="text" name="user_name" required pattern="^[A-Za-z0-9._%+-
@]{5,10}$" title="Enter a username between 5 to 10 letter" value="<?php
echo $_SESSION['user_name'];?>">
                                            </td>
                                        </tr>
                                        <tr>
                                            <td>
                                                <label>Full
Name:-</label>
                                                <input
type="text" name="user_full_name" required pattern="[A-z ]+$" title="Use
only character & whitespace" value="<?php echo
$_SESSION['user_full_name'];?>">
                                            </td>
                                            <td>
```

```html
<label>Email Id:-</label>
<input type="email" name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-z]{2,}$" title="Email id is not Valid" value="<?php echo $_SESSION['user_email'];?>">
</td>
</tr>
<tr>
<td>

<label>Password:-</label>
<input type="password"name="password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase and lowercase letter, and at least 6 or more characters" value="<?php echo $_SESSION['password'];?>" readonly>
</td>
<td>
<label>Confirm Password:-</label>
<input type="text" name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase and lowercase letter, and at least 6 or more characters" value="<?php echo $_SESSION['confirm_password'];?>" readonly>
</td>
</tr>
</table>
</div>
```

```html
<div class="contact">
    <h3>Contact Details</h3>
    <table>
        <tr>
            <td>
                <label>Mobile Number:-</label>
                <input type="text" name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid" value="<?php echo $_SESSION['user_number'];?>">
            </td>
            <td rowspan="2">
                <label>Address:-</label>
                <textarea name="Address" placeholder="---Type---" required>
                    <?php echo $_SESSION['Address'];?>
                </textarea>
            </td>
        </tr>
        <tr>
            <td>
                <label>Pincode</label>
                <input type="text" name="pincode" required pattern="^[0-9]{6}$" title="Pincode is not valid" value="<?php echo $_SESSION['pincode'];?>">
```

```html
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>City:-
</label>
                                        <input
type="text" name="city" value="Ahmedabad" readonly value="<?php echo
$_SESSION['city'];?>">
                                    </td>
                                    <td>
                                        <label>State:-
</label>
                                        <input
type="text" name="state" value="Gujarat" readonly value="<?php echo
$_SESSION['state'];?>">
                                    </td>
                                </tr>
                            </table>
                        </div>
                        <div class="personal">
                        <h3>Personal Details</h3>
                        <table>
                            <tr>
                                <td>
                                    <label>Date Of
Birth:-</label>
```

```php
                                                <input
type="date" name="date_of_birth" required value="<?php echo
$_SESSION['date_of_birth_a'];?>">

                                    </td>
                                    <td>

        <label>Gender:-</label>

                                        <div
class="radio">

                                            <?php

        if($_SESSION['gender']=='Male')

                                                {

        echo '<input type="radio" name="gender" class="radio1" value="Male"
checked><span class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender"
value="Female"><span class="radioname" required>Female</span>';

                                                }

        else

                                                {

        echo '<input type="radio" name="gender" class="radio1"
value="Male"><span class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender"
value="Female" checked><span class="radioname" required>Female</span>';

                                                }
```

```
                                                  ?>

                                        </div>

                                 </td>

                          </tr>
                          <tr>
                                 <td>

                                        <label>Blood
Group</label>

                                        <input
type="text" list="bloodgroup" name="blood_group" placeholder="----Select----
" required value="<?php echo $_SESSION['blood_group'];?>" readonly>

                                        <datalist
id="bloodgroup">

                                               <option
value="A+"></option>

                                               <option
value="A-"></option>

                                               <option
value="AB+"></option>

                                               <option
value="B+"></option>

                                               <option
value="B-"></option>

                                               <option
value="O+"></option>

                                               <option
value="O-"></option>

                                        </datalist>

                                 </td>
```

```html
                                <td>
                                        <label>Weight
In Kg [Approx]:-</label>
                                        <input
type="number" name="weight" required value="<?php echo
$_SESSION['weight'];?>" readonly>
                                </td>
                        </tr>
                </table>
        </div>
        <span>
                <input type="checkbox"
name="terms" id="checkbox" required>
        </span><p>I agree to have my contact
details broadcasted to the registered donors of B24U.net</p>


        <div class="btnn">
                <input type="submit"
name="submit" value="Update">

                <input type="reset"
name="submit" value="Reset">
        </div>
        </form>
        </div>

        </div>
    </div>
```

```html
<!-- Responsive Table -->
<div class="rregisterdonor">
<form action="process.php" method="POST">

    <div class="rlogin">
        <h3>Login Details</h3>
        <table>
            <tr>
                <td >
                    <label class="username">User Name:-</label>
                    <input type="text" name="user_name" required pattern="^[A-Za-z0-9._%+-@]{5,10}$" title="Enter a username between 5 to 10 letter" value="<?php echo $_SESSION['user_name'];?>">
                </td>
            </tr>
            <tr>
                <td>
                    <label>Full Name:-</label>
                    <input type="text" name="user_full_name" required pattern="[A-z ]+$" title="Use only character & whitespace" value="<?php echo $_SESSION['user_full_name'];?>">
                </td>
            </tr>
            <tr>
                <td>
                    <label>Email Id:-</label>
```

```html
                                        <input type="email"
name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-
z]{2,}$" title="Email id is not Valid" value="<?php echo
$_SESSION['user_email'];?>">

                                    </td>
                                </tr>
                                <tr>
                                    <td>

                                        <label>Password:-</label>

                                        <input
type="password"name="password" required pattern="(?=.*\d)(?=.*[a-
z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase
and lowercase letter, and at least 6 or more characters" value="<?php echo
$_SESSION['password'];?>" readonly>

                                    </td>
                                </tr>
                                <tr>
                                    <td>

                                        <label>Confirm Password:-
</label>

                                        <input type="text"
name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-
Z]).{6,}" title="Must contain at least one number and one uppercase and
lowercase letter, and at least 6 or more characters" value="<?php echo
$_SESSION['confirm_password'];?>" readonly>

                                    </td>
                                </tr>
                            </table>
                        </div>
                        <div class="rcontact">
```

```
<h3>Contact Details</h3>
<table>
	<tr>
		<td>
			<label>Mobile Number:-</label>
			<input type="text" name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid" value="<?php echo $_SESSION['user_number'];?>">
		</td>
	</tr>
	<tr>
		<td>
			<label>Address:-</label>
			<textarea name="Address" placeholder="---Type---" required ><?php echo $_SESSION['Address'];?></textarea>
		</td>
	</tr>
	<tr>
		<td>
			<label>Pincode</label>
			<input type="text" name="pincode" required pattern="^[0-9]{6}$" title="Pincode is not valid" value="<?php echo $_SESSION['pincode'];?>">
		</td>
	</tr>
	<tr>
```

```html
                    <td>
                        <label>City:-</label>
                        <input type="text" name="city" value="Ahmedabad" readonly value="<?php echo $_SESSION['city'];?>">
                    </td>
                </tr>
                <tr>
                    <td>
                        <label>State:-</label>
                        <input type="text" name="state" value="Gujarat" readonly value="<?php echo $_SESSION['state'];?>">
                    </td>
                </tr>
            </table>
        </div>
        <div class="rpersonal">
        <h3>Personal Details</h3>
        <table>
            <tr>
                <td>
                    <label>Date Of Birth:-</label>
                    <input type="date" name="date_of_birth" required value="<?php echo $_SESSION['date_of_birth_a'];?>">
                </td>
```

```php
                    </tr>
                    <tr>
                        <td>
                            <label>Gender:-</label>
                            <div class="radio">
                                <?php

    if($_SESSION['gender']=='Male')
                                    {

        echo '<input type="radio" name="gender" class="radio1" value="Male"
checked><span class="radioname" required>Male</span>';


        echo '<input type="radio" class="radio2" name="gender"
value="Female"><span class="radioname" required>Female</span>';
                                    }


    else
                                    {


        echo '<input type="radio" name="gender" class="radio1"
value="Male"><span class="radioname" required>Male</span>';


        echo '<input type="radio" class="radio2" name="gender"
value="Female" checked><span class="radioname" required>Female</span>';
                                    }
                                ?>

                            </div>
```

```html
					</td>
				</tr>
				<tr>
					<td>
						<label>Blood Group</label>
						<input type="text" list="bloodgroup" name="blood_group" placeholder="----Select----" required value="<?php echo $_SESSION['blood_group'];?>" readonly>
						<datalist id="bloodgroup">
							<option value="A+"></option>
							<option value="A-"></option>
							<option value="AB+"></option>
							<option value="B+"></option>
							<option value="B-"></option>
							<option value="O+"></option>
							<option value="O-"></option>
						</datalist>
					</td>
				</tr>
				<tr>
					<td>
```

```html
                                    <label>Weight In Kg
[Approx]:-</label>

                                    <input type="number"
name="weight" required value="<?php echo $_SESSION['weight'];?>"
readonly>

                                </td>

                            </tr>

                        </table>

                    </div>




                    <span>

                        <input type="checkbox" name="terms"
id="checkbox" required >

                    </span><p>I agree to have my contact details
broadcasted to the registered donors of B24U.net</p>

                    <div class="btnn">

                        <input type="submit" name="submit"
value="Update">

                        <input type="reset" name="submit"
value="Reset">

                    </div>

                </form>

            </div>

            <?php

          include 'footer.php';

        ?>

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.16.0/jquery.validate.min.js"></script>
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.16.0/additional-methods.min.js"></script>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></scrip
t>

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js">
</script>


<script>

jQuery.validator.addMethod("checkemail", function(value, element) {

  // allow any non-whitespace characters as the host part

  return this.optional( element ) || /^\b[A-Z0-9._%-]+@[A-Z0-9.-]+\.[A-
Z]{2,4}\b$/i.test( value );

}, 'Please enter a valid email address.');
```
```
$(document).ready(function () {


  $('#myform').validate({

    rules: {

      fname: {

        required: true,

            lettersonly:true,
```

```
        },
        lname:{
                required: true,
                 lettersonly:true,


        },
        email:{
                required:true,
                email:true,
                checkemail:true,
        },
        password:{
                required:true,
                minlength:7,
                maxlength:15,


        },
        confirm_password:{
                required:true,
                minlength:7,
                maxlength:15,
                equalTo: "#password",



        },
```

```javascript
contect_no:{
        required:true,
        minlength:10,
        maxlength:10,
        digits:true,
    },
    img:{
        required:true,
        // uploadfile:true,
        accept: "jpg,png,jpeg,gif",
    },


},
messages:{
  fname:{
        required:"firstname is required",
        lettersonly:"enter letters only",
    },

  lname:{
        required:"last name is required",
        lettersonly:"enter letters only",
    },
  email:{
        required:"email required",
        email:"enter valid email",
```

```javascript
                checkemail:"enter proper email",


        },
                password:{
                        required:"password is required",
                        minlength:"enter password between 7-15",
                        maxlength:"enter password between 7-15",
                },
                confirm_password:{
                        required:"password is required",
                        minlength:"enter password between 7-15",
                        maxlength:"enter password between 7-15",
                        equalTo:"password must be same",



                },
                contect_no:{
                        required:"contect no is required",
                        minlength:"enter contect number 10digits",
                        maxlength:"enter contect number 10digits",
                        digits:"enter 10 digits",



                },
        img:{
                required:"upload image",
```

```
            // uploadfile:"upload image",

            accept:"upload image only jpg,jpeg,png ",



        },

      },

    });



});
</script>



</body>
<script>

        function openNav()

        {

                document.getElementById("mySidenav").style.display =
"block";

        }

        function closeNav()

        {

                document.getElementById("mySidenav").style.display =
"none";

        }

        function share()

    {

        var a =document.getElementById("f");

        var b=document.getElementById("g");
```

```
                var c=document.getElementById("i");

                var d=document.getElementById("y");

                if (a.style.display === "none")

                {

                        a.style.display="block";

                        b.style.display="block";

                        c.style.display="block";

                        d.style.display="block";

                }

                else

                {

                        a.style.display="none";

                        b.style.display="none";

                        c.style.display="none";

                        d.style.display="none";

                }

        }

        </script>

</html>
```

donation request.html:

```
<?php

        session_start();


?>
```

```html
<!DOCTYPE html>
<html>
<head>
	<title></title>
	<meta name="viewport" content="width=device-width, initial-scale=1.0">
	<link rel="stylesheet" type="text/css" href="CSS\styleupdatedonor.css">
	<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
	<script src="https://www.google.com/recaptcha/api.js" async defer></script>
</head>
<body>


		<div class="header fix">
			<img src="Image\logo.png">
			<form>
				<div class="navbtn">
					<i class="fa fa-bars fa-2x " aria-hidden="true" onclick="openNav()"></i>
				</div>
			</form>
		</div>
			<div class="nav fix">
				<ul>
			<li><a href="donor_page.php" >Donor History</a></li>
			<li><a href="health_report.php">Health Report</a></li>
```

```html
              <li><a href="pending_request_donor.php">Pending
Request</a></li>

              <li><a href="d_blood_tips.php">Blood Tips</a></li>

              <li><a href="d_contribute.php">Contribute</a></li>

              <li class="active"><a href="">More &nabla;</a>

                   <ul>

                        <li><a href="d_about_us.php">About
Us</a></li>

                        <li><a
href="d_get_in_touch.php">Contact Us</a></li>

                   </ul>

              </li>

         </ul>

         </div>


              <div class="heading fix">

                   <label>Update Details</label>

              </div>

              <div id="mySidenav" class="sidenav">

         <a  class="closebtn" onclick="closeNav()">&times;</a>

         <a href="update_donor.php" class="a"><i class="fa fa-pencil-
square-o" aria-hidden="true"></i></a>

         <a href="delete_donor.php" class="b"><i class="fa fa-trash-o"
aria-hidden="true"></i></a>

         <i class="fa fa-id-card-o" aria-hidden="true" style="color:white;">

               <?php echo $_SESSION['id']; ?>

         </i>

         <i class="fa fa-user" aria-hidden="true" style="color:white;">
```

```html
                     <?php echo $_SESSION['user_full_name']; ?>
            </i>
            <i class="fa fa-envelope" aria-hidden="true" style="color:white;">
                     <?php echo $_SESSION['user_email']; ?>
            </i>
            <i class="fa fa-phone" aria-hidden="true" style="color:white;">
                     <?php echo $_SESSION['user_number']; ?>
            </i>
            <i class="fa fa-calendar" aria-hidden="true" style="color:white;">
                     <?php echo $_SESSION['date_of_birth']; ?>
            </i>
            <i class="fa fa-venus-mars" aria-hidden="true"
style="color:white;">
                     <?php echo $_SESSION['gender']; ?>
            </i>
            <i class="fa fa-tint" aria-hidden="true" style="color:white;">
                     <?php echo $_SESSION['blood_group']; ?>
            </i>
            <i class="fa fa-location-arrow" aria-hidden="true"
style="color:white;">
                     <?php echo $_SESSION['city']; ?>
            </i>
            <div class="btn btn1" >
                    <a href="login_donor.php"><input type="button"
name="Signout" value="Sign Out"></a>
            </div>
    </div>
```

```html
<div class="outerbox">
    <div class="fixedbox">
        <span class="content">
            <h4>Important Note..!!</h4>
            <p><i class="fa fa-times" aria-hidden="true"></i>Password can not Change.</p>
            <p><i class="fa fa-times" aria-hidden="true"></i>Confirm Password can not Change.</p>
            <p><i class="fa fa-times" aria-hidden="true"></i>City can not Change.</p>
            <p><i class="fa fa-times" aria-hidden="true"></i>State can not Change.</p>
            <p><i class="fa fa-times" aria-hidden="true"></i>Blood group can not Change.</p>
            <p><i class="fa fa-times" aria-hidden="true"></i>Weight can not Change.</p>
        </span>
    </div>
    <div class="scrollbox">
        <div class="registerdonor">
            <form action="update_donor_process.php" method="POST">
                <div class="login">
                    <h3>Login Details</h3>
                    <table>
                        <tr>
                            <td colspan="2">
                                <label class="username">User Name:-</label>
```

```html
<input type="text" name="user_name" required pattern="^[A-Za-z0-9._%+-@]{5,10}$" title="Enter a username between 5 to 10 letter" value="<?php echo $_SESSION['user_name'];?>">
                </td>
            </tr>
            <tr>
                <td>
                    <label>Full Name:-</label>
                    <input type="text" name="user_full_name" required pattern="[A-z ]+$" title="Use only character & whitespace" value="<?php echo $_SESSION['user_full_name'];?>">
                </td>
                <td>
                    <label>Email Id:-</label>
                    <input type="email" name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-z]{2,}$" title="Email id is not Valid" value="<?php echo $_SESSION['user_email'];?>">
                </td>
            </tr>
            <tr>
                <td>

                    <label>Password:-</label>
                    <input type="password"name="password" required pattern="(?=.*\d)(?=.*[a-
```

z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase and lowercase letter, and at least 6 or more characters" value="<?php echo $_SESSION['password'];?>" readonly>

```
                                        </td>
                                        <td>
                                                <label>Confirm
Password:-</label>
                                                <input
type="text" name="confirm_password" required pattern="(?=.*\d)(?=.*[a-
z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase
and lowercase letter, and at least 6 or more characters" value="<?php echo
$_SESSION['confirm_password'];?>" readonly>
                                        </td>
                                </tr>
                        </table>
                </div>
                <div class="contact">
                        <h3>Contact Details</h3>
                        <table>
                                <tr>
                                        <td>
                                                <label>Mobile
Number:-</label>
                                                <input
type="text" name="user_number" required pattern="^[1-9]{1}[0-9]{9}$"
title="Number is not valid" value="<?php echo
$_SESSION['user_number'];?>">
                                        </td>
                                        <td rowspan="2">
```

```html
<label>Address:-</label>

<textarea name="Address" placeholder="---Type---" required>

<?php echo $_SESSION['Address'];?>

</textarea>
</td>
</tr>
<tr>
<td>

<label>Pincode</label>

<input type="text" name="pincode" required pattern="^[0-9]{6}$" title="Pincode is not valid" value="<?php echo $_SESSION['pincode'];?>">
</td>
</tr>
<tr>
<td>

<label>City:- </label>

<input type="text" name="city" value="Ahmedabad" readonly value="<?php echo $_SESSION['city'];?>">
</td>
<td>

<label>State:- </label>
```

```php
                                            <input
type="text" name="state" value="Gujarat" readonly value="<?php echo
$_SESSION['state'];?>">
                                        </td>
                                    </tr>
                                </table>
                            </div>
                            <div class="personal">
                            <h3>Personal Details</h3>
                            <table>
                                <tr>
                                    <td>
                                        <label>Date Of
Birth:-</label>
                                        <input
type="date" name="date_of_birth" required value="<?php echo
$_SESSION['date_of_birth_a'];?>">
                                    </td>
                                    <td>

    <label>Gender:-</label>
                                        <div
class="radio">
                                            <?php

    if($_SESSION['gender']=='Male')

                                            {
```

```php
        echo '<input type="radio" name="gender" class="radio1" value="Male" checked><span class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender" value="Female"><span class="radioname" required>Female</span>';
    }

    else
    {

        echo '<input type="radio" name="gender" class="radio1" value="Male"><span class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender" value="Female" checked><span class="radioname" required>Female</span>';
    }
?>
```

```html
                        </div>
                    </td>
                </tr>
                <tr>
                    <td>
                        <label>Blood Group</label>
                        <input type="text" list="bloodgroup" name="blood_group" placeholder="----Select----" required value="<?php echo $_SESSION['blood_group'];?>" readonly>
```

```html
						<datalist id="bloodgroup">
							<option value="A+"></option>
							<option value="A-"></option>
							<option value="AB+"></option>
							<option value="B+"></option>
							<option value="B-"></option>
							<option value="O+"></option>
							<option value="O-"></option>
						</datalist>
					</td>
					<td>
						<label>Weight In Kg [Approx]:-</label>
						<input type="number" name="weight" required value="<?php echo $_SESSION['weight'];?>" readonly>
					</td>
				</tr>
			</table>
		</div>
		<span>
```

```html
                                        <input type="checkbox"
name="terms" id="checkbox" required>

                                    </span><p>I agree to have my contact
details broadcasted to the registered donors of B24U.net</p>


                                    <div class="btnn">

                                        <input type="submit"
name="submit" value="Update">

                                        <input type="reset"
name="submit" value="Reset">

                                    </div>

                                    </form>

                        </div>


                    </div>

                </div>


                    <!-- Responsive Table -->

                    <div class="rregisterdonor">

                    <form action="process.php" method="POST">


                            <div class="rlogin">

                                    <h3>Login Details</h3>

                                    <table>

                                        <tr>

                                            <td >

                                                <label
class="username">User Name:-</label>
```

```html
                                        <input type="text"
name="user_name" required pattern="^[A-Za-z0-9._%+-@]{5,10}$"
title="Enter a username between 5 to 10 letter" value="<?php echo
$_SESSION['user_name'];?>">
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Full Name:-</label>
                                        <input type="text"
name="user_full_name" required pattern="[A-z ]+$" title="Use only character
& whitespace" value="<?php echo $_SESSION['user_full_name'];?>">
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Email Id:-</label>
                                        <input type="email"
name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-
z]{2,}$" title="Email id is not Valid" value="<?php echo
$_SESSION['user_email'];?>">
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Password:-</label>
                                        <input
type="password"name="password" required pattern="(?=.*\d)(?=.*[a-
z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase
```

and lowercase letter, and at least 6 or more characters" value="<?php echo $_SESSION['password'];?>" readonly>

```
</td>
</tr>
<tr>
<td>
<label>Confirm Password:-</label>
```

<input type="text" name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase and lowercase letter, and at least 6 or more characters" value="<?php echo $_SESSION['confirm_password'];?>" readonly>

```
</td>
</tr>
</table>
</div>
<div class="rcontact">
<h3>Contact Details</h3>
<table>
<tr>
<td>
<label>Mobile Number:-</label>
```

<input type="text" name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid" value="<?php echo $_SESSION['user_number'];?>">

```
</td>
</tr>
```

```html
<tr>
    <td>
        <label>Address:-</label>
        <textarea name="Address" placeholder="---Type---" required ><?php echo $_SESSION['Address'];?></textarea>
    </td>
</tr>
<tr>
    <td>
        <label>Pincode</label>
        <input type="text" name="pincode" required pattern="^[0-9]{6}$" title="Pincode is not valid" value="<?php echo $_SESSION['pincode'];?>">
    </td>
</tr>
<tr>
    <td>
        <label>City:-</label>
        <input type="text" name="city" value="Ahmedabad" readonly value="<?php echo $_SESSION['city'];?>">
    </td>
</tr>
<tr>
    <td>
        <label>State:-</label>
```

```html
                                                    <input type="text"
name="state" value="Gujarat" readonly value="<?php echo
$_SESSION['state'];?>">
                                            </td>
                                    </tr>
                            </table>
                    </div>
                    <div class="rpersonal">
                    <h3>Personal Details</h3>
                    <table>
                            <tr>
                                    <td>
                                            <label>Date Of Birth:-
</label>
                                            <input type="date"
name="date_of_birth" required value="<?php echo
$_SESSION['date_of_birth_a'];?>">
                                    </td>
                            </tr>
                            <tr>
                                    <td>
                                            <label>Gender:-</label>
                                            <div class="radio">
                                                    <?php

    if($_SESSION['gender']=='Male')

                                                    {
```

```php
        echo '<input type="radio" name="gender" class="radio1" value="Male"
checked><span class="radioname" required>Male</span>';


        echo '<input type="radio" class="radio2" name="gender"
value="Female"><span class="radioname" required>Female</span>';

                                                        }


        else

                                                        {


        echo '<input type="radio" name="gender" class="radio1"
value="Male"><span class="radioname" required>Male</span>';


        echo '<input type="radio" class="radio2" name="gender"
value="Female" checked><span class="radioname" required>Female</span>';

                                                        }

                                            ?>


                            </div>
                        </td>
                    </tr>
                    <tr>
                        <td>
                            <label>Blood Group</label>
                            <input type="text"
list="bloodgroup" name="blood_group" placeholder="----Select----" required
value="<?php echo $_SESSION['blood_group'];?>" readonly>
                                <datalist id="bloodgroup">
```

```html
                                                <option value="A+"></option>
                                                <option value="A-"></option>
                                                <option value="AB+"></option>
                                                <option value="B+"></option>
                                                <option value="B-"></option>
                                                <option value="O+"></option>
                                                <option value="O-"></option>
                                            </datalist>
                                        </td>
                                    </tr>
                                    <tr>
                                        <td>
                                            <label>Weight In Kg [Approx]:-</label>
                                            <input type="number" name="weight" required value="<?php echo $_SESSION['weight'];?>" readonly>
                                        </td>
                                    </tr>
                                </table>
                            </div>
```

```
                        <span>

                                <input type="checkbox" name="terms"
id="checkbox" required >

                                </span><p>I agree to have my contact details
broadcasted to the registered donors of B24U.net</p>

                                <div class="btnn">

                                        <input type="submit" name="submit"
value="Update">

                                        <input type="reset" name="submit"
value="Reset">

                                </div>

                                </form>

                </div>

                <?php

          include 'footer.php';

        ?>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.16.0/jquery.validate.min.js"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.16.0/additional-methods.min.js"></script>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></scrip
t>

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js">
</script>


<script>
```

```javascript
jQuery.validator.addMethod("checkemail", function(value, element) {

  // allow any non-whitespace characters as the host part

  return this.optional( element ) || /^\b[A-Z0-9._%-]+@[A-Z0-9.-]+\.[A-Z]{2,4}\b$/i.test( value );

}, 'Please enter a valid email address.');




$(document).ready(function () {


  $('#myform').validate({
    rules: {
      fname: {
        required: true,
          lettersonly:true,


      },
      lname:{
          required: true,
          lettersonly:true,


      },
      email:{
          required:true,
```

```
        email:true,

        checkemail:true,

},

password:{

        required:true,

        minlength:7,

        maxlength:15,


},

confirm_password:{

        required:true,

        minlength:7,

        maxlength:15,

        equalTo: "#password",



},

contect_no:{

        required:true,

        minlength:10,

        maxlength:10,

        digits:true,

},

img:{

        required:true,

        // uploadfile:true,
```

```
                accept: "jpg,png,jpeg,gif",

        },


},
messages:{
    fname:{
                required:"firstname is required",

                lettersonly:"enter letters only",

        },


    lname:{
                required:"last name is required",

                lettersonly:"enter letters only",

        },

    email:{
                required:"email required",

                email:"enter valid email",

                checkemail:"enter proper email",


        },
                        password:{
                                required:"password is required",

                                minlength:"enter password between 7-15",

                                maxlength:"enter password between 7-15",

                        },
                        confirm_password:{
```

```javascript
                                required:"password is required",

                                minlength:"enter password between 7-15",

                                maxlength:"enter password between 7-15",

                                equalTo:"password must be same",




                        },

                        contect_no:{

                                required:"contect no is required",

                                minlength:"enter contect number 10digits",

                                maxlength:"enter contect number 10digits",

                                digits:"enter 10 digits",




                        },

                img:{

                        required:"upload image",

                        // uploadfile:"upload image",

                        accept:"upload image only jpg,jpeg,png ",




                },

            },

        });




    });
```

```
</script>


</body>
<script>
        function openNav()

        {

                document.getElementById("mySidenav").style.display =
"block";

        }

        function closeNav()

        {

                document.getElementById("mySidenav").style.display =
"none";

        }

        function share()

    {

        var a =document.getElementById("f");

        var b=document.getElementById("g");

        var c=document.getElementById("i");

        var d=document.getElementById("y");

        if (a.style.display === "none")

        {

                a.style.display="block";

                b.style.display="block";

                c.style.display="block";

                d.style.display="block";

        }
```

```
            else
            {
                    a.style.display="none";
                    b.style.display="none";
                    c.style.display="none";
                    d.style.display="none";
            }
        }
        </script>
</html>
```