Assignment-4

Date	24 October 2022
Name	SAPNA PRIYA J
Roll Number	620119106083
Team ID	PNT2022TMID30918
Project Name	Smart farmer - Iot Enabled Smart Farming Application.

Question :

Write code and connections in wokwi for ultrasonic sensors. That whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images.

Wokwi:

https://wokwi.com/projects/348224692890370643

Code:

```
#include <WiFi.h>
#include <PubSubClient.h>

WiFiClient wifiClient;



#define ORG "3lm45l"
#define DEVICE_TYPE "abcd"
#define DEVICE_ID "801537"
#define TOKEN "12345678"
#define speed 0.034

char server[] = ORG".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/status1/fmt/json"; char
topic[] = "iot-2/cmd/home/fmt/String"; char authMethod[] =
"use-token-auth"; char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient); void
publishData(); const int trigpin=5; const int echopin=18;
String command;
String data=""; long
duration; float
dist;
 void
setup()
{
       Serial.begin(115200);
       pinMode(trigpin, OUTPUT);
```

```
        pinMode(echopin, INPUT);
        wifiConnect(); mqttConnect();
} void loop() {
publishData(); delay(500);
if (!client.loop()) {
mqttConnect();
        }
}
void wifiConnect() {
        Serial.print("Connecting to "); Serial.print("Wifi");
        WiFi.begin("Wokwi-GUEST", "", 6); while
        (WiFi.status() != WL_CONNECTED) { delay(500);
                Serial.print(".");
        }
        Serial.print("WiFi connected, IP address: ");
        Serial.println(WiFi.localIP());
} void mqttConnect() { if
(!client.connected()) {
                Serial.print("Reconnecting MQTT client to ");
                Serial.println(server);
                while (!client.connect(clientId, authMethod, token))
                        { Serial.print("."); delay(500);
        }
        initManagedDevice();
        Serial.println();
        } }
void initManagedDevice() { if
        (client.subscribe(topic)) {
        Serial.println("subscribe to cmd OK");
        } else
        {
                Serial.println("subscribe to cmd FAILED");
} }
void publishData()
{ digitalWrite(trigpin,LOW);
        digitalWrite(trigpin,HIGH);
        delayMicroseconds(10);
        digitalWrite(trigpin,LOW);
        duration=pulseIn(echopin,HIGH);
        dist=duration*speed/2;
        if(dist<100){
                String payload = "{\"Alert distance\":";
                payload += dist; payload += "}";
                Serial.print("\n");
                Serial.print("Sending payload: ");
                Serial.println(payload);
                if (client.publish(publishTopic, (char*) payload.c_str())){
                        Serial.println("Publish OK");
                }  else
                {
                        Serial.println("Publish FAILED");
```

```
            }
        }
}
```

Diagram:



Wokwi Output:





IBM cloud output: