SPRINT - 2

DATE:	03-11-2022
TEAM ID:	PNT2022TMID26631
PROJECT NAME:	SIGNS WITH SMART
	CONNECTIVITY FOR BETTER ROAD
	SAFETY

LOGIN CODES

SAFETY INTRODUCTION CODE

SIGNIN CODES

BUILD GRADLE

CODE

1.LOGIN

```
<?php
$pass=$_POST['password'];
$username=$_POST['username'];
$dbc = mysqli_connect('mysql.hostinger.in', 'u684030433_root', 'fastrack',
'u684030433_blood')
die("error connecting database");
$query = "SELECT username,name FROM user_info WHERE ((username = '$username'
OR email='$username' )AND password ='$pass')";
$data = mysqli_query($dbc, $query);
if (mysqli_num_rows($data) == 1) {
$name=array();
while($row=mysqli_fetch_array($data))
$name[]=$row['name'];
print json_encode($name);
else
echo "Wrong";
}mysqli_close($dbc);
```

2. SAFETY introduction

```
<?php
$lat1="";
$lat2="";
$lng1="";
```

```
$lng2="";
function distance($lat1, $lng1, $lat2, $lng2) {
\theta = \ln 1 - \ln 2;
dist = \sin(\deg_2 rad(\ell_1)) * \sin(\deg_2 rad(\ell_2)) + \cos(\deg_2 rad(\ell_1)) * \cos(\deg_2 rad(\ell_2))
* cos(deg2rad($theta));
dist = acos(dist);
$dist = rad2deg($dist);
miles = dist * 60 * 1.1515;
return ($miles * 1.609344*1000);
if($ GET['username'])
$username=$_GET['username'];
$lat1=(double)$ GET['lat'];
$lng1=(double)$ GET['lng'];
$dbc = mysqli_connect('localhost', 'root', ", 'roadsafety');
// Retrieve the score data from MySQL
$query = "UPDATE user info SET lat='$lat1',lng='$lng1' WHERE (username =
'$username')";
mysqli_query($dbc, $query)
or die('Error querying database.');
$query = "SELECT lat,lng FROM user_info WHERE username='$username'";
$data = mysqli query($dbc, $query);
while ($row = mysqli_fetch_array($data)) {
$lat1= $row['lat'];
$lng1= $row['lng'];
$query1 = "SELECT * FROM details";
$result = mysqli_query($dbc, $query1);
i=0;
$data1=array();
while ($row = mysqli_fetch_array($result, MYSQL_ASSOC)) {
$lat2= $row['lat'];
$lng2= $row['lng'];
$dist=distance($lat1, $lng1, $lat2, $lng2);
if( $dist<=990)
data1[] = row;
$data1[$i]['metres']=$dist;
$i++;
echo json_encode($data1);
mysqli_close($dbc);
?>
3. Signin codes
<?php
$email= $_POST['email'];
```

```
$pass=$ POST['password'];
$name=$ POST['name'];
$username=$_POST['username'];
$pno=(double)$_POST['pno'];
$bloodgroup=\$_POST['bloodgroup'];
$dbc = mysqli connect('mysql.hostinger.in', 'u684030433 root', 'fastrack',
'u684030433 blood')
die("error connecting database");
$query = "SELECT * FROM user_info WHERE (username = '$username' OR
email='$email' OR pno='$pno')";
$data = mysqli_query($dbc, $query);
if (mysqli num rows(\$data) == 0) {
$query = "INSERT INTO user_info (username,password,email,pno,bloodgroup,name)
VALUES ('$username', '$pass', '$email', '$pno', '$bloodgroup', '$name')";
mysqli_query($dbc, $query)
or die('Error querying database.');
echo 'User Signed Up successfully!!.';
else
echo "Account already exists for this credentials...";
mysqli close($dbc);
?>
4 build.gradle
def localProperties = new Properties()
def localPropertiesFile = rootProject.file('local.properties')
if (localPropertiesFile.exists()) {
localPropertiesFile.withReader('UTF-8') { reader ->
localProperties.load(reader)
}
def flutterRoot = localProperties.getProperty('flutter.sdk')
if (flutterRoot == null) {
throw new GradleException("Flutter SDK not found. Define location with flutter.sdk in the
local.properties file.")
def flutterVersionCode = localProperties.getProperty('flutter.versionCode')
if (flutterVersionCode == null) {
flutterVersionCode = '1'
def flutter VersionName = localProperties.getProperty('flutter.versionName')
if (flutterVersionName == null) {
flutterVersionName = '1.0'
apply plugin: 'com.android.application'
```

```
apply plugin: 'com.google.gms.google-services'
apply plugin: 'kotlin-android'
apply from: "$flutterRoot/packages/flutter_tools/gradle/flutter.gradle"
android {
compileSdkVersion 28
sourceSets {
main.java.srcDirs += 'src/main/kotlin'
lintOptions {
disable 'InvalidPackage'
defaultConfig {// TODO: Specify your own unique Application ID
(https://developer.android.com/studio/build/application-id.html).
applicationId "com.example.roads"
minSdkVersion 18
targetSdkVersion 28
multiDexEnabled true
versionCode flutterVersionCode.toInteger()
versionName flutterVersionName
buildConfigField 'String', 'WONDERPUSH_CLIENT_ID',
"1dfce26a84bd50a2b2117ae3a65df6f3d08821cb"
buildConfigField 'String', 'WONDERPUSH_CLIENT_SECRET',
"d490ca2368fb19536c8e5afc370d18e9002a5034bf14e13e4b4a9228dd39c5a0"
buildConfigField 'String', 'WONDERPUSH SENDER ID', "1098204096327"
buildTypes {
release {
// TODO: Add your own signing config for the release build.
// Signing with the debug keys for now, so `flutter run --release` works.
signingConfig signingConfigs.debug
} flutter
source '../..'
dependencies {
implementation "org.jetbrains.kotlin:kotlin-stdlib-jdk7:$kotlin_version"
implementation platform('com.google.firebase:firebase-bom:26.1.0')
implementation 'com.google.firebase:firebase-analytics'
def multidex version = "2.0.1"
implementation 'androidx.multidex:multidex:$multidex_version'
}
```