


Sprint 3


Team ID :PNT2022TMID26623

NODE - RED

Connections



Codes in Node's



Node-RED interface showing the "Edit function node" configuration. The node is named "function" and is enabled. The code in the "On Message" tab is as follows:

```
1 var name = msg.payload.name
2 var lat = msg.payload.lat
3 var lon = msg.payload.lon
4 global.set('latitude', lat)
5 global.set('longitude', lon)
6 global.set('name', name)
7 return msg;
```

The right sidebar shows the "info" panel with the node ID "76ec77ccd270c2c7" and type "function".

Node-RED interface showing the "Edit function node" configuration. The node is named "function" and is enabled. The code in the "On Message" tab is as follows:

```
1 msg.payload={
2   'name':global.get('name'),
3   'lat':global.get('latitude'),
4   'lon': global.get('longitude')
5 }
6 return msg;
```

The right sidebar shows the "info" panel with the node ID "77b707bf262aa6f4" and type "function".

Node-RED interface showing the "Edit geofence node" configuration. The node is named "geofence" and is enabled. The map shows a geofence area (purple circle) centered on a street intersection. The right sidebar shows the "info" panel with the node ID "ee4695a46b4858f1" and type "geofence".

Node-RED interface showing the configuration of a **worldmap** node.

Edit worldmap node

Properties

- Start**: Latitude: 17.4219272, Longitude: 78.5400783, Zoom: 16
- Map list**: 1 selected
- Base map**: ESRI Satellite
- Overlays**: 5 selected
- Cluster when**: zoom level is less than 0 (0, off - 19)
- Max age**: Remove markers after 600 seconds
- User menu**: Show
- Layer menu**: Hide
- Lock map**: False
- Lock zoom**: False
- ☐ Enabled

Info

worldmap

Node: "5ed11e914b5614ea"
Type: worldmap

The map can be found [here](#).

Node-RED interface showing the configuration of a **function** node.

Edit function node

Properties

- Name**: Name
- Setup**: On Start, On Message, On Stop
- Code**:

```
1 msg.payload=msg.location.inarea
2 return msg;
```

Info

function: 3585a4ac8098085f

Node: "3585a4ac8098085f"
Type: function

Node-RED interface showing the configuration of a **switch** node.

Edit switch node

Properties

- Name**: Name
- Property**: msg. payload
- Rules**:
 - is false → 1
 - is true → 2
- add**
- checking all rules**
- ☐ recreate message sequences
- ☐ Enabled

Info

switch

Node: "16b63596382b4cc6"
Type: switch

Node-RED interface showing the Edit function node configuration. The node is named "function" and is configured to execute on the "On Message" trigger. The code defines a function that calculates the current time in UTC, adjusts it by a 5.5-hour offset, and returns a message object containing the date, time, name, latitude, and longitude.

```
1 var d= new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1
4 newDate = new Date(utc + (3600000*offset));
5- msg.payload = {
6   "message": "Entry",
7   "Time": newDate.toLocaleString(),
8   "name": global.get('name'),
9   "lat": global.get('latitude'),
10  "lon": global.get('longitude')
11- };
12 return msg;
```

The right sidebar shows the "info" panel with the node ID "322663c3205cc798" and the type "function".

Node-RED interface showing the Edit function node configuration. The node is named "function" and is configured to execute on the "On Message" trigger. The code defines a function that calculates the current time in UTC, adjusts it by a 5.5-hour offset, and returns a message object containing the date, time, name, latitude, and longitude.

```
1 var d= new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1
4 newDate = new Date(utc + (3600000*offset));
5- msg.payload = {
6   "message": "Entry",
7   "Time": newDate.toLocaleString(),
8   "name": global.get('name'),
9   "lat": global.get('latitude'),
10  "lon": global.get('longitude')
11- };
12 return msg;
```

The right sidebar shows the "info" panel with the node ID "dfef78abe1ae2fd4" and the type "function".

Node-RED interface showing the Edit function node configuration. The node is named "function" and is configured to execute on the "On Message" trigger. The code defines a function that calculates the current time in UTC, adjusts it by a 5.5-hour offset, and returns a message object containing the date, time, name, latitude, and longitude.

```
1 var d= new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1
4 newDate = new Date(utc + (3600000*offset));
5- msg.payload = {
6   "message": "Entry",
7   "Time": newDate.toLocaleString(),
8   "name": global.get('name'),
9   "lat": global.get('latitude'),
10  "lon": global.get('longitude')
11- };
12 return msg;
```

The right sidebar shows the "info" panel with the node ID "36df960d0bd4f874" and the type "function".

Node-RED

filter nodes

Flow 1

IBM IoT

connected

function

function

geofence

function

switch

http request

Method: GET

URL: https://www.fast2sms.com/dev/wallet?authorizati

Payload: Ignore

Enable secure (SSL/TLS) connection

Use authentication

Enable connection keep-alive

Use proxy

Only send non-2xx responses to Catch node

Return: a UTF-8 string

Enabled

info

Search flows

Flows

- Flow 1
- Flow 2
- Subflows
- Global Configuration Nodes

http request

Node: "a43ddb0b4716e38d"

Type: http request

Node-RED

filter nodes

Flow 1

IBM IoT

connected

function

function

geofence

function

switch

notification

Layout: OK / Cancel Dialog

Send to all browser sessions.

Default action label: OK

Secondary action label: (optional label for Cancel button)

Accept raw HTML/JavaScript input in msg.payload to format popup.

Class: [msg.className]

Topic: [msg.topic]

Name: show dialogue

Enabled

info

Search flows

Flows

- Flow 1
- Flow 2
- Subflows
- Global Configuration Nodes

show dialogue

Node: "388bcb2648d1348b"

Type: ui_toast

Node-RED

filter nodes

Flow 1

IBM IoT

connected

function

function

geofence

function

switch

cloudant out

Service: Cloudant-pn-99850

Database: noderedapqzh20221108

Operation: insert

Only store msg.payload object?

Name: child

Enabled

info

Search flows

Flows

- Flow 1
- Flow 2
- Subflows
- Global Configuration Nodes

child

Node: "7f199a311bbfac36"

Type: cloudant out