## Project Development Phase Sprint-1 Source code

Date	4 November 2022
Team ID	PNT2022TMID43584
Project Name	VirtualEye - Life Guard For Swimming Pools To Detect Active Drowning
Maximum Marks	8 Marks

## Index.php

```
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
<?php
  session_start();
  if (isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: welcome.php");
    die();
 }
  include 'config.php';
  msg = "";
  if (isset($_GET['verification'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$_GET['verification']}'")) > 0) {
      $query = mysqli_query($conn, "UPDATE users SET code=" WHERE
code='{$_GET['verification']}'");
      if ($query) {
        $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
    } else {
      header("Location: index.php");
  if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $sql = "SELECT * FROM users WHERE email='{$email}' AND password='{$password}'";
    $result = mysqli_query($conn, $sql);
    if (mysqli_num_rows($result) === 1) {
      $row = mysqli_fetch_assoc($result);
```

```
if (empty($row['code'])) {
        $_SESSION['SESSION_EMAIL'] = $email;
        header("Location: welcome.php");
        $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
   } else {
      $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
 }
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
  <meta name="keywords"
    content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
            <span class="fa fa-close"></span>
         </div>
          <div class="w3l_form align-self">
            <div class="left_grid_info">
              <img src="images/image.png" alt="">
            </div>
          </div>
          <div class="content-wthree">
            <h2>Login Now</h2>
            <?php echo $msg; ?>
```

```
<form action="" method="post">
             <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
             <input type="password" class="password" name="password" placeholder="Enter
Your Password" style="margin-bottom: 2px;" required>
             <a href="forgot-password.php" style="margin-bottom: 15px; display: block; text-
align: right;">Forgot Password?</a>
             <button name="submit" name="submit" class="btn" type="submit">Login</button>
            </form>
            <div class="social-icons">
             Create Account! <a href="register.php">Register</a>.
            </div>
         </div>
       </div>
     </div>
      <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
    $(document).ready(function (c) {
     $('.alert-close').on('click', function (c) {
       $('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
  </script>
</body>
</html>
Register.php
```

```
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
<!php
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;

session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: welcome.php");
   die();
}</pre>
```

```
//Load Composer's autoloader
  require 'vendor/autoload.php';
  include 'config.php';
  $msg = "";
  if (isset($_POST['submit'])) {
    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
    $code = mysqli_real_escape_string($conn, md5(rand()));
   if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$email}'")) >
0){
     $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
exists.</div>";
   } else {
     if ($password === $confirm_password) {
        $sql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}', '{$email}',
'{$password}', '{$code}')";
        $result = mysqli_query($conn, $sql);
        if ($result) {
          echo "<div style='display: none;'>";
          //Create an instance; passing `true` enables exceptions
          $mail = new PHPMailer(true);
         try {
            //Server settings
           $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                  //Enable verbose debug
output
           $mail->isSMTP();
                                                  //Send using SMTP
           $mail->Host
                                                       //Set the SMTP server to send through
                           = 'smtp.gmail.com';
           $mail->SMTPAuth = true;
                                                      //Enable SMTP authentication
           $mail->Username = 'lifeguardswimmer09@gmail.com';
                                                                            //SMTP username
           $mail->Password = 'hzkmubwirgaohyvr';
                                                                    //SMTP password
           $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                        //Enable implicit TLS
encryption
                                                  //TCP port to connect to; use 587 if you have
           $mail->Port
                          = 465;
set `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
           //Recipients
           $mail->setFrom('lifeguardswimmer09@gmail.com');
           $mail->addAddress($email);
           //Content
           $mail->isHTML(true);
                                                 //Set email format to HTML
           $mail->Subject = 'no reply';
           $mail->Body = 'Here is the verification link <b><a</pre>
href="http://localhost/login/?verification='.$code.'">LINK</a></b>';
           $mail->send();
            echo 'Message has been sent';
```

```
} catch (Exception $e) {
            echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
          echo "</div>":
          $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
       } else {
          $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
      } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";
    }
 }
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - swimmer</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
  <meta name="keywords"
    content="Login Form" />
  <!-- //Meta tag Keywords -->
  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"</pre>
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
            <span class="fa fa-close"></span>
          </div>
          <div class="w3l_form align-self">
            <div class="left_grid_info">
              <img src="images/image.png" alt="">
```

```
</div>
          </div>
          <div class="content-wthree">
            <h2>Register Now</h>
            <?php echo $msg; ?>
            <form action="" method="post">
              <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
              <input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
              <input type="password" class="password" name="password" placeholder="Enter
Your Password" required>
              <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
             <button name="submit" class="btn" type="submit">Register</button>
            </form>
            <div class="social-icons">
             Have an account! <a href="index.php">Login</a>.
            </div>
          </div>
        </div>
     </div>
      <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
     $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
  </script>
</body>
</html>
Logout.php
<?php
session_start();
session_unset();
session_destroy();
header("Location: index.php");
```

## Welcome.php

```
<?php
  session_start();
  if (!isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: index.php");
    die();
 }
  include 'config.php';
  $query = mysqli_query($conn, "SELECT * FROM users WHERE
email='{$_SESSION['SESSION_EMAIL']}'");
  if (mysqli_num_rows(squery) > 0) {
    $row = mysqli_fetch_assoc($query);
   echo "Welcome". $row['name']." <a href='logout.php'>Logout</a>";
 }
?>
Forgotpassword.php
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
<?php
session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {
  header("Location: welcome.php");
  die();
}
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader
require 'vendor/autoload.php';
include 'config.php';
msg = "";
if (isset($_POST['submit'])) {
  $email = mysqli_real_escape_string($conn, $_POST['email']);
  $code = mysqli_real_escape_string($conn, md5(rand()));
 if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$email}'")) > 0)
{
    $query = mysqli_query($conn, "UPDATE users SET code='{$code}' WHERE email='{$email}'");
```

```
if ($query) {
     echo "<div style='display: none;'>";
     //Create an instance; passing `true` enables exceptions
     $mail = new PHPMailer(true);
     try {
       //Server settings
       $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                              //Enable verbose debug output
                                             //Send using SMTP
       $mail->isSMTP();
       $mail->Host
                      = 'smtp.gmail.com';
                                                   //Set the SMTP server to send through
                                                  //Enable SMTP authentication
       $mail->SMTPAuth = true;
       $mail->Username = 'lifeguardswimmer09@gmail.com';
                                                                       //SMTP username
                                                               //SMTP password
       $mail->Password = 'hzkmubwirgaohyyr';
       $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                   //Enable implicit TLS
encryption
       $mail->Port
                      = 465;
                                              //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
       //Recipients
       $mail->setFrom('lifeguardswimmer09@gmail.com');
       $mail->addAddress($email);
       //Content
       $mail->isHTML(true);
                                             //Set email format to HTML
       $mail->Subject = 'no reply';
       $mail->Body = 'Here is the verification link <b><a href="http://localhost/login/change-
password.php?reset='.$code.'">reset password</a></b>';
       $mail->send();
       echo 'Message has been sent':
     } catch (Exception $e) {
       echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
     echo "</div>";
     $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
   }
 } else {
    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";
}
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
  <meta name="keywords"
    content="Login Form" />
```

```
<!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
            <span class="fa fa-close"></span>
          </div>
          <div class="w3l_form align-self">
            <div class="left_grid_info">
              <img src="images/image.png" alt="">
            </div>
          </div>
          <div class="content-wthree">
            <h2>Forgot Password</h2>
            <?php echo $msg; ?>
            <form action="" method="post">
              <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
             <button name="submit" class="btn" type="submit">Send Reset Link</button>
            </form>
            <div class="social-icons">
             Back to! <a href="index.php">Login</a>.
            </div>
          </div>
        </div>
      </div>
      <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
      $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
```

```
$('.main-mockup').remove();
});
});
</script>
</body>
</html>
```

## **Changepassword.php**

```
<?php
$msg = "";
include 'config.php';
if (isset($_GET['reset'])) {
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$_GET['reset']}'")) > 0) {
   if (isset($_POST['submit'])) {
      $password = mysqli_real_escape_string($conn, md5($_POST['password']));
      $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
      if ($password === $confirm_password) {
        $query = mysqli_query($conn, "UPDATE users SET password='{$password}', code=''
WHERE code='{\$_GET['reset']}'");
       if ($query) {
          header("Location: index.php");
      } else {
       $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match.</div>";
     }
   }
    $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
} else {
 header("Location: forgot-password.php");
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
  <meta name="keywords"
   content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
     <!-- /form -->
     <div class="workinghny-form-grid">
       <div class="main-mockup">
          <div class="alert-close">
           <span class="fa fa-close"></span>
         </div>
         <div class="w3l_form align-self">
           <div class="left_grid_info">
             <img src="images/image.png" alt="">
           </div>
         </div>
         <div class="content-wthree">
           <h2>Change Password</h2>
           <?php echo $msg; ?>
           <form action="" method="post">
             <input type="password" class="password" name="password" placeholder="Enter
Your Password" required>
             <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
             <button name="submit" class="btn" type="submit">Change Password</button>
           </form>
           <div class="social-icons">
             Back to! <a href="index.php">Login</a>.
           </div>
         </div>
       </div>
     </div>
     <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
      $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
          $('.main-mockup').remove();
        });
      });
    });
  </script>
</body>
</html>
Style.css
html {
 scroll-behavior: smooth;
body,
html {
  margin: 0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
  box-sizing: border-box;
.d-grid {
  display: grid;
.d-flex {
  display: flex;
  display: -webkit-flex;
}
.text-center {
  text-align: center;
.text-left {
  text-align: left;
}
.text-right {
  text-align: right;
```

```
button,
input,
select {
  -webkit-appearance: none;
  outline: none;
  font-family: 'Poppins', sans-serif;
}
button,
.btn,
select {
  cursor: pointer;
  text-decoration: none;
img {
  max-width: 100%;
ul {
  margin: 0;
  padding: 0
}
h1,
h2,
h3,
h4,
h5,
h6,
p {
 margin: 0;
  padding: 0
}
p {
  color: #666;
  font-size: 16px;
  line-height: 25px;
  opacity: .6;
}
.p-relative {
  position: relative;
.p-absolute {
  position: absolute;
.p-fixed {
```

```
position: fixed;
}
.p-sticky {
  position: sticky;
.btn,
button,
.actionbg,
input {
  border-radius: 4px;
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  -o-border-radius: 4px;
  -ms-border-radius: 4px;
}
.btn:hover,
button:hover {
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
 -ms-transition: 0.5s ease;
 -moz-transition: 0.5s ease;
}
/*-- wrapper start --*/
.wrapper {
  width: 100%;
  padding-right: 15px;
  padding-left: 15px;
 margin-right: auto;
 margin-left: auto;
}
@media (min-width: 576px) {
  .wrapper {
   max-width: 540px;
 }
}
@media (min-width: 768px) {
  .wrapper {
    max-width: 720px;
 }
@media (min-width: 992px) {
 .wrapper {
   max-width: 960px;
 }
}
```

```
@media (min-width: 1200px) {
  .wrapper {
   max-width: 1140px;
}
.wrapper-full {
  width: 100%;
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
/*-- //wrapper start --*/
/*-- form styling --*/
.w3l-mockup-form {
 position: relative;
  min-height: 100vh;
 z-index: 0;
  background: rgba(99, 194, 110, 0.1);
 padding: 40px 40px;
}
.container {
  max-width: 890px;
  margin: 0 auto;
}
.w3l_form {
  padding: 0px;
  flex-basis: 50%;
  -webkit-flex-basis: 50%;
  background: #42c4fea6;
  padding: 100px 50px;
  border-top-left-radius: 8px;
  border-bottom-left-radius: 8px;
  display: flex;
 justify-content: center;
 align-items: center;
}
.content-wthree {
  flex-basis: 60%;
  -webkit-flex-basis: 60%;
  box-sizing: border-box;
  padding: 3em 3.5em;
  background: #fff;
  box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
  border-top-right-radius: 8px;
  border-bottom-right-radius: 8px;
}
```

```
.w3l-workinghny-form .logo {
 text-align: center;
}
.w3l-mockup-form.main-mockup {
  position: relative;
  display: -webkit-box;
  display: -moz-box;
  display: -ms-flexbox;
  display: -webkit-flex;
  display: flex;
  margin: 40px 0;
}
.w3l-mockup-form .alert-close {
  cursor: pointer;
  height: 35px;
  width: 35px;
 line-height: 35px;
  position: absolute;
  right: -5px;
  top: -5px;
  background: #42c4fea6;
  border-radius: 50px;
  color: #fff;
  text-align: center;
.w3l-mockup-form form {
 margin-top: 30px;
  margin-bottom: 30px;
}
.social-icons {
 text-align: center;
}
.w3l-mockup-form h1 {
  text-align: center;
  font-size: 40px;
  font-weight: 500;
 color: #3b3663;
.w3l-mockup-form h2 {
  display: inline-block;
  font-size: 25px;
  line-height: 35px;
  margin-bottom: 5px;
  font-weight: 600;
  color: #3b3663;
}
.w3l-mockup-form input {
```

```
outline: none;
  margin-bottom: 15px;
  font-size: 16px;
  color: #999;
  text-align: left;
  padding: 14px 20px;
  width: 100%;
  display: inline-block;
  box-sizing: border-box;
  border: none;
  outline: none;
  background: transparent;
  border: 1px solid #e5e5e5;
  transition: 0.3s all ease;
}
.w3l-mockup-form input:focus {
  border-color: #42c4fea6;
}
.w3l-mockup-form button {
  font-size: 18px;
  color: #fff;
  width: 100%;
  background: #42c4fea6;
  border: none;
  padding: 14px 15px;
  font-weight: 500;
  transition: .3s ease;
  -webkit-transition: .3s ease:
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
.w3l-mockup-form button:hover {
  background: #42c4fea6;
.w3l-mockup-form .social-icons ul li {
  list-style: none;
  display: inline-block;
.w3l-mockup-form .social-icons ul li a {
  padding: 8px;
.w3l-mockup-form .social-icons ul li a:hover {
  opacity: 0.8;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease;
}
.w3l-mockup-form .social-icons ul span.fa {
  color: #696687;
  font-size: 18px;
  opacity: .8;
}
.w3l-mockup-form .social-icons ul li a.facebook span {
  color: #3b5998;
}
.w3l-mockup-form .social-icons ul li a.twitter span {
  color: #1da1f2;
}
.w3l-mockup-form .social-icons ul li a.pinterest span {
  color: #e60023;
}
.copyright p {
  text-align: center;
  font-size: 17px;
  line-height: 26px;
  color: #607863;
  opacity: 1;
}
p.copy-footer-29 a {
  color: #517856;
p.copy-footer-29 a:hover {
  color: #42c4fea6;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.alert {
  padding: 1rem;
  border-radius: 5px;
  color: white;
  margin: 1rem 0;
}
.alert-success {
  background-color: #42c4fea6;
```

```
.alert-danger {
 background-color: #fc5555;
}
.alert-info {
 background-color: #2E9AFE;
}
.alert-warning {
 background-color: #ff9966;
/*-- responsive design --*/
@media (max-width:736px) {
  .w3l-mockup-form .main-mockup {
   flex-direction: column;
  .w3l_form {
   order: 2;
    padding: 50px;
   border-radius: 0;
   border-bottom-left-radius: 8px;
   border-bottom-right-radius: 8px;
 }
  .content-wthree {
   order: 1;
   border-radius: 0;
   border-top-left-radius: 8px;
   border-top-right-radius: 8px;
 }
}
@media (max-width:568px) {
  .w3l-mockup-form h1 {
   font-size: 30px;
 }
 .w3l-mockup-form .main-mockup {
   margin: 30px 0;
  .content-wthree {
   padding: 2.5em;
 }
}
@media (max-width: 415px) {
  .w3l-mockup-form {
   padding: 40px 30px;
 }
```

```
}
@media (max-width:384px) {
 .w3l-mockup-form {
   padding: 30px 15px;
 .content-wthree {
   padding: 2em;
 .w3l-mockup-form h1 {
   font-size: 28px;
 .w3l-mockup-form h2 {
   font-size: 22px;
   line-height: 32px;
 }
 .copyright p {
   font-size: 16px;
 }
}
/*-- //responsive design --*/
/*-- //form styling --*/
Login.sql
-- phpMyAdmin SQL Dump
-- version 5.1.1
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Generation Time: Aug 14, 2021 at 07:07 PM
-- Server version: 10.4.20-MariaDB
-- PHP Version: 8.0.9
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS*/;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: 'login'
```

```
-- Table structure for table `users`
CREATE TABLE `users` (
'id' int(11) NOT NULL,
'name' varchar(255) NOT NULL,
'email' varchar(255) NOT NULL,
'password' varchar(255) NOT NULL,
`code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Indexes for dumped tables
-- Indexes for table `users`
ALTER TABLE 'users'
ADD PRIMARY KEY ('id');
-- AUTO_INCREMENT for dumped tables
-- AUTO_INCREMENT for table `users`
ALTER TABLE 'users'
MODIFY 'id' int(11) NOT NULL AUTO_INCREMENT;
COMMIT;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```