MODEL BUILDING-CONFIGURE THE LEARING PROCESS

Team ID	PNT2022TMID43580
Project Name	Crude Oil Price Prediction

```
In [1]:
    import pandas as pd
    import numpy as np
    import matplotlib.pyplot as plt
In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
In [3]: data.isnull().any()
Out[3]: Date
         Closing Value
dtype: bool
In [4]: data.isnull().sum()
Out[4]: Date
Closing Value
dtype: int64
In [5]: data.dropna(axis=0,inplace=True)
In [6]: data.isnull().sum()
Out[6]: Date
Closing Value
dtype: int64
Out[7]: 0
                25.56
26.00
                26.53
         4
                 25.87
         8211 73.89
         8211 73.89
8212 74.19
8213 73.05
8214 73.78
8215 73.93
Name: Closing Value, Length: 8216, dtype: float64
In [9]: data_oil
Out[9]: array([[0.11335703],
                [0.11661484],
[0.12053902],
                [0.46497853],
[0.47038353],
[0.47149415]])
In [10]: plt.plot(data_oil)
```

```
0.2
                  training_size=int(len(data_oil)*0.65)
test_size=len(data_oil)-training_size
train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
In [12]: training_size,test_size
Out[12]: (5340, 2876)
In [13]: train_data.shape
Out[13]: (5340, 1)
In [14]:
    def create_dataset(dataset,time_step=1):
        dataX,dataY=[],[]
        for i in range(len(dataset)-time_step-1):
            a=dataset[i:(i+time_step),0]
            dataX.append(a)
            dataY.append(dataset[i+time_step,0])
        return np.array(dataX),np.array(dataY)
 In [15]: time_step=10
    x_train,y_train=create_dataset(train_data,time_step)
    x_test,y_test=create_dataset(test_data,time_step)
 In [16]: print(x_train.shape),print(y_train.shape)
                  (5329, 10)
                  (5329,)
 Out[16]: (None, None)
 In [17]: print(x_test.shape),print(y_test.shape)
 Out[17]: (None, None)
 In [18]: x_train
[0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796, 0.37042796], [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796, 0.37879461], [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461, 0.37916482]])
 In [19]:
    x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
    x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
```

1.0

0.6

```
In [19]: x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
In [20]: from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense from tensorflow.keras.layers import LSTM
In [22]:
             model=Sequential()
             model.add(LSTM(50,return_sequences=True,input_shape=(10,1)))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50))
In [24]:
            model.add(Dense(1))
In [25]: model.summary()
            Model: "sequential_1"
                                                   Output Shape
            Layer (type)
                                                                                       Param #
            (None, 10, 50)

1stm_1 (LSTM) (None, 10, 50)

1stm_2 (LSTM) (None, 50)

dense (Dense) (None 3)
                                                                                       10400
                                                                                   20200
                                                                                   20200
                                                                                      51
                    -----
            Total params: 50,851
Trainable params: 50,851
Non-trainable params: 0
```

In [26]: model.compile(loss='mean_squared_error',optimizer='adam')