
Project development phase

Sprint - 2

Date	04 November 2022
Team ID	PNT2022TMID54033
Project Name	Project - Industry-specific intelligent fire management system
Maximum Marks	20 marks

- ▼ IN Sprint 2 31 Oct 5 Nov (2 issues)
- IN-4 In industry, sensor sense the fire and smoke. SENSOR & ACTUATOR
- IN-5 If the sensor detected the fire, next step is extinguishing the fire with the help of Sprinkler. SENSOR & ACTUATOR

⇒ Configure the connection security and create API keys that are used in the Node-RED service for accessing the IBM IoT Platform.



US-2 Create a Node-RED service




Fig1 - Monitoring the sensor values - Temperature, Flame Level, Gas Level. These values are randomly generated by IBM WATSON IOT PLATFORM.

```
11/3/2022, 9:04:47 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event 1/fmt/json: msg.payload: Object
 ▶ { Temperature: 1, Flame Level: 62, Gas Level: 38 }
11/3/2022, 9:04:50 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event 1/fmt/json: msg.payload: Object
 ▶ { Temperature: 1, Flame_Level: 78, Gas_Level: 11 }
11/3/2022, 9:04:53 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event 1/fmt/json: msg.payload: Object
 ▶ { Temperature: 99, Flame Level: 36, Gas Level: 55 }
11/3/2022, 9:04:56 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event_1/fmt/json: msg.payload: Object
 ▶ { Temperature: 71, Flame Level: 24, Gas Level: 46 }
11/3/2022, 9:05:00 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event 1/fmt/ison: msg.payload: Object
 ▶ { Temperature: 38, Flame Level: 92, Gas Level: 63 }
11/3/2022, 9:05:03 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event_1/fmt/json: msg.payload: Object
 ▶ { Temperature: 74, Flame_Level: 98, Gas_Level: 84 }
11/3/2022. 9:05:06 AM node: msg payload
iot-2/type/B11M3EDeviceType/id/B11M3EDeviceID/evt/event 1/fmt/json: msg.payload: Object
 ▶ { Temperature: 87, Flame Level: 81, Gas Level: 44 }
```

Fig 2 - Temperature, Flame Level, Gas Level values displayed in deploy tab in node-red




Fig 3 - Control buttons (Sprinkler ON, Sprinkler OFF, Exhaust Fan ON, Exhaust Fan OFF)




Fig 4 - Using HTTP in and HTTP response in network option, http://127.0.0.1:1880/#flow/f74f1b96473dc208/control will display the control options




Fig 5 - Using HTTP in and HTTP response in network option, http://127.0.0.1:1880/#flow/f74f1b96473dc208/firesensor will display the sensor values like Temperature, Gas Level and Flame Level from the IBM WATSON IOT PLATFORM.




Fig 6 - Entire Node-Red connection for our project




Fig 7 - Properties of IBM IOT are shown. The API key, Device Type, Device ID are taken from IBM IOT WATSON PLATFORM.








Fig 8 - Properties of Function Node -Temperature Node, Flame Level Node, Gas Level Node.




Fig 9 - Properties of Temperature Gauge.




Fig 9 - Properties of Flame Level Gauge.




Fig 9 - Properties of Gas Level Gauge.




Fig 9 - Properties of IBM IOT Node.




Fig 10 - Properties of Sprinkler ON button node.




Fig 10 - Properties of HTTP Node with method GET and URL /control,






Fig 11 - Properties of Control HTTP Function Node.








Fig 12 - Properties of Monitor HTTP Function Node




Fig 13 - Front-end APP for our project, to display the Temperature Level, Smoke Level and Flame Level with control buttons like Sprinkler ON and OFF and Exhaust Fan ON and OFF