# A NEW HINT TO TRANSPORTATION-ANALYSIS OF THENYCBIKE SHARE SYSTEM

A project report submitted in partial fulfillment of the requirements of the award of the degree of

Bachelor of
Engineering in
Electronics and Communication Engineering
By

R SANTHAMURTHY (312419106115) V SIVASURYA (312419106130) M SUBIKSHAN (312419106134) A SURIYA KUMAR (312419106140)

## DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

## ST. JOSEPH'S INSTITUTE OF TECHNOLOGY

(An Autonomous Institution)

OMR, CHENNAI – 603103

2022

## TABLE OF CONTENTS

#### 1. INTRODUCTON

- 1.1 Project Overview
- 1.2 Purpose

#### 2. LITERATURE SURVEY

- 2.1 Existing Problem
- 2.2 References
- 2.3 Problem Statement Definition

## 3. IDEATION AND PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation And Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution Fit

## 4. REQUIREMENTS ANALYSIS

- 4.1 Functional Requirements
- 4.2 Non-Functional Requirements

#### 5. PROJECT DESIGN

- 5.1 Data Flow Diagram
- 5.2 User Stories
- 5.3 Solution and Technical Architecture

## 6. PROJECT PLANNING AND SCHEDULING

- 6.1 Sprint Planning and Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Report From JIRA

## 7. CODING AND SOLUTION (Explain Features added in the project along with code)

- 7.1 Feature 1
- 7.2 Feature 2
- 7.3 Database Schema (if Applicable)

#### 8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

## 9. RESULTS

9.1 Performance Matrices

## 10. ADVANTAGES AND DISADVANTAGES

- 11. CONCLUSION
- 12. FUTURE SCOPE
- 13. APPENDIX

Source code GitHub and Project Demo Link

#### 1. INTRODUCTION

## 1.1 PROJECT OVERVIEW

Bike share programs have risen in popularity in recent years and have been promoted as a lower carbon alternative to other forms of transit. Interest in bicycle sharing has been growing exponentially over the past decade, resulting in a proliferation of bike share systems in 712 cities across the world, encompassing 806,000 bicycles and 37,500 stations (Shaheen et al., 2014).

This can be largely attributed to the successful incorporation of information technology indocking stations and mobile devices as well as improved logistics such as bicycle rebalancing to ensure responsive supply management. Cities often hope bike sharing will bring many benefits such as extending the reach of transit, substituting motorized trips, and encourage non-cyclists to try cycling (Shahen et al., 2014).

The premise of bicycle sharing is that it is a short-term bike rental system, based on varying timed memberships. Members of the bike share network have access to stations, comprised of apay-station and multiple bike docks, across the system where bikes can be checked out from one station and returned to another ne nearest to their destination.

The appeal of membership is 24/7 access to an automated bike rental network and utility of bikes in completing "last-kilometer connections" (Shaheen et al., 2014) without the worry of storage or maintenance. The price system is set to encourage shorter trips (less than 30 minutes in time), with additional fees for any time used over that maximum.

There is evidence that bike share users switch to bike share from motorized transport, such asbus and auto (Shaheen et al., 2014), creating the potential for significant reductions in transportation related greenhouse gas or CO2e emissions.

However, there is significant heterogeneity between different cities (Shaheen et al., 2014), showing that there is not a guaranteed CO2e reduction benefit from instituting bike share, especially if the trips would not have been made otherwise or are substituting walking and private bicycle trips.

#### 1.2 PURPOSE

Many bike share systems make available their trip data for those who want to understandhow their systems are used.

The bike share system in New York City, Citi Bike, is one of them, but they don't provide much more than the data. I've got some experience in obtaining and preparing their datafor visualization, so in this article I will show you how to get started with this rich data source.

In the Before Times I commuted from suburban New Jersey to my job as a Product Managerin New York City at an office, now shuttered, ab';ove Penn Station. To get around in the City at lunch or after work I often relied on Citi Bike, New York's bike share system.

I found I could get to destinations in midtown and even further afield faster than walking and cheaper than the bus or subway. When I discovered that Citi Bike made trip datapublicly available I thought that it might provide an interesting use case for the data preparation product that I managed.

The trip data files contain one record for each ride, around two million records per month, depending on the season. It's a traditional bike share system with fixed stations where a userpicks up a bike at one dock, using a key fob or a code, and returns it at another.

Using the large table graphic, the moderator was able to show participants images ofthekiosk, membership key, smart phone apps, and more.

The features section allowed DOT to solicit participant options on the usefulness of thesefeatures, and collect suggestions for additional features.

Sites must have unrestricted, 24/7 publicaccess.

- Sites should ensure maximum visibility and access.
- Sites must not impede the use of any existing.

#### 2. LITERATURE SURVEY

#### 2.1 EXISTING PROBLEM

Bike sharing is an emerging industry and it is very popular in western countries, while people have tried to start the same in India, we will look into some of the stats regarding how many people use bike sharing systems. According to Wikipedia by August 2014 only 600 cities in the world had bike sharing systems and most of them were in western countries with a fleet of about 500000 bicycles with them. There is a sharp

increase in Next Bike Cog Bike Share are some of the leading Bike Sharing systems that arecurrently in operation in the world.

While considering Indian perspective in the Bike Share industry, India has not yet adapted the application of this emerging industry. Currently there are a few bike share systems.

#### 2.2 REFERENCE

Burrows; et al. (1999). Gotham. Oxford Press. ISBN 0-19-511634-8.

Koeppel, Gerard (2015). City on a Grid: How New York Became New York. Boston: Da Capo Press. ISBN 978-0-306-82284-1.

"Glorification! The Cities Celebrate the Work That Makes Them One". Brookly n Daily Eagle.

May 24, 1883. p. 12. Retrieved June 26, 2019 – via Brooklyn Public Library; newspapers.comopen access.

Walker, James Blaine (1918). Fifty Years of Rapid Transit. 1864–1917. Retrieved January 7,2015.

Caro, Robert (1974). The Power Broker: Robert Moses and the Fall of New York. New York: Knopf. ISBN 978-0-394-48076-3. OCLC 834874.

U.S. Census Bureau, American Community Survey 2006, Table S0802.

<u>Metropolitan Transportation Authority. "The MTA Network". Retrieved July 15, 2016. Bureau of Transportation Statistics, U.S. Department of Transportation (2001).</u>

"Highlights of the 2001 National Household Travel Survey ". Archived from the original on October 2, 2006. Retrieved May 21, 2006.


Bellafante, Ginia (July 12, 2019). "New York Was Supposedly Getting Better for Cyclists. WhatHappened?". The New York Times. ISSN 0362-4331. Retrieved November 5, 2019.

#### 2.3 PROBLEM STATEMENT DEFINITION


- 1) The government needs a way to analyze the NYC bike share system so that they canenhance the system and give residents and visitors a fun, safe, affordable and convenient alternative to walking, taxis, buses etc.
- The goal of this analysis is to create an operating report of Citi Bike for the year
- 3) Citi Bike officials are pushing to make the program more robust and to broaden its reach. Financial viability increases with such larger bike-sharing programs. This could be seen by analyzing the total number of trips.
- 4) The top bikes used with respect to trip duration could be found by this analysis so that more of these bikes can be produced and more users can be attracted.
- 5) With the help of this analysis, the top 10 Start station names with respect to customerage group could be found so that the government can broaden the bike sharing system by increasing the number of bikes in those stations to make them readily available to all the potential users.
- 6) The gender of the customer as well as the subscriber could be assessed and thenumber of bikes used by respective age groups could also be computed.

## 3. IDEATION & PROPOSED SOLUTION

## 3.1 EMPATHY MAP CANVAS



## 3.2 IDEATION AND BRAINSTORMING



#### 3.3 PROPOSED SOLUTION


S No.	Parameter	Description
3 .40.	Farameter	Description
1.	Problem Statement (Problem to be solved)	The government needs a way to analyze the NYC bike share systems so that they can enhance the system and give residents and visitors a fun, safe, affordable and convenient alternative to walking, taxis, buses etc.
2.	Idea / Solution description	The goal of this analysis is to create an operating report of Crit Bike for the year 2018. We are going to create different types 2018. We are going to create different types features of IBM Cognos Analysis so that the user can better understand the results of the analysis. It integrates reporting, modeling, analysis, dashboards etc. so that can understand the available data, and make effective decisions. It includes predictive, descriptive, and exploratory techniques and escriptive, and exploratory techniques and interface that is easy to understand. Python's analytical functions can also be used for generating descriptive statistics and visualizations can also be created using
3.	Novelty / Uniqueness	Our solution gives faster results, reduces maintenance due to complete report coverage, and improved decision making - our reports and dashboards present the data in easily-understood formats.
4.	Social Impact / Customer Satisfaction	Hike share engages riders in physical activity, benefic ind to health. In addition, it promotes green mobility and contributes to carbon neutrality. This analysis will help in understanding the association between bike share usage and the environment which is


		essential for system management and urban transportation planning.
5.	Business Model (Revenue Model)	This analysis might show that bike share is a relatively inexpensive and quick-to- implement urban transportation option compared to other transportation modes. The relative cost of launching a bikeshare system is less than investments in other transportation infrastructure, such as public transit and highways.
6.	Scalability of the Solution	This analysis presents evidence of the possible contribution of bike sharing systems to a more resilient transport system, transport options to urban residents. As moredata becomes available, particularly in otheraneas with identically comprehensive sharing systems, a clearer picture of the role of this transport mode in these emergency situations can be better evaluated by this analysis, and provide results with an

## 3.4 PROBLE SOLUTION FIT

PROJECT TITLE: A NEW HINT TO TRANSPORTATION-ANALYSIS OF THE NYC BIKE SHARE SYSTEM PROJECT DESIGN PHASE-I - SOLUTION FIT

TEAM ID: PNT2022TMID23006







## 4. REQUIREMENT ANALYSIS

## 4.1 FUNCTIONAL REQUIREMENT

Following are the functional requirement of the proposed solution

FR No.	Functional Requirement (Epic)	st Sub Requirement (Story / Sub-Task)				
FR-1	Collection of user data	Citi bike's official website provides the data to help with analysis, development, visualization etc.  Data is collected from these published files.				
FR-2	Analysing the user data	This data is used as input for creating various types of visualizations and analysis is done and a dashboard is created.				
FR-3	Display the data	The dashboard is used to display the top bike used with respect to trip duration ,top 10 Start Station Names with respect to customer age group, to find the customer and subscriber with gender, to find total number of trips & calculating the number of				

	bikes used by respective age groups.	
--	--------------------------------------	--

## 4.2 NONFUNCTIONAL REQUIREMENT


Following are the nonfunctional requirement of the proposed solution

PR	Non-Functional	Description
No.	Requirement	
NFR-	Usability	This dashboard provides an easily understandable report which facilitates
-		many people and tourists who use
		bicycles to complete their work and enjoy
		themselves.
		It provides many benefits such as measures data like distance, and help
		with tasks such as route
		planning, expansion of the bicycle
		sharing system, manufacturing of desired
		bilian etc.
		The benefits of Bicycle sharing systems could be reduced vehicle emissions,
		reduces energy consumption, improve
		health benefits, financial
		savings for individuals, reduced
NEE-	Security	congestion and fuel consumption.  The citi bike usage data is secured with
2		appropriate caution as crucial decisions
		will be made based on this data.
		We can restrict access to this data and the
		visualization reports.
MFR-	Reliability	This analysis provides a reliable and an
3	1	officient way to grasp on the performance of the citi bike sharing system in the year
	1	2018.
		It makes use of the available dataset
		precisely and gives accurate data
		visualizations that can be used to improve the citi bike sharing system.
NEE-	Performance	Performance of bike sharing system is
4		defined as operational efficiency and
		spatial effectiveness of bike sharing
		system. The operational efficiency of
		bike sharing system aims at understanding the
		characteristics of public bike users, and
		evaluating the conditions of bike lanes
		from the perspective of public bike users
		. The effectiveness of bike sharing system dashboard aims at analyzing the
		characteristics of bike stations, and
		accessibility between bike stations and
		other facilities. The evaluation results can
		he used to improve the public bicycle sharing program.
NFR-	Availability	A bicycle-sharing system is a shared
5		transport service where bicycles are
	I	available for shared use by individuals for
	I	a short-term at low or zero
	1	Cost .The programs themselves include both docking and dockless systems,
		-,444
		where docking systems allow users to
		where docking systems allow users to borrow a bike from a dock and return at another node or dock within the system
		borrow a bike from a dock and return at another node or dock within the system — and dockless systems, which offer a
		borrow a bike from a dock and return at another node or dock within the system — and dockless systems, which offer a node-free system relying on smart
		borrow a bike from a clock and return at another node or dock within the system — and dockless systems, which offer a node-free system relying on smart technology. In either format, systems
		borrow a bike from a deck and return at another node or dock within the system — and dockless systems, which offer a node-free system relying on smart technology. In either format, systems may incorporate smartphone web
		borrow a bike from a clock and return at another node or dock within the system — and dockless systems, which offer a node-free system relying on smart technology. In either format, systems
NFR-	Scalability	borrow a bike from a dock and return at smother nade or dock within the system — and dockless systems, which offer a node-five system rolying on smark schnedogy. In either formst, systems may incorporate smortphone with supplied to locate available bikes and docks. This analysis presente evidence of the
NPR-	Scalability	borrow a bible from a dock and returns at another node or dock within the system — and dockdoes systems, which offer a node-free system relying on senset technology. In either formst, systems technology. In either formst, systems may incooperate sensetphone with mapping to locate available bibles and docks.  This analysis presents evidence of the possible contribution of blue sharing the possible contribution of blue sharing.
NFR-6	Scalab Bity	borrow a bible flown a dock and returns at authors made or dock visitis the option — and dockdoes options, which offer a made-flow system relying on smart suchandings. In oither format, systems may incorpor atte sametphone with enginess to locate available bibles and anything to locate available bibles and the possible contribution of bible sharing systems to a more.
NPR-6	Neadability	borrow a bible from a dock and returns at another node or dock within the optom — and dockdess systems, which offer a tool-free system relying on senser tochnology. In either formst, systems trap incorporate sensetylens web mapping to locate available bibles and docks.  This analysis presents evolution of the possible contribution of the possible contributions of the sharing systems to a more:
NPR-6	Scalability	borrow a bible flown a dock and returns at authors made or dock visitis the option — and dockdoes options, which offer a made-flow system relying on smart suchandings. In oither format, systems may incorpor atte sametphone with enginess to locate available bibles and anything to locate available bibles and the possible contribution of bible sharing systems to a more.
NFR-6	Sic adult 60Ey	borrow a bible flowns a dock and returns at authors made or dock within the system — and dockdess systems, which offer a mode-flow system relying on smart technology. In either firerus, systems may incorporate sunsephones with mapping to locate available bibles and dockdes.  This maleying presents excluded to the majority process of the docknot of the control of t
NFR-6	Scalability	borrow a bible Broma dock and returns at another node or dock within the optom — and dockless systems, which offer a node-free system relying on senset technology. In either firerus, systems temp incorporate sensetphones web mapping to locate available bibles and docks.  This analysis presents available bibles and docks.  This analysis presents available to the possible contribution of Politics sharing systems to a more resultance of the possible contribution of Politics sharing systems to a more resultant transport systems, at can quickly provide abstractive transport options to urban neighbors. As more data becomes available, particularly in other areas with identically comprehensive bile sharing the sh
NPR-	Seabshilly	borrow a bible flowns a dock and returns at autobir ande or dock within the system — and dockdoes systems, which offer a node-flow system relying on smoot technology. In either florenst, systems may incorporate sunreplenses with mapping to locate available bibles and shocks.  This maleying presents excidence of the possible concentrations of this charing systems to a more a contraction of this charing systems to a more than the contraction of the possible contributions of this charing systems to a more of the possible contributions of this charing systems to a more of the contribution of the charing systems to a more or other contributions of the charing systems, perceivally in other areas with identically comprehensive bible sharing systems, a clearer
NFR-6	No adah Mity	borrow a bitle flown a dock and returns at another mode or dock within the system — and duckless systems, which offer a node-flow system relying on essent technology. In either firerus, systems temps incorporate sensetphone with mapping to locate available bibas and docks.  This analysis presents evidence of the possible contribution of blocks sharing systems to a more resilient transport systems to continue of the contribution of blocks sharing systems to a more resilient transport systems as can quickly provide abstractive transport systems to usban neighbors.
NFR-6	Scalability	borrow a bible flown a deck and returns at authors made or deck within the option — and deckdoos systems, which offer a mode-flow system relying on seast technology. In other format, systems steep incorporate stampliness with sungifically to breats available below and sungingle to breats available below and sungisely to breats available below and flower possible contributions of bible sharing systems to a more recibiled temporary systems, at case quickly growther abstractive temporary options to whom residents As moved data becomes availables, particularly in other areas with advantagly comprehensive bible sharing stitutes of the sole of this temporary temporary and accordance of the sole of this temporary temporary temporary points to the state of the sole of this temporary temporary between the sharing stitutes of the sole of this temporary temporary situations can be better encounted by this analysis and
NFR-6	Sic adult-Hitty	horrow a bitle flown a decid and returns at authors and or decid visits the system — and decident systems relying on smart technology. In either flowness, systems technology. In either flowness, systems may incorporate sunsephones with mapping to locate available biless and shocks.  This analysis presents available biless and shocks.  This analysis presents available biless and shocks.  This analysis presents available biless and shocks. This analysis presents a variety of the possible contribution of this charing systems to a more contribution of this charing systems to a more or state of the state or these or the state of the state of the state of the state of the state or the state of the state of the state or the state

## 5. PROJECT DESIGN

A data flow diagram is traditional visual representation of the information flow with in a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how enters and leaves the system, what changes the information and whendata is stored.

## **5.1 DATA FLOW DIAGRAM**



## **5.2 USER STORIES**

#### User Stories


Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer, Analysts, Organizations, Government	Collection of user data	USN-1	Lyft citi bike's official website provides the data to help with analysis, development, visualization etc. Data is collected from these published files.	I can access the data on Lyft citi bike's official website	High	Sprint-1
Customer, Analysts, Organizations, Government	Analysing the user data	USN-2	This data is used as input for creating various types of visualizations and analysis	I can view the analysis of the citi bike	High	Sprint-1

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
			is done and a dashboard is created			
Customer, Analysts, Organizations, Government	Dashboard	USN-3	The dashboard is used to display the top bike used with respect to trip duration, top 10 Start Station Names with respect to customer age group, to find the customer and subscriber with gender, to find total number of trips & calculating the number of bikes used by respective age groups.	I can register & access the dashboard with login	Low	Sprint-2


## 5.3 SOLUTION AND TECHNICAL ARCHITECTURE

#### **SOLUTION ARCHITECTURE**



## TECHNICAL ARCHITECTURE

The Deliverable shall include the architectural diagram as below



## 6. PROJECT PLANNING AND SCHEDULING

0.1		LANNING AND SCHEDUL	ING	
Activity Name	Activity	Activity Description	Tasks	Status
	Number		Assigned	
Preparation Phase	1	O Access the resources in project dashboard. O Explore the dataset provided in workspace. O Creating GitHub account and collab to post the repositories. O Set-up the prerequisites for the project	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Ideation Phase	2	O Literature survey relevant to the selected project. O List the ideas by brainstorming and prioritize the top 3 ideas based on feasibility and importance.	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Project design phase I	3			
Problem Solution Fit	3.1	Prepared problem solution fit which provides effective solutions for the problem.	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Solution Architecture	3.2	Develop effective architecture for the proposed solution.	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed

Project Design Phase- II	4			
Requirement Analysis	4.1	Identify the Functional and Non-functional requirements	Santhamurthy R Subikshan M Siyasurya V Suriya kumar A	Completed
Customer Journey	4.2	Preparation of customer journey map to understand the user interactions and experiences with the application from the entry level to exit level	Santhamurthy, R Subikshan M Sivasurya V Suriya kumar A	Completed
Data Flow diagram and user stories	4.3	Generate Data Flow Diagram of the project	Santhamurthy R Subikshan M Siyasurya V Suriya kumar A	Completed
Technical Architecture	4.4	Develop effective technical architecture for the proposed solution	Santhamurthy, R Subikshan M Sivasurya V Suriya kumar A	Completed

## **6.1 SPRINT PLANNING AND ESTIMATION**


Project planning phase	5			
Milestones and Activity List	5.1	Prepare Milestone and Activity list of the project	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Sprint Plan	5.2	Prepare Sprint delivery plan of the project	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed

Project Development Phase	6			
Delivery of Sprint- I	6.1	Implement the coding phase of Sprint- I	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Delivery of Sprint- II	6.2	Implement the coding phase of Sprint- II	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Delivery of Sprint- III	6.3	Implement the coding phase of Sprint-III	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed
Delivery of Sprint- IV	6.4	Implement the coding phase of Sprint-IV	Santhamurthy R Subikshan M Sivasurya V Suriya kumar A	Completed

#### **Milestone Timeline Chart:**

A milestone schedule, or milestone chart, is a timeline that uses milestones to divide a projectschedule into major phases. Due to its simplicity, it's used when project managers or sponsors need to share an overview of the project schedule with stakeholders orteam members without going over every detail.

## Milestone Timeline Chart



## **6.2 SPRINT DELIVERY SCHEDULE**

#### Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	2	High	Santhamurthy R Suriya Kumar A
Sprint-1		USN-2	As a user, I will receive confirmation email once I have registered for the application	2	Medium	Subikshan M Siva Surya V Santhamurthy R
Sprint-1		USN-3	As a user, I can register for the application through Gmail	2	Medium	Suriya Kumar A
Sprint-2	Login	USN-4	As a user, I can log into the application by entering email & password	2	High	Subikshan M Sivasurya V

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-2	Collection of user data	USN-5	I can access and collect the citi bike share system data from Lyft citi bike's official website that has the published files.	2	Medium	Santhamurthy R Sivasurya V Subikshan M
Sprint-2		USN-6	I can use the citi bike share system data for analysis purposes	5	High	Sivasurya V Suriya Kumar A
Sprint-3	Analysing the user data	USN-7	The data is used as input for creating various types of visualizations and analysis is done. I can view the analysis of the citi bike	8	Medium	Subikshan M Suriya Kumar A Sivasurya V
Sprint-3	Dashboard	USN-8	I can register & access the dashboard created based on the analysis by logging in	3	High	Subikshan M
Sprint-3		USN-9	As a user I can view the dashboard that displays the top bike used with respect to trip duration	5	Medium	Santhamurthy R
Sprint-4		USN-10	As a user I can view the dashboard that displays the top 10 Start Station Names with respect to customer age group	5	High	Suriya Kumar A Sivasurya V
Sprint-4		USN-11	As a user I can view the dashboard that displays the customer and subscriber with respect to gender	5	Medium	Sivasurya V
Sprint-4		USN-12	As a user I can view the dashboard that displays the total number of trips	5	High	Santhamurthy R Subikshan M

## Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	6	6 Days	22 Oct 2022	27 Oct 2022		
Sprint-2	9	6 Days	01 Oct 2022	07 Nov 2022		
Sprint-3	16	5 Days	08 Nov 2022	12 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	20 Nov 2022		

Sprint	Average Velocity
Sprint-1	0.833
Sprint-2	2.500
Sprint-3	3.333
Sprint-4	1.666

## 7. CODING & SOLUTIONING (Explain the features added in the project along with code)

#### 7.1 FEATURE

People use bike-share for various reasons. Some who would otherwise use their own bicyclehave concerns about theft or vandalism, parking or storage, and maintenance.

The Citi Bike System Data page describes the information provided. The specific information foreach ride is:

- ♦ Trip Duration (seconds)
- ♦ Start Time and Date
- ♦ Stop Time and Date
- Start Station Name
- ♦ End Station Name
- ♦ Station ID
- ♦ Station Lat/Long
- ♦ Bike ID
- ♦ User Type (Customer = 24-hour pass or single ride user; Subscriber = Annual Member)
- ♦ Gender (Zero=unknown; 1=male; 2=female)
- ♦ Year of Birth

#### **7.2 FEATURE**

### **EASY INSTALLATION**


- ♦ Stations install in under an hour
- ♦ Solar powered and wireless
- ♦ No digging or roadwork required

## **BUSINESS PLAN**

- NYC Bike share pays for all system costs- revenues from users and sponsorship
- ♦ Sponsorship in NYC is highly valued
- ♦ Profit split 50/50 between NYC Bike Share and the City
- ♦ Bike Share in NYC will help spread the word about safe, respectful cycling

#### 7.3 DATABASE SCHEMA

The database schema is the structure of a database described in a formal language supported by the database management system. The term "schema" refers to the organization of data as a blueprint of how the database is constructed.



8. TESTING

Testing is the process of evaluating and verifying that a software product or application does what it is supposed to do. The benefits of testing include preventing bugs, reducing development costs and improving performance.

#### **8.1 TEST CASES**

Test case includes information such as test steps, expected results and data while a testscenario only includes the functionality to be tested.

- ♦ UI Test Cases for Bike
- ♦ Positive Test Cases for Bike
- ♦ Negative Test Cases for Bike

#### **UI Test Cases for Bike**

- ♦ Verify that design and dimension of the application are as per the specifications.
- ♦ Verify that the different colors used in the bike are of the correct shades as per the specifications.
- ♦ Verify that the weight of the bike is as per the specifications.
- ♦ Check the material used in different parts of the bike outer body, tires, seat, etc.

#### **Positive Test Cases for Bike**

- ♦ Check if the bike is of type electric start, manual start or both.
- ♦ Verify that the bike starts smoothly using the available options.
- ♦ Check the amount of force to kick-start the bike.
- ♦ Verify that bike runs smoothly and attain desired speed when accelerated.
- ♦ Verify that the maximum speed attained by bike is as per the specification.

## **Negative Test Cases for Bike**

- ♦ Check if the bike starts when fuel other than prescribed fuel is filled in the bike.
- ♦ Check the condition of the bike when tires are filled with pressure less or more than pecified.

- ♦ Check the condition of the bike when both the tires have different air pressure.
- ♦ Check the bike's condition when it is ridden at high speed on first gear only.

#### **8.2 USER ACCEPTANCE TESTING**

User Acceptance Testing (UAT), which is performed on most UIT projects, sometimes called beta testing or end-user testing, is a phase of software development in which the software is tested in the "real world" by the intended audience or business representative.

- ♦ Before product goes live.
- ♦ Done by end users.
- ♦ Fix usability issue.
- ♦ Ensures viable product.

#### **UAT** test cases will look like this:

- ♦ Are testers filling out the correct information in bike?
- ♦ Do they understand what's happening when being redirected to the in bike system?

#### 9. RESULTS

## 9.1 PERFORMANCE METRICS

The main metrics are used to judge the performance of bikeshare systems: average number of daily uses per bike and average daily trips per resident (of the coverage area). These two metrics tend to have an inverse relationship.

A system with a low number of bikes could have high per-bike usage because demand is high, but fail to meet that demand and therefore have a lower number of trips per resident. On the other hand, a system could have a high number of trips per resident but also avery high number of bikes, and therefore a low number of trips per bike.

Both of these extremes are inefficient; a sustainable system should find a balanceofhaving just enough bikes to satisfy demand with around 4 daily trips per bike share system.

#### Average daily trips per bike

Target: 4-8 daily uses per bike

Turnover is critical to a successful bikeshare system, and this metric gets at how efficiently the bikes are being used. Fewer than four daily uses per bike can result in financial unsustainability for the operator (i.e., user fees not able to cover cost to operate each bike), while more than eight daily uses can indicate limited bike availability, especially during peak hours. New York City (6.4), Barcelona (6.4), Mexico City (5.4), and Guangzhou (5.0) showed solid daily usage numbers 2017.

#### Average daily trips per 1,000 residents (in service area)

Target: city-generated, improvement over time

This is a metric of market penetration, that is, how many people in the service area are using the system. A high number of uses spread across residents in the service area is key the increasing bicycle mode share, decreasing vehicle and transit network congestion, and promoting safe, clean, healthy modes of transport.

Trips per 1,000 residents should be monitored as the system matures, with the goal of increasing market penetration over time (a more prescriptive target for annual improvement in market penetration could be created from baseline trip numbers). An increase in trips per 1,000 residents indicates more trips being taken by bike, and can help to evaluate progress toward citywide mode shift goals.

#### ADVANTAGES AND DISADVANTAGES

#### **ADVANTAGES**

10.

#### 1. Convenient Mode of Transportation

The most common benefit of this program is its accessibility. If you are fond of cycling, you will find this method helpful as there are numerous systems just about everywhere for you to use. Bigger cities are supporting the use of bike-sharing. This is why it is common to find bike- sharing systems in downtown areas. Driving a car through congested avenues can be frustrating and irritating. This makes bike sharing very convenient.

## 2. Healthy Method for Traveling

Wellness, fitness, and health are an essential part of your life. You should care about what you consume and what your daily activity is. Bike-sharing systems can help and encourage you to live a better and healthier life. They help you stay in shape even when you are away from homevacationing.

#### 3. Environmental Benefits

Maintaining a clean environment is as important as maintaining your health. Living in a heavily polluted environment can cause various health issues. Bikes do not release greenhouse gases, unlike buses and cars. So, if you are renting a bike from a bike-sharing system, you reduce the carbon footprint and take measures to keep your environment safe.

#### **DISADVANTAGES**

#### 1. Congestion in the Users of Bike Sharing

As bike-sharing systems can help you travel throughout the city, they do not exist in infinite numbers. Waiting can be annoying if the bike is not available. You may face this problem duringpeak hours.

## 2. A Helmet is a Requirement

When you are planning to ride a bike, you need to keep safety measures in your mind. Therefore, wearing a helmet is essential. Some bike sharing systems may require you to use a helmet but might not provide them for you. Sometimes you will need to bring your own which can be a hassle.

#### 3. Bikes Are Not Clean

Shared bikes can be unhygienic as many people have probably used it before you. The seat andhandlebars are a particularly high-traffic area for germs, so cleanliness is always a concern.

#### 11. CONCLUSION

Bicycle sharing systems can be the new boom in India, with use of various prediction modelsthe ease of operations will be increased. The four algorithms are applied on the bikeshare dataset for predicting the count of bicycles that will be rented per hour. We got some good results and accuracy with random forest and by using Tune RF function with the original random forest algorithm. The accuracy and performance has been compared between the models using Root Mean Squared Logarithmic Error (RMSLE).

If these systems include the use of analytics the probability of building a successful system willincrease.

#### 12. FUTURE SCOPE

One aspect of the data that I did not explore in great detail is the intra-day variation in usage of the system. This is also a key aspect that bike share system operators are interested in becauseknowing the variation in demand on an hourly basis is another very useful metric for identifying the times of the day when the need for artificial rebalancing is maximum.

Additionally, this work will feed into a larger study calculating the life cycle environmental impacts of a bikeshare system and its ability to substitute other modes of transit with the aim of reducing the overall Greenhouse gas (GHG) emissions due to transportation.

#### 13. APPENDIX

## Research Methodology and FrameworkMethodology and Data

#### Sources

Using spatial data primarily from the United States Census54 and New York City's Department of Information Technology & Telecommunications,55 ridership and station activity data from New York City Department of Transportation and NYC Bike Share, LLC,56 and station location data from NYC Bike Share, LLC, this study used ArcGIS software57 to analyze and show connections between Citi Bike and public transit. Data from Divvy Bikes,58 Chicago Open Data Portal,59 Capital Bike Share,60 the District Department of Transportation,61 Hubway,62 the Massachusetts Bay Transportation Authority,63 Nice Ride,64 and MetroGIS65 allowed for comparisons in station coverage area and station density in New York City, Chicago, Washington, DC, and Minneapolis/St. Paul. Researchers conducted interviews with New York City Department Transportation and NYC Bikeshare LLC staff.

#### Framework

We examine connections between New York City's bike share program, Citi Bike, and the previously existing transportation options in New York City. After observing the system's success in its first year of operation, this study analyzes connections between bike share stations and from stations to transit options. New York City's bike share system offers a solution to the "last mile" 66 problem, the problem of getting riders short distances, under a mile, to and from transit stations. A key component of this "last mile" analysis came through calculating the number of Citi Bike stations with 100, 200, 500, and 1320 feet67 of subway station entrances and comparing the proximity and density of bike share stations in New York City, Washington, DC, Chicago, Boston, and Minneapolis/St. Paul.

#### **Source Code**

#cleaning and understanding the data.ipynbimport

pandas as pd import numpy as np import seaborn as sns import matplotlib.pyplot as plt import plotly.express as px from datetime import datetimefrom pprint import pprint

from pydrive.auth import GoogleAuth from pydrive.drive import GoogleDrive

```
from google.colab import auth
from oauth2client.client import GoogleCredentials
path = "/content/dataset.csv"df
= pd.read_csv(path) print(df)
df.head()
df.describe()
df.info()
df.isnull().sum()
trips_df = pd.DataFrame()
trips_df = temp.groupby(['start station name','end station name']).size().reset_index(name = 'Number
of Trips')
trips_df = trips_df.sort_values('Number of Trips',ascending = False)
trips_df["start station name"] = trips_df["start station name"].astype(str)
trips_df["end station name"] = trips_df["end station name"].astype(str)
trips_df["Routes"] = trips_df["start station name"] + " to " + trips_df["end station name"]trips_df
= trips df[:50]
trips_df = trips_df.reset_index()
trips_df
px.pie(values = temp['gender'].value_counts(), names
    =temp['gender'].value_counts().index,title
    ="Gender Variation")
px.bar(x=temp["start station name"].value counts().index,
    y=temp["start station name"].value_counts().values,
    labels={'x':'Start Station Name',"y":"Count"})
px.bar(x=temp["end station name"].value_counts().index,
    y=temp["end station name"].value_counts().values,
    labels={'x':'End Station Name',"y":"Count"})
px.bar(x=temp["Hour"].value counts().index,
    y=temp["Hour"].value_counts().values, title
    = "Hour usage of Citi Bikes",
    labels={'x':"Time',"y":"Number of people using bike"})
```

......

```
# index.js
const mysql = require('mysql'); const
express = require('express');
const session = require('express-session');const
path = require('path');
const { dirname } = require('path');
const { request } = require('express');
// Requiring dotenv and Creating variables to store the Env values to maintain a bit of secrecy
require("dotenv").config()
const DB_HOST = process.env.DB_HOST
const DB_USER = process.env.DB_USER
const DB_PASSWORD = process.env.DB_PASSWORD
const DB_DATABASE = process.env.DB_DATABASE
const connection = mysql.createConnection({
  host: DB HOST,
  user: DB USER,
  password: DB_PASSWORD,
  database: DB_DATABASE
});
// Creating an express application
const app = express();
// storing the value of username for further displaying the respective user's infolet
uname = ";
// setting the view engine to ejs -> as I wanted to render the user info dynamically, and have itviewed
through an engine [This was the only possible way to render / pass values to HTML] app.set('view
engine', 'ejs');
app.use(session({ secret:
  'secret', resave: true,
  saveUninitialized: true
}));
app.use(express.json()); app.use(express.urlencoded({
extended: true })); app.use(express.static(path.join(
dirname, 'static')));
```

```
// http://localhost:3000/
app.get('/', function(request, response) {
  // Render login template
  response.sendFile(path.join(__dirname + '/login.html'))
})
// http://localhost:3000/auth
app.post('/auth', function(request, response) {
  // Capture the input fields
  let username = request.body.username;
  uname = username;
  let password = request.body.password;
  // Ensure the input fields exist and are not emptyif
  (username && password) {
     // Execute SQL query that'll select the account from the database based on the specifiedusername and
password
     connection.query('SELECT * FROM accounts WHERE username = ? AND password =
?',[username, password], function(error,results,fields){
        // If there is an issue with the query, output the errorif
        (error) throw error;
        // If the account existsif
        (results.length > 0) {
           // Authenticate the user
           request.session.loggedin = true;
           request.session.username = username;
           // Redirect to home page
           response.redirect('/home');
        } else {
           response.send('Incorrect Username and/or Password!');
           response.end();
     });
   } else {
     response.send('Please enter Username and Password!');
     response.end();
  }
});
// http://localhost:3000/home
app.get('/home', function(request, response) {
  // If the user is loggedin
  if (request.session.loggedin) {
```

```
// Creating a home page for the users to be welcomed.
     response.sendFile(path.join(_dirname + '/home.html'));
     // // Output username
     // response.send('Welcome back, ' + request.session.username + '!');
   } else {
     // Not logged in
     response.send('Please login to view this page!');
  //response.end();
  // Uncommenting this usually led me to have errors regarding 'Can't set headers after they aresent' -> so
it meant that responses were closed, and communication wasn't possible after that?
});
// http://localhost:3000/dashboard app.post('/dashboard',
function(request, response) {
  // Return the dashboard for the user if he is logged in.if
  (request.session.loggedin) {
     // // Return the dashboard to be viewed for the user.
     // response.sendFile(path.join(__dirname + '/dashboard.html'));
     // Instead of sending the path and hence thereby opening the html file, we can instead renderan ejs file,
using the ejs view engine.
     response.render('dashboard');
   } else {
     // Not logged in
     response.send('Please login to view this page!');
  //response.end();
})
```

```
// http://localhost:3000/info
 app.post('/info', function(request, response) {
    // Return the dashboard for the user if he is logged in.if
    (request.session.loggedin) {
       // // Return the dashboard to be viewed for the user.
       // response.sendFile(path.join( dirname + '/info.html'));
       // Instead of sending the file and it's path, to be displayed when accessing this route, we canactually pass
 the sql values as parameters to the view engine, to print them out, dynamically corresponding to the data
 available from the sql database.
       // response.render('info', { rinzler: 'Hello Tron!'});
       // console.log(uname);
       connection.query('SELECT id,username,email FROM accounts WHERE username =
 ?',[uname], function(error,results,fields){
if (error) throw error;
         // If the account exists then perform the operations associated with it!else {
            // console.log(results);
            // // This basically stores all the resulting row's fields in it.
            // // In the following steps, we have to seperate the different fields (4 of them) and justshow
 only the three fields to the user.
            /// Also try to change the query so that only the three non-private fields are sent back as
 a result
            // console.log("Id is : ",results[0].id);
            // console.log("Username is : ",results[0].username);
            // console.log("Email is: ",results[0].email);
            response.render('info', { id: results[0].id, name: results[0].username, mail:
 results[0].email})
         }
       })
    } else {
      // Not logged in
       response.send('Please login to view this page!');
    //response.end();
 })
 // Add a port to enable the nodejs server to listen to incoming connections
 // Ideally when we want to deploy our login system to a production server, we want to listen on port
 `80` so that we don't have to specify the port number in the URL.
```

```
<body>
  <div class="login">
     <!--
     <h2><a href="/dashboard">Dashboard</a></h2>
     <h2><a href="/info">User Info</a></h2>
     <form action="/dashboard" method="post">
       <label for="dashboard">
          <h2 class="fas fa-chart-line"></h2>
       </label>
       <!--
       -->
       <input type="submit" value="analytics">
     </form>
  </div>
  <div class="login">
     <form action="/info" method="post">
       <label for="info">
          <h2 class="fas fa-info"></h2>
       </label>
       <!--
       <input type="submit" value="info">
     </form>
  </div>
</body>
</html>
```

\_\_\_\_\_

## GitHub Link

https://github.com/IBM-EPBL/IBM-Project-28579-1660113951

**Project Demo Link** 

https://youtu.be/LzE0Pr9omRQ