

**DHANALAKSHMI SRINIVASAN COLLOGE
OF ENGINEERING AND TECHNOLOGY-603104**

PROJECT

SMART FASHION RECOMMENDER APPLICATION

REPORT BY

TEAM ID: PNT2022TMID26883

K.HARIHARASUDHAN

N.ROKESH KUMAR

J.SANGEETHA

L.PAVITHRA

TABLE OF CONTENT

1. INTRODUCTION

1. Project Overview
2. Purpose

2. LITERATURE SURVEY

1. Existing problem
2. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

1. Empathy Map Canvas
2. Ideation & Brainstorming
3. Proposed Solution
4. Problem Solution fit

4. REQUIREMENT ANALYSIS

1. Functional requirement
2. Non-Functional requirements

5. PROJECT DESIGN

1. Data Flow Diagrams
2. Solution & Technical Architecture
3. User Stories

6. PROJECT PLANNING & SCHEDULING

1. Sprint Planning & Estimation
2. Sprint Delivery Schedule
3. Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

1. Feature 1
2. Feature 2
3. Database Schema (if Applicable)

8. TESTING

1. Test Cases
2. User Acceptance Testing

9. RESULTS

1. Performance Metrics
- ## **10. ADVANTAGES & DISADVANTAGES**

11. CONCLUSION

12. FUTURE SCOPE

13. APPENDIX

Source Code

GitHub & Project Demo Link

1.INTRODUCTION

1.1 Project Overview :

E-commerce and fashion apps are expanding in popularity right now. Additionally, it has certain issues with locating the desired goods for the user in the web apps. It can be very helpful to have a chatbot that comprehends the algorithm of a certain application. We are integrating a chatbot like this into a web application, which is supplied with the algorithmic knowledge of the application. It entirely assists the user from identifying their needs to processing payments and starting deliveries. By gathering basic user information and behaviours, it functions as an advanced filter search that may give the user what they want with the use of visual and naming representation. Additionally, there are two main UI interactions in the application: one is the user panel, and the other Purpose :

Contrary to other sectors, fashion advice shouldn't be exclusively focused on a customer's preferences and past behaviour. The complexity of developing a fashion suggestion system is increased by numerous external elements, many of which are emotional. The general public's perceptions must be taken into consideration, along with fashion, clothing, and trend guidelines.

2.LITERATURE SURVEY

Existing problem :

In traditional e-commerce websites, visitors must utilise a search box to find the goods they need or scroll through all of the results of their search. It will require a lot of user time, and many user trials will be flawed as a result. This strategy will result in poor product marketing. It will leave a terrible impression on the user when they return later to buy the product. Despite the fact that the product is excellent, the user

When a product has a different name, this type of search will generate mismatched results. Consider a hypothetical Amazon search for oranges. It will occasionally display orange fruit or an orange tint. Deep learning and artificial intelligence have recently

been merged with fashion systems. Although these methods offer rich recommendations, they are typically prone to product mismatch. Even The recommender system suggests products based on the user's preferences, but it is missing a chat bot that enhances user experience by communicating with people. To discover the right product in the majority of fashion systems, the user must search through a variety of products. Users are required to filter products using the extensive variety of categories available.


Problem Statement Definition:

In order to browse, add to basket, and place orders on e-commerce websites, customers must search for products and move between screens. The smart fashion recommender programme makes use of a chat bot to communicate with users, learn about their preferences, and provide appropriate product recommendations. The users of this programme are assigned to one of two predetermined roles. Customer and administrator are the roles. According to the designated role, the application requires that the user be forwarded to the proper dashboard. The quantity of various products and admins should be tracked


should be tasked with developing products that fall into the right categories. Through chat bot interaction, the user should be able to express their preferences. On order confirmation or failure, the user must be notified. At the conclusion of order confirmation, the chatbot needs to get user input. The major goals of this programme are to improve user interaction and minimise page-scrolling in order to locate the right products.

3.IDEATION & PROPOSED SOLUTION

Empathy Map Canvas



Ideation & Brainstorming



Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	<p>In normal Online Shopping:</p> <ul style="list-style-type: none"> Human mistake can happen in many different ways. Negative customer feedback There isn't a good enough way to properly direct customers. Poor sales. Poor customer relationships

2.		Idea / Solution description	<ul style="list-style-type: none"> • Lessen the possibility of human error. • Gather frank and insightful client feedback. • Lead customers in the direction of a purchase. • Converts leads to sales (aka, boost conversion). develop more effective customer interactions
3.		Novelty / Uniqueness	<ul style="list-style-type: none"> • Raise the percentage of calls and chats that are successfully handled by using the most recent BERT-based natural language understanding (NLU) models, which can correctly and effectively discern intent and context in use cases with more complex use cases..
4.		Social Impact / Customer Satisfaction	<ul style="list-style-type: none"> • From little to major complaints, how complaints are handled may be one of the most important components in gaining client satisfaction. In order to maintain the customer's satisfaction, complaints must be handled as quickly as feasible.
5.		Business Mod el(Revenue Model)	<ul style="list-style-type: none"> • This application can be created at a low price while still delivering high performance.

6.		Scalability of the Solution	This can be made into a scalable product by using sensors, transmitting the data over wireless sensor networks, and analysing the data. Using chat bots, operations are carried out on the cloud.
----	--	-----------------------------	---

Problem Solution fit

Define CS, fit into CL	1. CUSTOMER SEGMENT(S) CS The one who is looking for a fashion product to buy via online shopping platforms.	6. CUSTOMER LIMITATIONS CL <ul style="list-style-type: none"> ✓ Navigation among screens ✓ Longer time to purchase ✓ Lack of time ✓ Unsatisfiable search results 	5. AVAILABLE SOLUTIONS AS <ul style="list-style-type: none"> ✓ User friendly interface ✓ Search bar option available, but this may or may not give appropriate results ✓ Enabling notification to notify in time of offers, but it needs to be done manually 	Explore AS, differentiate
	2. PROBLEMS / PAINS PR <ul style="list-style-type: none"> ✓ Navigating between various screens ✓ Numerous search results ✓ Emotional aspects ✓ Lots of unsolved queries 	9. PROBLEM ROOT / CAUSE RC <ul style="list-style-type: none"> ✓ Absence of AI application ✓ Insufficient data 	7. BEHAVIOR BE <ul style="list-style-type: none"> ✓ Move towards offline shopping ✓ Look for a better shopping site ✓ Won't promote online shopping to neighbours or friends or relatives ✓ Their choice may change 	Focus on PR, tap into BE, understand RC
Identify strong TR & EM	3. TRIGGERS TO ACT TR <ul style="list-style-type: none"> ✓ All time customer service ✓ Customized search results ✓ Cost and time efficient ✓ Shopping in hands 	10. YOUR SOLUTION SL <ul style="list-style-type: none"> ✓ Online shopping based on customer choice without any search using chatbot ✓ 24/7 customer service ✓ Instant notification about offers and promotions ✓ Secure payment mode ✓ Collect customer feedback and rectify their queries at instant 	8. CHANNELS of BEHAVIOR CH ONLINE <ul style="list-style-type: none"> ✓ Websites ✓ Social media 	Extract online & offline CH of BE
	4. EMOTIONS EM BEFORE / AFTER BEFORE : Frustrated, anxiety, decision fatigue AFTER : Contented		OFFLINE <ul style="list-style-type: none"> ✓ Shops 	

4. REQUIREMENT ANALYSIS

Functional requirement

Following are the functional requirements of the proposed solution.

FR No	Functional Requirement(Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Registration	Registration requires some user information and can be completed using a cell number or Gmail.
FR-2	Login	Only the user id and password provided during registration are used to log in.
FR-3	Delivery confirmation	confirmation through phone and email

FR-4	Assistance	Bot is integrated with the application to make the usability simple
------	------------	---

Non-Functional requirements

Following are the non-functional requirements of the proposed solution.


NFR-4	Performance	The system shall be able to handle multiple requests at any given point in time and generate an appropriate response.
-------	-------------	---

5.PROJECT DESIGN

Data Flow Diagrams:

FR No.	Non-Functional Requirement	Description
NF R-1	Usability	a chatbot and user-friendly UI for effective usability
NF R-2	Security	A protected connection Requests and answers should be transmitted via HTTPS.
NF R-3	Reliability	To prevent programme termination, the system should manage expected as well as unexpected failures and exceptions.

Solution & Technical Architecture:



6 PROJECT PLANNING & SCHEDULING


6.1 Sprint Planning & Estimation & Sprint Delivery Schedule & Reports from JIRA

Project Planning Phase
Project Planning Template (Product Backlog, Sprint Planning, Stories, Storypoints)

Date	10 November 2022
Team ID	PNT2022TMID26883
Project Name	Project -Smart Fashion Recommender Application
Maximum Marks	8 Marks

Product Backlog, Sprint Schedule, and Estimation (4 Marks)
Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	User Panel	USN-1	The user will login into the website and go through the products available on the website	20	High	HARIHARASUDHAN K ROKESH KUMAR N SANGEETHA J PAVITHRA L
Sprint-2	Admin panel	USN-2	The role of the admin is to check out the database about the stock and have a track of all the things that the users are purchasing.	20	High	HARIHARASUDHAN K ROKESH KUMAR N SANGEETHA J PAVITHRA L
Sprint-3	Chat Bot	USN-3	The user can directly talk to Chatbot regarding the products. Get the recommendations based on information provided by the user.	20	High	HARIHARASUDHAN K ROKESH KUMAR N SANGEETHA J PAVITHRA L
Sprint-4	final delivery	USN-4	Container of applications using docker kubernetes and deployment the application. Create the documentation and final submit the application	20	High	HARIHARASUDHAN K ROKESH KUMAR N SANGEETHA J PAVITHRA L





7 TESTING

7.1 Test Cases

TEST CASE ID	Test Description	Input	Excepted result	Remarks
Test case – 1	Enter a field	User detail	Successfully registered	Pass
Test case – 2	Enter username and password	User details	Redirect to main page	Pass
Test case – 3	Username and password are empty	User details	Username and password are still empty	Fail

8 RESULTS



Welcome to Project! Delighted to...IBMIBM-Project-28612-1660114348/


github.com/IBM-EPBL/IBM-Project-28612-1660114348/blob/main/Project%20development%20phase/Sprint%201/sprint1%20(1).pdf

site174672.nicepage.io/?version=ef8e2ce4-30eb-417e-bdd4-f28ee7718dda&uid=73e60d72-c070-4c5d-9d3d-843e23b504f6

HOMEABOUTCONTACT


Home Page

OUR PRODUCTS




Mens

ADD TO CARD




Boys

ADD TO CARD



Women

ADD TO CARD




Girls

ADD TO CARD

Help


29°C
Haze

Search



ENG
IN

14:00
19-11-2022



9.ADVANTAGES & DISADVANTAGESADVANTAGES:

1. CUSTOMER SATISFACTION:

2. Customers frequently look at the products that were recommended to them during their previous browsing. mostly because they believe bigger prospects for quality products will present themselves. It would be beneficial if their browsing history from the prior session was available when they left the site and returned. This might aid and direct their e-Commerce endeavours in a similar manner as knowledgeable assistants at brick and mortar establishments. Client retention is a result of this kind of customer pleasure.

3. REVENUE:

There is less of a learning curve for online shoppers today because to years of research, experimentation, and implementation, mostly led by Amazon. Additionally, a wide range of algorithms have been investigated, put into practise, and shown to yield higher conversion rates than non-personalized product recommendations.

DISADVANTAGES:

1. LACK OF DATA

The fact that recommender systems require a lot of data in order to create recommendations is perhaps their largest problem. It's no accident that businesses like Google, Amazon, Netflix, and Last.fm, which have access to vast amounts of customer data, are those most associated with providing outstanding suggestions. A decent recommender system requires item data (from a catalogue or other form), user data (behavioural events), and then the magic algorithm does its thing, as shown in the slide below from Strands' talk at Recked. The likelihood of receiving useful recommendations increases with the amount of item and user data a recommender system has at its disposal.

9 CONCLUSION

The major method of communication, interest collection, and product

recommendation used by the smart fashion recommender system is a chat bot. A chat bot's interaction with users is intended to enhance the user experience. Users do not have to go through different pages to find the right product. The system is set up to reduce the amount of time users spend looking for the right goods. Future improvements to the chatbot will allow for the addition of items to the shopping cart, the display of the contents of the cart, order history, and payment via the chatbot..

10 APPENDIX

Source Code:

HOME PAGE

```
<html>
<head>
  <title> SFRA </title>

</head>
<style>
  *{
margin: 0;
padding: 0;
font-family:"Century Gothic", CenturyGothic, AppleGothic, sans-serif;
}
.main{
  width: 100%;
background: linear-gradient(to top, rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);
background-position: center;
background-size: cover;
height: 100%;
font-family:"Century Gothic", CenturyGothic, AppleGothic, sans-serif;
}

.navbar{
  width: 100%;
height: 75px;
margin: auto;
}

.icon{
  width: 200px;
float: left;
height: 70px;
}

.logo{
  color:red;
font-size: 35px;

padding-left: 20px;
float: left;
padding-top: 10px;
}

.menu{
  width: 400px;
float: left;
height: 70px;
}

ul{
  float: left;
display: flex;
justify-content: center;
align-items: center;
}
```

```
ul li{
    list-style: none;
    margin-left: 62px;
    margin-top: 27px;
    font-size: 14px;
}

ul li a{
    text-decoration: none;
    color: yellowgreen;

    font-weight: bold;
    transition: 0.4s ease-in-out;
}

ul li a:hover{
    color: white;
}

.search{
    width: 330px;
    float: left;
    margin-left: 270px;
}

.srch{

    width: 200px;
    height: 40px;
    background: transparent;
    border: 1px solid red;
    margin-top: 13px;
    color: #ffff;
    border-right: none;
    font-size: 16px;
    float: left;
    padding: 10px;
    border-bottom-left-radius: 5px;
    border-top-left-radius: 5px;
}

.btn{
    width: 100px;
    height: 40px;
    background:red;
    border: 2px solid rgb(98, 246, 152);
    margin-top: 13px;
    color: #ffff;
    font-size: 15px;
    border-bottom-right-radius: 5px;
    border-top-right-radius: 5px;
}

.btn:focus{
    outline: none;
}

.srch:focus{
    outline: none;
}
```

```
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color: #ffff;
  position: relative;
}

.content.par{
  padding-left: 20px;
  padding-bottom: 25px;

  letter-spacing: 1.2px;
  line-height: 30px;
}

.content h1{

  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
}

.content .cn{
  width: 160px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
}

.content .cn a{
  text-decoration: none;
  color: #000;
  transition: .3s ease;
}

.cn:hover{
  background-color: #fff;
}

.content span{
  color:rgb(98, 246, 152);
  font-size: 60px;
}

.form{
  width: 250px;
  height: 380px;
  background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
  position: absolute;
  top: -20px;
  left: 870px;
  border-radius: 10px;
  padding: 25px;
}
```



```
.form h2{
  width: 220px;

  text-align: center;
  color:rgb(98, 246, 152);
  font-size: 22px;

  border-radius: 10px;
  margin: 2px;
  padding: 8px;
}

.form input{
  width: 240px;
  height: 35px;
  background: transparent;
}

.form input{
  width: 240px;
  height: 35px;
  background: transparent;
  border-bottom: 1px solid rgb(98, 246, 152);
  border-top: none;
  border-right: none;
  border-left: none;
  color: #fff;
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
}

.form input:focus{
  outline: none;
}

::placeholder{
  color: #fff;
}

.btnn{
  width: 240px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
}

.btnn:hover{
  background: #fff;
  color: rgb(98, 246, 152);
}

.btnn a{
```

```

    text-decoration: none;
    color: #000;
    font-weight: bold;
}

.form .link{

    font-size: 17px;
    padding-top: 20px;
    text-align: center;
}

.form .link a{
    text-decoration: none;
    color: rgb(98, 246, 152);
}

.liw{
    padding-top: 15px;
    padding-bottom: 10px;
    text-align: center;
}

</style>
<body>

```

INDEX PAGE:

```

<html>
  <head>
    <title> SFRA </title>

    </head>
    <style>
      *{
        margin: 0;
        padding: 0;
        font-family:"Century Gothic", CenturyGothic, AppleGothic, sans-serif;
      }
      .main{
        width: 100%;
        background: linear-gradient(to top, rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);
        background-position: center;
        background-size: cover;
        height: 100%;
        font-family:"Century Gothic", CenturyGothic, AppleGothic, sans-serif;
      }

      .navbar{
        width: 100%;
        height: 75px;
        margin: auto;
      }

      .icon{
        width: 200px;
        float: left;
        height: 70px;

```

```
}
```

```
.logo{  
    color:red;  
    font-size: 35px;  
  
    padding-left: 20px;  
    float: left;  
    padding-top: 10px;  
}
```

```
.menu{  
    width: 400px;  
    float: left;  
    height: 70px;  
}
```

```
ul{  
    float: left;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}
```

```
ul li{  
    list-style: none;  
    margin-left: 62px;  
    margin-top: 27px;  
    font-size: 14px;  
}
```

```
ul li a{  
    text-decoration: none;  
    color:yellowgreen;  
  
    font-weight: bold;  
    transition: 0.4s ease-in-out;  
}
```

```
ul li a:hover{  
    color: yellowgreen;  
}
```

```
.search{  
    width: 330px;  
    float: left;  
    margin-left: 270px;  
}
```

```
.srch{  
  
    width: 200px;  
    height: 40px;  
    background: transparent;  
    border: 1px solid red;  
    margin-top: 13px;  
    color: yellow;  
    border-right: none;  
    font-size: 16px;  
    float: left;  
    padding: 10px;  
    border-bottom-left-radius: 5px;
```

```
border-top-left-radius: 5px;  
}
```

```
.btn{  
width: 100px;  
height: 40px;  
background:red ;  
border: 2px solid yellowgreen;  
margin-top: 13px;  
color: #ffff;  
font-size: 15px;  
border-bottom-right-radius: 5px;  
border-bottom-right-radius: 5px;  
}
```

```
.btn:focus{  
outline: none;  
}
```

```
.srch:focus{  
outline: none;  
}
```

```
.content{  
width: 1200px;  
height: auto;  
margin: auto;  
color: yellowgreen;  
position: relative;  
}
```

```
.content.par{  
padding-left: 20px;  
padding-bottom: 25px;  
  
letter-spacing: 1.2px;  
line-height: 30px;  
}
```

```
.content h1{  
  
font-size: 50px;  
padding-left: 20px;  
margin-top: 9%;  
letter-spacing: 2px;  
}
```

```
.content .cn{  
width: 160px;  
height: 40px;  
background: greenyellow;  
border: none;  
margin-bottom: 10px;  
margin-left: 20px;  
font-size: 18px;  
border-radius: 10px;  
cursor: pointer;  
transition: .4s ease;  
}
```

```
.content .cn a{  
text-decoration: none;
```

```
    color: #000;
    transition: .3s ease;
}

.cn:hover{
    background-color: #fff;
}

.content span{
    color: yellowgreen;
    font-size: 60px;
}

.form{
    width: 250px;
    height: 380px;
    background: linear-gradient(to top, rgba(0,0,0,0.8)50%, rgba(0,0,0,0.8)50%);
    position: absolute;
    top: -20px;
    left: 870px;
    border-radius: 10px;
    padding: 25px;
}

.form h2{
    width: 220px;

    text-align: center;
    color: yellowgreen;
    font-size: 22px;

    border-radius: 10px;
    margin: 2px;
    padding: 8px;
}

.form input{
    width: 240px;
    height: 35px;
    background: transparent;
}

.form input{
    width: 240px;
    height: 35px;
    background: transparent;
    border-bottom: 1px solid yellowgreen;
    border-top: none;
    border-right: none;
    border-left: none;
    color: #fff;
    font-size: 15px;
    letter-spacing: 1px;
    margin-top: 30px;
}

.form input:focus{
    outline: none;
}

::placeholder{
```

```

        color: #fff;
    }

.btnn{
    width: 240px;
    height: 40px;
    background: red;
    border: none;
    margin-top: 30px;
    font-size: 18px;
    border-radius: 10px;
    cursor: pointer;
    color: #fff;
    transition: 0.4s ease;
}

.btnn:hover{
    background: #fff;
    color: yellowgreen;
}

.btnn a{
    text-decoration: none;
    color: #000;
    font-weight: bold;
}

.form .link{

    font-size: 17px;
    padding-top: 20px;
    text-align: center;
}

.form .link a{
    text-decoration: none;
    color: yellowgreen;
}

.liw{
    padding-top: 15px;
    padding-bottom: 10px;
    text-align: center;
}
</style>
<body>

        <li><a href="#">HOME</a></li>
        <li><a href="#">ABOUT</a></li>

    </ul>
</div>

<div class="search">
    <input class="srch" type="search" name="" placeholder="Type to search">
    <a href="#"><button class="btn">Search</button></a>
</div>

</div>

```

```

<div class="content">
  <h1>Smart Fashion <br><span>Application</span></h1>

  <div class="form">
    <h2>SMART LOGIN</h2>
    <form action="/Login" method="post">
      <input type="text" name="username" placeholder="Enter Username Here">
      <input type="password" name="password" placeholder="Enter Password here">
      <button type="submit" class="btnn"><a href="#">Login</a></button>

      <p class="link">Don't have an account<br>
      <a href="/Register">Sign up </a> here</a></p>

    </form>

  </div>
</div>
</div>

</body>
</html>

```

REGISTARTION:

```

<html>
  <head>
    <title> SFRA </title>

  </head>
  <style>
    *{
margin: 0;
padding: 0;
font-family:"Century Gothic", CenturyGothic, AppleGothic, sans-serif;

}
.main{
width: 100%;
background: linear-gradient(to top, rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);
background-position: center;
background-size: cover;
height: 100%;
font-family:"Century Gothic", CenturyGothic, AppleGothic, sans-serif;

}

.navbar{
width: 100%;
height: 75px;
margin: auto;

}

.icon{
width: 200px;
float: left;
height: 70px;

}

```

```
.logo{
  color:rgb(244, 27, 11);
  font-size: 35px;

  padding-left: 20px;
  float: left;
  padding-top: 10px;
}

.menu{
  width: 400px;
  float: left;
  height: 70px;
}

ul{
  float: left;
  display: flex;
  justify-content: center;
  align-items: center;
}

ul li{
  list-style: none;
  margin-left: 62px;
  margin-top: 27px;
  font-size: 14px;
}

ul li a{
  text-decoration: none;
  color:yellowgreen;

  font-weight: bold;
  transition: 0.4s ease-in-out;
}

ul li a:hover{
  color:red;
}

.search{
  width: 330px;
  float: left;
  margin-left: 270px;
}

.srch{

  width: 200px;
  height: 40px;
  background: transparent;
  border: 1px solidred;
  margin-top: 13px;
  color:yellowgreen;
  border-right: none;
  font-size: 16px;
  float: left;
  padding: 10px;
  border-bottom-left-radius: 5px;
  border-top-left-radius: 5px;
}
```



```
.btn{
  width: 100px;
  height: 40px;
  background:red ;
  border: 2px solidred;
  margin-top: 13px;
  color:yellow;
  font-size: 15px;
  border-bottom-right-radius: 5px;
  border-bottom-right-radius: 5px;
}
```

```
.btn:focus{
  outline: none;
}
```

```
.srch:focus{
  outline: none;
}
```

```
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color:yellowgreen;
  position: relative;
}
```

```
.content.par{
  padding-left: 20px;
  padding-bottom: 25px;

  letter-spacing: 1.2px;
  line-height: 30px;
}
```

```
.content h1{

  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
}
```

```
.content .cn{
  width: 160px;
  height: 40px;
  background:red;
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
}
```

```
.content .cn a{
  text-decoration: none;
  color: #000;
  transition: .3s ease;
```

```
}

.cn:hover{
    background-color:white;
}

.content span{
    color:re;
    font-size: 60px;
}

.form{
    width: 250px;
    height: 380px;
    background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
    position: absolute;
    top: -20px;
    left: 870px;
    border-radius: 10px;
    padding: 25px;
}

.form h2{
    width: 220px;

    text-align: center;
    color:re;
    font-size: 22px;

    border-radius: 10px;
    margin: 2px;
    padding: 8px;
}

.form input{
    width: 240px;
    height: 35px;
    background: transparent;
}

.form input{
    width: 240px;
    height: 35px;
    background: transparent;
    border-bottom: 1px solidred;
    border-top: none;
    border-right: none;
    border-left: none;
    color:white;
    font-size: 15px;
    letter-spacing: 1px;
    margin-top: 30px;
}

.form input:focus{
    outline: none;
}

::placeholder{
    color:white;
```

```

}

.btnn{
  width: 240px;
  height: 40px;
  background:red;
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color:white;
  transition: 0.4s ease;
}

.btnn:hover{
  background:white;
  color:red;
}

.btnn a{
  text-decoration: none;
  color: #000;
  font-weight: bold;
}

.form .link{

  font-size: 17px;
  padding-top: 20px;
  text-align: center;
}

.form .link a{
  text-decoration: none;
  color:white;
}

.liw{
  padding-top: 15px;
  padding-bottom: 10px;
  text-align: center;
}
</style>
<body>

```

STYLE CSS:

```

body {
  background-image: url('https://www.shutterhow.com/wp-content/uploads/2021/10/womens-t-shirt-mockup-with-lilies-and-lipstick-2021-10-13-01-20-11-utc-Medium-1024x683.jpg');
  font-family: "Roboto", sans-serif;
}

.signup-box {
  width: 360px;
  height: 620px;
  margin: auto;
  background-color: white;
  border-radius: 3px;
}

```

```
}

.login-box {
  width: 360px;
  height: 280px;
  margin: auto;
  border-radius: 3px;
  background-color: white;
}

h1 {
  text-align: center;
  padding-top: 15px;
}

h4 {
  text-align: center;
}

form {
  width: 300px;
  margin-left: 20px;
}

form label {
  display: flex;
  margin-top: 20px;
  font-size: 18px;
}

form input {
  width: 100%;
  padding: 7px;
  border: none;
  border: 1px solid gray;
  border-radius: 6px;
  outline: none;
}
input[type="submit"] {
  width: 320px;
  height: 35px;
  margin-top: 20px;
  border: none;
  background-color: #49c1a2;
  color: white;
  font-size: 18px;
}
p {
  text-align: center;
  padding-top: 20px;
  font-size: 15px;
}
.para-2 {
  text-align: center;
  color: white;
  font-size: 15px;
  margin-top: -10px;
}
.para-2 a {
  color: #49c1a2;
}
```

SET UP :

```
from setuptools import setup

setup(
    name='mypackage',
    version='0.0.1',
    install_requires=[
        'requests',
        'importlib-metadata; python_version == "3.8"',
    ],
)

import codecs
import os
import re

from setuptools import setup, find_packages

#####

NAME = "attrs"
PACKAGES = find_packages(where="src")
META_PATH = os.path.join("src", "attr", "__init__.py")
KEYWORDS = ["class", "attribute", "boilerplate"]
CLASSIFIERS = [
    "Development Status :: 5 - Production/Stable",
    "Intended Audience :: Developers",
    "Natural Language :: English",
    "License :: OSI Approved :: MIT License",
    "Operating System :: OS Independent",
    "Programming Language :: Python",
    "Programming Language :: Python :: 2",
    "Programming Language :: Python :: 2.7",
    "Programming Language :: Python :: 3",
    "Programming Language :: Python :: 3.4",
    "Programming Language :: Python :: 3.5",
    "Programming Language :: Python :: 3.6",
    "Programming Language :: Python :: 3.7",
    "Programming Language :: Python :: 3.8",
    "Programming Language :: Python :: Implementation :: CPython",
    "Programming Language :: Python :: Implementation :: PyPy",
    "Topic :: Software Development :: Libraries :: Python Modules",
]
INSTALL_REQUIRES = []

#####

HERE = os.path.abspath(os.path.dirname(__file__))

def read(*parts):
    """
    Build an absolute path from *parts* and return the contents of the
    resulting file. Assume UTF-8 encoding.
    """
    with codecs.open(os.path.join(HERE, *parts), "rb", "utf-8") as f:
        return f.read()

META_FILE = read(META_PATH)
```

```
def find_meta(meta):
    """
    Extract __*meta*__ from META_FILE.
    """
    meta_match = re.search(
        r"__{meta}__ = [\"]([^\"]*)[\"].format(meta=meta),
        META_FILE, re.M
    )
    if meta_match:
        return meta_match.group(1)
    raise RuntimeError("Unable to find __{meta}__ string.".format(meta=meta))

if __name__ == "__main__":
    setup(
        name=NAME,
        description=find_meta("description"),
        license=find_meta("license"),
        url=find_meta("uri"),
        version=find_meta("version"),
        author=find_meta("author"),
        author_email=find_meta("email"),
        maintainer=find_meta("author"),
        maintainer_email=find_meta("email"),
        keywords=KEYWORDS,
        long_description=read("README.rst"),
        long_description_content_type="text/x-rst",
        packages=PACKAGES,
        package_dir={"": "src"},
        zip_safe=False,
        classifiers=CLASSIFIERS,
        install_requires=INSTALL_REQUIRES,
        options={"bdist_wheel": {"universal": "1"}},
    )
```

FASHION:

```
<!DOCTYPE html>
<html>
  <title>Fashionsilks-trendyfashion.com</title>
  <link rel="icon" type="image/x-icon" href="../images/download.jpg">
<style>
* {
  box-sizing: border-box;
}

body {
  margin: 0;
  font-family: Arial;
}

.header {
  text-align: center;
  padding: 32px;
}

.row {
  display: -ms-flexbox; /* IE10 */
  display: flex;
```

```

-ms-flex-wrap: wrap; /* IE10 */
flex-wrap: wrap;
padding: 0 4px;
}

/* Create four equal columns that sits next to each other */
.column {
-ms-flex: 25%; /* IE10 */
flex: 25%;
max-width: 25%;
padding: 0 4px;
}

.column img {
margin-top: 8px;
vertical-align: middle;
width: 100%;
}

/* Responsive layout - makes a two column-layout instead of four columns */
@media screen and (max-width: 800px) {
.column {
-ms-flex: 50%;
flex: 50%;
max-width: 50%;
}
}

/* Responsive layout - makes the two columns stack on top of each other instead of next to each other */
@media screen and (max-width: 600px) {
.column {
-ms-flex: 100%;
flex: 100%;
max-width: 100%;
}
}
</style>
<body>

<!-- Header -->
<div class="header" style="background-image: url('https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQGrJ4SIjnY81v-MUVoXt0tZmu6hjzAXRnAcA&usqp=CAU')">
  <h1>TRENDY FASHION SILKS</h1>
</div>

<!-- Photo Grid -->
<div class="row">
  <div class="column">
    <div class="w3-third w3-container w3-margin-bottom">
      
      <div class="w3-container w3-white">
        <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Canna Fashion Silks
        <p class="text-monospace" style="color:#22a2d7;">16,500 ratings</p>
        <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 2599</b></p>
      </div>
    </div>
    <div class="w3-third w3-container w3-margin-bottom">
      
      <div class="w3-container w3-white">

```

```

        <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Juvain Fashion Silks
        <p class="text-monospace" style="color:#22a2d7;">16,360 ratings</p>
        <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 1669</b></p>
    </div>
</div>
<div class="w3-third w3-container">
    
    <div class="w3-container w3-white">
        <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Cretia Fashion Silks
        <p class="text-monospace" style="color:#22a2d7;">16,700 ratings</p>
        <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 1690</b></p>
    </div>
</div>
</div>

<div class="column">
    <div class="w3-third w3-container w3-margin-bottom">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Magna Fashion Silks
            <p class="text-monospace" style="color:#22a2d7;">16,800 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 4899</b></p>
        </div>
    </div>
    <div class="w3-third w3-container w3-margin-bottom">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Mila Fashion Silks
            <p class="text-monospace" style="color:#22a2d7;">16,330 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 9569</b></p>
        </div>
    </div>
    <div class="w3-third w3-container">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">wolfia Fashion Silks
            <p class="text-monospace" style="color:#22a2d7;">16,360 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 6590</b></p>
        </div>
    </div>
</div>

<div class="column">
    <div class="w3-third w3-container w3-margin-bottom">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Fiana Fashion Silks
            <p class="text-monospace" style="color:#22a2d7;">16,407 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 7599</b></p>
        </div>
    </div>
    <div class="w3-third w3-container w3-margin-bottom">
        

```



```
<div class="w3-container w3-white">
  <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Jenna Fashion Silks
  <p class="text-monospace" style="color:#22a2d7;">16,390 ratings</p>
  <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 4569</b></p>
</div>
</div>
<div class="w3-third w3-container">
  
  <div class="w3-container w3-white">
    <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Jefy Fashion Silks
    <p class="text-monospace" style="color:#22a2d7;">16,360 ratings</p>
    <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 7590</b></p>
  </div>
</div>
</div>

<div class="column">
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Juvaina Fashion Silks
      <p class="text-monospace" style="color:#22a2d7;">16,480 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 8599</b></p>
    </div>
  </div>
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Mkla Fashion Silks
      <p class="text-monospace" style="color:#22a2d7;">16,390 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 9869</b></p>
    </div>
  </div>
  <div class="w3-third w3-container">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Lika Fashion Silks
      <p class="text-monospace" style="color:#22a2d7;">16,309 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 7890</b></p>
    </div>
  </div>
</div>

</div>

</body>
</html>
```

SUBMIT:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Response</title>
    <link rel="icon" type="image/x-icon" href="images/download.jpg">
    <link rel="stylesheet" href="style.css" />
    <link
      href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
      rel="stylesheet"
    />
  </head>
  <body>
    <div class="signup-box" style="height: 390px; margin-top:175px ;">
      <h1>Response Submission Sucessfull</h1>

      <p style="margin-left: 2em; margin-right: 2em;">Your response has been submitted sucessfully.
    </p>
    <a style="margin-left: 10em;" href="action_page.html">Back</a>
  </div>
</body>
</html>
```

VIEW 1:

```
<html>
<title>Casual Wears-trendyfashion.com</title>
<link rel="icon" type="image/x-icon" href="../images/download.jpg">
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<style>
  body,
  h1,
  h2,
  h3,
  h4,
  h5,
  h6 {
    font-family: "Raleway", sans-serif
  }

  .checked {
    color: orange;
  }
</style>

<body class="w3-light-grey w3-content" style="max-width:1600px">

  <!-- Sidebar/menu -->
  <nav class="w3-sidebar w3-collapse w3-white w3-animate-left" style="z-index:3;width:300px;" id="mySidebar"><br>
    <div class="w3-container">
      <a href="#" onclick="w3_close()" class="w3-hide-large w3-right w3-jumbo w3-padding w3-hover-grey"
        title="close menu">
        <i class="fa fa-remove"></i>
      </a>

      <h4><b>Trendy Fashion</b></h4>
      <p class="w3-text-grey">!!!Explore the fashion in you!!!</p>
    </div>
    <div class="w3-bar-block">
      <a href="action_page.html" onclick="w3_close()" class="w3-bar-item w3-button w3-padding w3-text-teal"><i
        class="fa fa-th-large fa-fw w3-margin-right"></i>Home</a>
      <a href="#contact" class="w3-bar-item w3-button w3-padding w3-text-teal"><i class="fa fa-th-large fa-fw w3-
margin-right"></i> Product Details</a>
    </div>
    <div class="w3-panel w3-large">
      <i class="fa fa-facebook-official w3-hover-opacity"></i>
      <i class="fa fa-instagram w3-hover-opacity"></i>
      <i class="fa fa-snapchat w3-hover-opacity"></i>
      <i class="fa fa-pinterest-p w3-hover-opacity"></i>
      <i class="fa fa-twitter w3-hover-opacity"></i>
      <i class="fa fa-linkedin w3-hover-opacity"></i>
    </div>
  </nav>

  <!-- Overlay effect when opening sidebar on small screens -->
  <div class="w3-overlay w3-hide-large w3-animate-opacity" onclick="w3_close()" style="cursor:pointer"
    title="close side menu" id="myOverlay"></div>

  <!-- !PAGE CONTENT! -->
  <div class="w3-main" style="margin-left:300px">
```

```

<!-- Header -->
<header id="home">

<div class="w3-container">
  <h1><b>Casual Wears</a>
    <!-- <i class="fa fa-shopping-cart" style="font-size:48px;color:rgb(8, 8, 8);padding-left: 850px;"></i> -->
  </b></h1>
  <div class="row ">
    <div class="col-md-12">
      
      <p class="font-weight-bolder" style="font-size: 200%;font-family:verdana; ">WhatIf casuals trench coat outfit
      <p class="text-monospace" style="color:#22a2d7;">16,480 ratings | 195 answered questions |
        #1 Best Seller in Women's Formal Dresses</p>
      <hr style="height:2px;border-width:0;color:gray;background-color:gray">
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 1699</b></p>
      <p>Good Stretch, Comfortable</p>
      <p>A Solid Color,Long Length,Perfecyly Fit For All The Occasions--Formal, Evening Prom, Vacation, etc.</p>
      <button style="color:rgb(255, 255, 255);background-color: rgb(169, 169, 169);"type="button"
onclick="alert('Product added to cart')">Add to cart</button>
      <button style="color:rgb(255, 255, 255);background-color: rgb(169, 169, 169);"type="button">Buy
Now</button>

    </div>
  </div>
</header>
<br>
<!-- First Photo Grid-->
<div class="w3-row-padding">
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">WhatIf casuals trnch coat outfit
      <p class="text-monospace" style="color:#22a2d7;">16,300 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 1589</b></p>
    </div>
  </div>
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">WhatIf casuals trench coat outfit
      <p class="text-monospace" style="color:#22a2d7;">16,320 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 1549</b></p>
    </div>
  </div>
  <div class="w3-third w3-container">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">WhatIf casuals trench coat outfit
      <p class="text-monospace" style="color:#22a2d7;">16,000 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 1290</b></p>
    </div>
  </div>
</div>
<!-- Second Photo Grid-->
<div class="w3-row-padding">
  <div class="w3-third w3-container w3-margin-bottom">

```

```

        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">WhatIf casuals trench coat outfit
            <p class="text-monospace" style="color:#22a2d7;">16,980 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 7499</b></p>
        </div>
    </div>
    <div class="w3-third w3-container w3-margin-bottom">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">WhatIf casuals trench coat outfit
            <p class="text-monospace" style="color:#22a2d7;">18,700 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 9799</b></p>
        </div>
    </div>
    <div class="w3-third w3-container">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">WhatIf casuals trench coat outfit
            <p class="text-monospace" style="color:#22a2d7;">16,608 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 5899</b></p>
        </div>
    </div>
</div>
<!-- Pagination -->

<hr style="height:2px;border-width:0;color:gray;background-color:gray"> </hr>

<div class="w3-container">
    <div class="w3-bar">
        <a href="../casuals/casual.html" style="text-decoration: none;font-size: medium;color: blue;padding: 350px;">
            Click here for more casual wears </a>

    </div>
</div>

<hr style="height:2px;border-width:0;color:gray;background-color:gray"> </hr>

<h4><b>Top Reviews</b></h4>

<!-- Pricing Tables -->
<div class="w3-row-padding" style="margin:0 -16px">
    <div class="w3-third w3-margin-bottom">
        <ul class="w3-ul w3-border w3-white w3-center w3-opacity w3-hover-opacity-off">

            <li class="w3-black w3-xlarge w3-padding-32" > <span class="fa fa-star checked"></span>
                <span class="fa fa-star checked"></span>
                <span class="fa fa-star checked"></span>
                <span class="fa fa-star"></span>
                <span class="fa fa-star"></span>Amazing Dress </li>
            <li class="w3-padding-16">The dress is soft and warm. The turtle neck doesn't make me feel choked like other
turtle
                necks do, this one is more slouchy. The light pink color is a bit more "peach-y" than I expected,
                (I was picturing more of a dusty rose color) but that isn't a problem for me. Loved it so much I
                immediately ordered another in grey....still considering getting more colors </li>
            <li class="w3-light-grey w3-padding-24">
                <button class="w3-button w3-teal w3-padding-large w3-hover-black">Helpful</button>
            </li>
        </ul>
    </div>

```

</div>

<div class="w3-third w3-margin-bottom">

<ul class="w3-ul w3-border w3-white w3-center w3-opacity w3-hover-opacity-off">

<li class="w3-black w3-xlarge w3-padding-32" >

Fantastic and cute

<li class="w3-padding-16">Very pleased when I received this coat. I am 5'4, 36D, waist 29.5 and hippy at 40. I

definitely

wanted a flare or swing coat for the feminine look it gives and for comfort. I ordered a large which is big

especially

around the waist but I wanted enough room to layer up if I needed extra warmth for those extremely ice cold

winters.

The Coat has good weight to it, nicely tailored , wool blend and very soft.

<li class="w3-light-grey w3-padding-24">

<button class="w3-button w3-teal w3-padding-large w3-hover-black">Helpful</button>

</div>

<div class="w3-third">

<ul class="w3-ul w3-border w3-white w3-center w3-opacity w3-hover-opacity-off">

<li class="w3-black w3-xlarge w3-padding-32" >

Awesome Product

<li class="w3-padding-16"> I need snow gear for hiking, snow shoeing, just living in the mountains ☐ As a tall,

plus

sized woman Columbia really delivers. The arms are long enough the cuts are flattering and this long coat has

room

in the hips. Amazing! I truly love Columbia's fit.The sweater was chunky just like I was hoping and even a little

bit

long (past my butt), which I like. The sweater is snuggly soft too.

<li class="w3-light-grey w3-padding-24">

<button class="w3-button w3-teal w3-padding-large w3-hover-black">Helpful</button>

</div>

</div>

</div>

<!-- Contact Section -->

<div class="w3-container w3-padding-large w3-grey"style="margin-left:300px" id="contact">

<h3>Product details</h3>

<p>Is Discontinued By Manufacturer : No</p>

<p>Package Dimensions : 13.07 x 10.55 x 2.13 inches; 1.12 Pounds</p>

<p>Item model number : WS63161-1</p>

<p> Department : womens</p>

<p>Date First Available : September 17, 2022</p>

<p>ASIN : B07HFSQBX8</p>

<p>Best Sellers Rank: #372 in Clothing, Shoes & Jewelry (See Top 100 in Clothing, Shoes & Jewelry)</p>

<p>#1 in Women's Formal Dresses</p>

<p>Customer Reviews: 4.4 out of 5 stars 16,480 ratings</p>

</div>

<!-- Footer -->

<footer class="w3-center w3-black w3-padding-64">

```

<a href="#home" class="w3-button w3-light-grey"><i class="fa fa-arrow-up w3-margin-right"></i>To the top</a>
<div class="w3-xlarge w3-section">
  <i class="fa fa-facebook-official w3-hover-opacity"></i>
  <i class="fa fa-instagram w3-hover-opacity"></i>
  <i class="fa fa-snapchat w3-hover-opacity"></i>
  <i class="fa fa-pinterest-p w3-hover-opacity"></i>
  <i class="fa fa-twitter w3-hover-opacity"></i>
  <i class="fa fa-linkedin w3-hover-opacity"></i>
</div>
</footer>
<script>
  // Script to open and close sidebar
  function w3_open() {
    document.getElementById("mySidebar").style.display = "block";
    document.getElementById("myOverlay").style.display = "block";
  }

  function w3_close() {
    document.getElementById("mySidebar").style.display = "none";
    document.getElementById("myOverlay").style.display = "none";
  }
</script>
</body>
</html>

```

ACTION PAGE:

```

<!DOCTYPE html>
<html>
<title>Trendy Fashion</title>
<link rel="icon" type="image/x-icon" href="images/download.jpg">
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css">
  integrity="sha384-xOoIHFLEh07PJGoPKLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
  crossorigin="anonymous">

```

```

<style>
  body,
  h1,
  h2,
  h3,
  h4,
  h5,
  h6 {
    font-family: "Raleway", sans-serif
  }

  body,
  html {
    height: 100%;
    line-height: 1.8;
  }

```

```

/* Full height image header */
.bgimg-1 {
  background-position: center;
  background-size: cover;
  background-image: url("images/clothing-line.jpg");
  min-height: 100%;
}

.w3-bar .w3-button {
  padding: 16px;
}
</style>

<body>

<!-- Navbar (sit on top) -->
<div class="w3-top">
  <div class="w3-bar w3-white w3-card" id="myNavbar">
    <a href="#home" class="w3-bar-item w3-button w3-wide">LOGO</a>
    <!-- Right-sided navbar links -->
    <div class="w3-right w3-hide-small">
      <a href="#about" class="w3-bar-item w3-button">ABOUT</a>
      <a href="#team" class="w3-bar-item w3-button"><i class="fa fa-user"></i> TEAM</a>
      <a href="#work" class="w3-bar-item w3-button"><i class="fa fa-th"></i> WORK</a>
      <a href="#contact" class="w3-bar-item w3-button"><i class="fa fa-envelope"></i> CONTACT</a>
      <a href="login.html" class="w3-bar-item w3-button"><i class="fa fa-sign-out" aria-hidden="true"></i> LOGOUT</a>

    </div>
    <!-- Hide right-floated links on small screens and replace them with a menu icon -->

    <a href="javascript:void(0)" class="w3-bar-item w3-button w3-right w3-hide-large w3-hide-medium"
      onclick="w3_open()">
      <i class="fa fa-bars"></i>
    </a>
  </div>
</div>

<!-- Sidebar on small screens when clicking the menu icon -->
<nav class="w3-sidebar w3-bar-block w3-black w3-card w3-animate-left w3-hide-medium w3-hide-large"
  style="display:none" id="mySidebar">
  <a href="javascript:void(0)" onclick="w3_close()" class="w3-bar-item w3-button w3-large w3-padding-16">Close ×</a>
  <a href="#about" onclick="w3_close()" class="w3-bar-item w3-button">ABOUT</a>
  <a href="#team" onclick="w3_close()" class="w3-bar-item w3-button">TEAM</a>
  <a href="#work" onclick="w3_close()" class="w3-bar-item w3-button">WORK</a>
  <a href="#contact" onclick="w3_close()" class="w3-bar-item w3-button">CONTACT</a>
</nav>

<!-- Header with full-height image -->
<header class="bgimg-1 w3-display-container w3-grayscale-min" id="home">
  <div class="w3-display-left w3-text-white" style="padding:48px">
    <span class="w3-jumbo w3-hide-small">Start something that matters</span><br>
    <span class="w3-xxlarge w3-hide-large w3-hide-medium">Start something that matters</span><br>
    <span class="w3-large">Stop wasting valuable time with projects that just isn't you.</span>
    <p><a href="#about"
      class="w3-button w3-white w3-padding-large w3-large w3-margin-top w3-opacity w3-hover-opacity-off">Learn more
      and start today</a></p>
  </div>
  <div class="w3-display-bottomleft w3-text-grey w3-large" style="padding:24px 48px">
    <i class="fa fa-facebook-official w3-hover-opacity"></i>
    <i class="fa fa-instagram w3-hover-opacity"></i>
    <i class="fa fa-snapchat w3-hover-opacity"></i>

```



```
<i class="fa fa-pinterest-p w3-hover-opacity"></i>
<i class="fa fa-twitter w3-hover-opacity"></i>
<i class="fa fa-linkedin w3-hover-opacity"></i>
</div>
</header>
```

```
<!-- About Section -->
```

```
<div class="w3-container" style="padding:128px 16px" id="about">
  <h3 class="w3-center">ABOUT THE COMPANY</h3>
  <p class="w3-center w3-large">Key features of our company</p>
  <div class="w3-row-padding w3-center" style="margin-top:64px">
    <div class="w3-quarter">
      <i class="fa fa-desktop w3-margin-bottom w3-jumbo w3-center"></i>
      <p class="w3-large">Responsive</p>
      <p>"When we ground ourselves in the present moment, we spontaneously connect better with others."</p>
    </div>
    <div class="w3-quarter">
      <i class="fa fa-heart w3-margin-bottom w3-jumbo"></i>
      <p class="w3-large">Passion</p>
      <p>"Believe in your heart that you're meant to live a life full of passion, purpose, magic and miracles."</p>
    </div>
    <div class="w3-quarter">
      <i class="fa fa-diamond w3-margin-bottom w3-jumbo"></i>
      <p class="w3-large">Design</p>
      <p>"Design creates culture. Culture shapes values. Values determine the future."</p>
    </div>
    <div class="w3-quarter">
      <i class="fa fa-cog w3-margin-bottom w3-jumbo"></i>
      <p class="w3-large">Support</p>
      <p>"There's a fine line between support and stalking and let's all stay on the right side of that."</p>
    </div>
  </div>
</div>
```

```
<!-- Promo Section - "We know design" -->
```

```
<div class="w3-container w3-light-grey" style="padding:128px 16px">
  <div class="w3-row-padding">
    <div class="w3-col m6">
      <h3>We know design.</h3>
      <p>"Make it simple, but significant."</p>
      <p><a href="#work" class="w3-button w3-black"><i class="fa fa-th"> </i> View Our Works</a></p>
    </div>
    <div class="w3-col m6">
      
    </div>
  </div>
</div>
```

```
<!-- Team Section -->
```

```
<div class="w3-container" style="padding:128px 16px" id="team">
  <h3 class="w3-center">THE TEAM</h3>
  <p class="w3-center w3-large">The ones who runs this company</p>
  <div class="w3-row-padding w3-grayscale" style="margin-top:64px">
    <div class="w3-col l3 m6 w3-margin-bottom">
      <div class="w3-card">
        
        <div class="w3-container">
          <h3>John Doe</h3>
          <p class="w3-opacity">CEO & Founder</p>
          <p>Manages and directs the company toward its primary goals and objectives. Oversees employment decisions at the executive level of the company. Leads a team of executives to consider major decisions including acquisitions, mergers, joint ventures, or large-scale expansion.</p>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

    <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-envelope"></i> Contact</button></p>
  </div>
</div>
</div>
<div class="w3-col l3 m6 w3-margin-bottom">
  <div class="w3-card">
    
    <div class="w3-container">
      <h3>Anja Doe</h3>
      <p class="w3-opacity">Stylist</p>
      <p>Responsible for the visual style and images in magazines, newspapers, product packaging.Inspire and guide
        the vision
        of the design team, oversee the work of illustrators, graphic/visualdesigners, photographers, and others
        who are
        engaged in artwork or layout design.</p>
      <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-envelope"></i> Contact</button></p>
    </div>
  </div>
</div>
<div class="w3-col l3 m6 w3-margin-bottom">
  <div class="w3-card">
    
    <div class="w3-container">
      <h3>Mike Ross</h3>
      <p class="w3-opacity">Designer</p>
      <p>Plan, create and code internet sites and web pages, many of which combine text with sounds, pictures,
        graphics
        and video clips.Responsible for creating the design and layout of a website or web pages.
        It and can mean working on a brand new website or updating an already existing site.</p>
      <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-envelope"></i> Contact</button></p>
    </div>
  </div>
</div>
<div class="w3-col l3 m6 w3-margin-bottom">
  <div class="w3-card">
    
    <div class="w3-container">
      <h3>Dan Star</h3>
      <p class="w3-opacity">Marketing Manager</p>
      <p>Conceptualize visuals based on requirements. Prepare rough drafts and present ideas. Develop
        illustrations,
        logos and other designs using software or by hand. Use the appropriate colors and layouts for each
        graphic.
        Work with copywriters and creative director to produce final design.</p>
      <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-envelope"></i> Contact</button></p>
    </div>
  </div>
</div>
</div>
</div>

```

```

<!-- Promo Section "Statistics" -->

```

```

<div class="w3-container w3-row w3-center w3-dark-grey w3-padding-64">
  <div class="w3-quarter">
    <span class="w3-xxlarge">7+</span>
    <br>Partners
  </div>
  <div class="w3-quarter">
    <span class="w3-xxlarge">5K+</span>
    <br>Designers
  </div>
  <div class="w3-quarter">

```

```
<span class="w3-xxlarge">10K+</span>
<br>Happy Clients
</div>
<div class="w3-quarter">
  <span class="w3-xxlarge">150+</span>
  <br>Awards
</div>
</div>
```

<!-- Work Section -->

```
<div class="w3-container" style="padding:128px 16px" id="work">
  <h3 class="w3-center">OUR WORK</h3>
  <p class="w3-center w3-large">What we've done for people</p>
```

```
<div style="margin-left: 40px;">
```

```
  <a href="view/view1.html">
    </a>
  <a href="view/view2.html">
    </a>
  <a href="view/view3.html">
    </a>
  <a href="view/view4.html">
    </a>
  <a href="view/view5.html">
    </a>
  <a href="view/view6.html">
    </a>
  <a href="view/view7.html">
    </a>
</div>
```

```
<div class="list-group" style="text-align:center" >
  <a class="list-group-item list-group-item-action"><h1>Find yourself more in:</h1></a>
  <a href="category/womenformals.html" class="list-group-item list-group-item-action list-group-item-primary"><h1>Women
formals</h1></a>
  <a href="category/menformals.html" class="list-group-item list-group-item-action list-group-item-secondary"><h1>Men
formals</h1></a>
  <a href="category/kidsfashion.html" class="list-group-item list-group-item-action list-group-item-success"><h1>Kids
fashion</h1></a>
  <a href="category/fashionsilks.html" class="list-group-item list-group-item-action list-group-item-danger"><h1>Fashion
silks</h1></a>
  <a href="category/chappels.html" class="list-group-item list-group-item-action list-group-item-
warning"><h1>Chappels</h1></a>
  <a href="category/bags.html" class="list-group-item list-group-item-action list-group-item-info"><h1>Bags</h1></a>

</div>
```

```
<script>
window.watsonAssistantChatOptions = {
  integrationID: "271c9517-d9d6-417b-a76c-1d8578385dee", // The ID of this integration.
  region: "us-south", // The region your integration is hosted in.
  serviceInstanceID: "20470815-619a-40f1-8c14-816220ff2257", // The ID of your service instance.
  onLoad: function (instance) { instance.render(); }
}
```

```

    };
    setTimeout(function () {
        const t = document.createElement('script');
        t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
</div>

```

<!-- Modal for full size images on click-->

```

<div id="modal01" class="w3-modal w3-black" onclick="this.style.display='none'">
    <span class="w3-button w3-xxlarge w3-black w3-padding-large w3-display-topright" title="Close Modal Image">×</span>
    <div class="w3-modal-content w3-animate-zoom w3-center w3-transparent w3-padding-64">
        <img id="img01" class="w3-image">
        <p id="caption" class="w3-opacity w3-large"></p>
    </div>
</div>

```

<!-- Skills Section -->

```

<div class="w3-container w3-light-grey w3-padding-64">
    <div class="w3-row-padding">
        <div class="w3-col m6">
            <h3>Our Skills.</h3>
            <p>Sketching designs <br>
            Selecting fabrics and embellishments and sourcing suppliers<br>
            Sewing and creating physical pieces<br>
            Hosting model fittings and making necessary alterations<br>
            Participating in fashion shows<br>
            Communicating with clients and the media<br>
            Marketing designs<br>
            Promoting designs to creative directors and merchandisers<br>
        </p>
    </div>
    <div class="w3-col m6">
        <p class="w3-wide"><i class="fa fa-camera w3-margin-right"></i>Styling</p>
        <div class="w3-grey">
            <div class="w3-container w3-dark-grey w3-center" style="width:90%">90%</div>
        </div>
        <p class="w3-wide"><i class="fa fa-desktop w3-margin-right"></i>Designing</p>
        <div class="w3-grey">
            <div class="w3-container w3-dark-grey w3-center" style="width:85%">85%</div>
        </div>
        <p class="w3-wide"><i class="fa fa-photo w3-margin-right"></i>Marketing</p>
        <div class="w3-grey">
            <div class="w3-container w3-dark-grey w3-center" style="width:75%">80%</div>
        </div>
    </div>
</div>
</div>

```

<!-- Contact Section -->

```

<div class="w3-container w3-light-grey" style="padding:128px 16px" id="contact">
    <h3 class="w3-center">CONTACT</h3>
    <p class="w3-center w3-large">Lets get in touch. Send us a message:</p>
    <div style="margin-top:48px">
        <p><i class="fa fa-map-marker fa-fw w3-xxlarge w3-margin-right"></i>kaniyakumari, India.</p>
        <p><i class="fa fa-phone fa-fw w3-xxlarge w3-margin-right"></i> Phone: +919876543210</p>
        <p><i class="fa fa-envelope fa-fw w3-xxlarge w3-margin-right"></i> Email: trendyfashion@gmail.com</p>
    <br>
    <form action="/action_page.php" target="_blank">

```

```

<p><input class="w3-input w3-border" type="text" placeholder="Name" required name="Name"></p>
<p><input class="w3-input w3-border" type="text" placeholder="Email" required name="Email"></p>
<p><input class="w3-input w3-border" type="text" placeholder="Subject" required name="Subject"></p>
<p><input class="w3-input w3-border" type="text" placeholder="Message" required name="Message"></p>
<p>
  <button class="w3-button w3-black" type="submit" input type="reset">
    <i class="fa fa-paper-plane"><a style="text-decoration: none;" href="submit.html"> SEND MESSAGE </a></i>
  </button>
</p>
</form>
<!-- Image of location/map -->

</div>
</div>

<!-- Footer -->
<footer class="w3-center w3-black w3-padding-64">
  <a href="#home" class="w3-button w3-light-grey"><i class="fa fa-arrow-up w3-margin-right"></i>To the top</a>
  <div class="w3-xlarge w3-section">
    <i class="fa fa-facebook-official w3-hover-opacity"></i>
    <i class="fa fa-instagram w3-hover-opacity"></i>
    <i class="fa fa-snapchat w3-hover-opacity"></i>
    <i class="fa fa-pinterest-p w3-hover-opacity"></i>
    <i class="fa fa-twitter w3-hover-opacity"></i>
    <i class="fa fa-linkedin w3-hover-opacity"></i>
  </div>
</footer>

<script>
  // Modal Image Gallery
  function onClick(element) {
    document.getElementById("img01").src = element.src;
    document.getElementById("modal01").style.display = "block";
    var captionText = document.getElementById("caption");
    captionText.innerHTML = element.alt;
  }

  // Toggle between showing and hiding the sidebar when clicking the menu icon
  var mySidebar = document.getElementById("mySidebar");

  function w3_open() {
    if (mySidebar.style.display === 'block') {
      mySidebar.style.display = 'none';
    } else {
      mySidebar.style.display = 'block';
    }
  }

  // Close the sidebar with the close button
  function w3_close() {
    mySidebar.style.display = "none";
  }
</script>

</body>

</html>

```

TERMS:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Terms and conditions</title>
    <link rel="icon" type="image/x-icon" href="images/download.jpg">
    <link rel="stylesheet" href="style.css" />
    <link
      href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
      rel="stylesheet"
    />
  </head>
  <body>
    <div class="signup-box" style="height: 390px; margin-top:175px ;">
      <h1>Terms and Conditions</h1>

      <p style="  margin-left: 1em; margin-right: 1em;">By using this site,you agree to be bound by,and to comply with,these
Terms and Conditions.
      Please Note: we reserve the right, at our soul discretion, to change, modify or otherwise alter these terms and conditionsat
any time.
      Unless otherwise indicated amendments will become effective immediately. Please review these terms and conditions
periodically.
    </p>
    <a style="margin-left: 10em;" href="signup.html">Back</a>
  </div>
</body>
</html>
```

CASUAL:

```
<!DOCTYPE html>
<html>
  <title>Casuals-trendyfashion.com</title>
  <link rel="icon" type="image/x-icon" href=" ../Images/download.jpg">
<style>
* {
  box-sizing: border-box;
}

body {
  margin: 0;
  font-family: Arial;
}

.header {
  text-align: center;
  padding: 32px;
}

.row {
  display: -ms-flexbox; /* IE10 */
  display: flex;
  -ms-flex-wrap: wrap; /* IE10 */
  flex-wrap: wrap;
  padding: 0 4px;
}

/* Create four equal columns that sits next to each other */
```

```
.column {
  -ms-flex: 25%; /* IE10 */
  flex: 25%;
  max-width: 25%;
  padding: 0 4px;
}
```

```
.column img {
  margin-top: 8px;
  vertical-align: middle;
  width: 100%;
}
```

```
/* Responsive layout - makes a two column-layout instead of four columns */
```

```
@media screen and (max-width: 800px) {
  .column {
    -ms-flex: 50%;
    flex: 50%;
    max-width: 50%;
  }
}
```

```
/* Responsive layout - makes the two columns stack on top of each other instead of next to each other */
```

```
@media screen and (max-width: 600px) {
  .column {
    -ms-flex: 100%;
    flex: 100%;
    max-width: 100%;
  }
}
```

```
</style>
```

```
<body>
```

```
<!-- Header -->
```

```
<div class="header" style="background-image: url('https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQGrJ4SIjnY81v-
MUVoXt0tZmu6hjzAXRnAcA&usqp=CAU')">
  <h1>CASUAL DENIM JACKET WEARS</h1>
```

```
</div>
```

```
<!-- Photo Grid -->
```

```
<div class="row">
```

```
  <div class="column">
```

```
    <div class="w3-third w3-container w3-margin-bottom">
```

```
      
```

```
      <div class="w3-container w3-white">
```

```
        <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Canna casuals denim jacket outfit
```

```
        <p class="text-monospace" style="color:#22a2d7;">16,500 ratings</p>
```

```
        <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 2599</b></p>
```

```
      </div>
```

```
    </div>
```

```
    <div class="w3-third w3-container w3-margin-bottom">
```

```
      
```

```
      <div class="w3-container w3-white">
```

```
        <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Juvain casuals denim jacket outfit
```

```
        <p class="text-monospace" style="color:#22a2d7;">16,360 ratings</p>
```

```
        <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>#8377; 1669</b></p>
```

```
      </div>
```

```
    </div>
```

```

<div class="w3-third w3-container">
  
  <div class="w3-container w3-white">
    <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Cretia casuals denim jacket outfit
    <p class="text-monospace" style="color:#22a2d7;">16,700 ratings</p>
    <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 1690</b></p>
  </div>
</div>
</div>

<div class="column">
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Magna casuals denim jacket outfit
      <p class="text-monospace" style="color:#22a2d7;">16,800 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 4899</b></p>
    </div>
  </div>
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Mila casuals denim jacket outfit
      <p class="text-monospace" style="color:#22a2d7;">16,330 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 9569</b></p>
    </div>
  </div>
  <div class="w3-third w3-container">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">wolfia casuals denim jacket outfit
      <p class="text-monospace" style="color:#22a2d7;">16,360 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 6590</b></p>
    </div>
  </div>
</div>

<div class="column">
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Fiana casuals denim jacket outfit
      <p class="text-monospace" style="color:#22a2d7;">16,407 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 7599</b></p>
    </div>
  </div>
  <div class="w3-third w3-container w3-margin-bottom">
    
    <div class="w3-container w3-white">
      <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Jenna casuals denim jacket outfit
      <p class="text-monospace" style="color:#22a2d7;">16,390 ratings</p>
      <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>£8377; 4569</b></p>
    </div>
  </div>
</div>

```



```

        </div>
    </div>
    <div class="w3-third w3-container">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Jefy casuals denim jacket outfit
            <p class="text-monospace" style="color:#22a2d7;">16,360 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>&#8377; 7590</b></p>
        </div>
    </div>
</div>

<div class="column">
    <div class="w3-third w3-container w3-margin-bottom">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Juvaina casuals denim jacket outfit
            <p class="text-monospace" style="color:#22a2d7;">16,480 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>&#8377; 8599</b></p>
        </div>
    </div>
    <div class="w3-third w3-container w3-margin-bottom">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Mkla casuals denim jacket outfit
            <p class="text-monospace" style="color:#22a2d7;">16,390 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>&#8377; 9869</b></p>
        </div>
    </div>
    <div class="w3-third w3-container">
        
        <div class="w3-container w3-white">
            <p class="font-weight-bolder" style="font-size: 150%;font-family:verdana; ">Lika casuals denim jacket outfit
            <p class="text-monospace" style="color:#22a2d7;">16,309 ratings</p>
            <p style="color:rgb(168, 142, 142)">Price:<b style='font-size:20px; color:#cc3939;'>&#8377; 7890</b></p>
        </div>
    </div>
</div>
</div>
</body>
</html>

```